

# Complementary wardrobes with handle and handleless for the CONCEPT LINE ranges and marked cabinets for ALL Laguna programmes

Delivery time: 4-6 weeks



## Front colours

**F** foiled front

**M** Melamine coated front with ABS-edge



No. 679 concrete imitation



No. 764 Stonegrey matt



No. 777 cosmos grey matt



No. 793 noble white matt



No. 891 quarz grey matt



No. 893 titanium grey matt



No. 686 anthracite hgl.



No. 722 polar white hgl.



No. 755 hacienda black



No. 769 hacienda grey  
Expiry 12/2023



No. 639 Oak Black



no. 670 Halifax oak



no. 680 Charleston oak



No. 750 cardiff oak



no. 751 Cuneo oak brown



no. 771 Cuneo oak natural



no. 776 Charleston oak dark



Nr. 785 natural oak



no. 794 sand oak

## carcass colours

\* High gloss carcass for an additional price



No. 179  
concrete imitation



No. 164  
Stonegrey matt



No. 177  
cosmos grey matt




No. 111  
white matt



no. 191  
quarz grey matt



No. 193  
titanium grey matt




\*no. 121  
anthracite hgl.



\*no. 161  
white hgl.



no. 155  
hacienda black



no. 169  
hacienda grey  
Expiry 12/2023



No. 139 Oak Black



no. 170  
Halifax oak



no. 180  
Charleston oak



no. 150  
cardiff oak



no. 151  
Cuneo oak brown



no. 171 Cuneo  
oak natural



no. 176  
Charleston oak dark



Nr. 185  
natural oak



no. 194  
sand oak

## Cover plate decor

Surface polished



individual top covers made from high quality quarz materials with scratch-resistant surface - easy-care & durable



No. 401 Blanco Zeus



No. 402 Negro Stellar



No. 408 Cemento Spa




no. 423 lava grey



No. 424 Black



no. 427 Noble grey



no. 429 Calypso

## cover plate solid oak



No. 103

## Accent decors for plug-in shelf



no. 501  
white matt lacquered



no. 547  
black matt lacquered



## pull-out element

Pull out with premium soft close

door with integrated buffered closing

## Handle version



**No. 540 bar handle chrome / matt chrome**

handle bore 96 mm / 384 mm

Reflex



**No. 520 bar handle chrome**

handle bore 96 mm / 384 mm

keratime, modern classic, keratime round



**No. 550 bar handle black**

handle bore 96 mm / 384 mm

keratime, modern classic, keratime round



**no. 590 bar handle chromom**

handle bore 96 mm / 384 mm

Laola, Feo, Loft, Wings



**No. 522 bar handle chrome**

handle bore 96 mm / 384 mm / 620 mm

Magic, Platino 2.0



**No. 598 Strip-handle chrome**

handle bore 96 mm / 384 mm / 620 mm

Manhattan



**no. 589 bar handle chromom**

handle bore 96 mm / 384 mm / 620 mm

Neo



**No. 559 bar handle black matt**

handle bore 96 mm / 384 mm / 620 mm

Neo



**no. 596 bar handle chromom**

handle bore 96 mm / 384 mm

Life plus



**No. 529 Strip handle chrome**

handle length 194 mm / 294 mm / 494 mm

Optional handle



**no. 538 Strip handle aluminium matt**

handle length 194 mm / 294 mm / 494 mm

Optional handle



**No. 539 Strip handle black matt**

handle length 194 mm / 294 mm / 494 mm

Optional handle



**No. 537 Strip handle chrome**

handle length: 52 mm

Optional handle for round programs



**no. 548 Strip handle aluminium matt**

handle length: 52 mm

Optional handle for round programs



**No. 549 Strip handle black matt**

handle length: 52 mm

Optional handle for round programs

## Handleless versions



Magic, Platino 2.0






**handleless - handle profil in carcass colour**

Illustrations and specifications are without obligation. Technical modifications reserved.

2023/2024

Please note the instruction for warranty, mounting and care, and the quality agreements as well, at the beginning of the book.






# Additional units for all CONCEPT LINE programs

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<b>Tall unit-shelf sets</b> top cover has to be ordered separately							
	<b>Tall unit-shelf set</b> 3-part 2 doors 2 glass shelves (top) 2 adjustable shelves (bottom) 1 shelf shelf available in different colors	300	300	1840	<b>SET 1 8 3 0 R 3</b>	L/R	
		300	400	1840		<b>SET 1 8 4 0 R 3</b>	L/R
	<b>Tall unit-shelf set</b> 3-part 4 doors 2 glass shelves (top) 2 adjustable shelves (bottom) 1 shelf shelf available in different colors	300	600	1840	<b>SET 1 8 6 0 R 3</b>		
	<b>Tall unit-shelf set</b> 3-part 2 doors 2 glass shelves (top) 1 glass shelf 1 shelf shelf available in different colors	300	300	1760	<b>SET 1 7 3 0 R 3</b>	L/R	
		300	400	1760		<b>SET 1 7 4 0 R 3</b>	L/R
	<b>Tall unit-shelf set</b> 3-part 2 doors 2 glass shelves (top) 1 glass shelf 1 shelf shelf available in different colors	300	600	1760	<b>SET 1 7 6 0 R 3</b>		
	<b>Tall unit-shelf set</b> 3-part 1 door 3 glass shelves 1 drawer with buffered closing <b>Metal drawer optionally in contrasting colours</b> 1 metal pull-out with buffered closing incl. drawer rail  Notice: hinges left side mean door-hinge left und drawer protrudes on the right side !	300	600	1600	<b>SET 1 6 6 0 0 1</b>	L/R	




# Additional units for all CONCEPT LINE programs

Depth indication corresponds to the carcass depth

**Tall units**  
top cover has to be ordered separately

	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
 <p><b>Tall unit</b> 1 door 4 glass shelves 2 metal pull-outs with buffered closing 260 mm deep</p> <p>Variable in width: please quote the exact dimension of carcass depth. from 340 mm depth drawers 300 mm deep from 390 mm depth drawers 350 mm deep</p>	300	300	1600	<b>HNA0830</b>	4 L/R	
	300	400	1600	<b>HNA0840</b>	4 L/R	
	301-470	300	1600	<b>HVA0830</b>	4 L/R	
	301-470	400	1600	<b>HVA0840</b>	4 L/R	
 <p><b>Tall unit</b> 2 doors 4 glass shelves 2 metal pull-outs with buffered closing 260 mm deep</p> <p>Variable in width: please quote the exact dimension of carcass depth. from 340 mm depth drawers 300 mm deep from 390 mm depth drawers 350 mm deep</p>	300	600	1600	<b>HNA0860</b>	4	
	301-470	600	1600	<b>HVA0860</b>	4	
 <p><b>Tall unit</b> 1 door 2 glass shelves (top) 1 drawer with buffered closing 260 mm deep 2 metal pull-outs with buffered closing 260 mm deep</p> <p>Variable in width: please quote the exact dimension of carcass depth. from 340 mm depth drawers 300 mm deep from 390 mm depth drawers 350 mm deep</p>	300	300	1600	<b>HNA0930</b>	L/R	
	300	400	1600	<b>HNA0940</b>	L/R	
	301-470	300	1600	<b>HVA0930</b>	L/R	
	301-470	400	1600	<b>HVA0940</b>	L/R	
 <p><b>Tall unit</b> 2 doors 2 glass shelves (top) 1 drawer with buffered closing 260 mm deep 2 metal pull-outs with buffered closing 260 mm deep</p> <p>Variable in width: please quote the exact dimension of carcass depth. from 340 mm depth drawers 300 mm deep from 390 mm depth drawers 350 mm deep</p>	300	600	1600	<b>HNA0960</b>		
	301-470	600	1600	<b>HVA0960</b>		
 <p><b>Tall unit</b> 2 doors 2 glass shelves (top) 2 adjustable shelves (bottom)</p> <p>Variable in width: please quote the exact dimension of carcass depth.</p>	300	300	1600	<b>HNA0330</b>	L/R	
	300	400	1600	<b>HNA0340</b>	L/R	
	150-299	300	1600	<b>HVA0330</b>	L/R	
	301-470	300	1600	<b>HVA0330</b>	T L/R	
	150-299	400	1600	<b>HVA0340</b>	L/R	
	301-470	400	1600	<b>HVA0340</b>	T L/R	





# Additional units for all CONCEPT LINE programs

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<b>Tall units</b> top cover has to be ordered separately							
	<b>Tall unit</b> 4 doors 2 glass shelves (top) 2 adjustable shelves (bottom)	300	600	1600	<b>HNA 0 3 6 0</b>		
	Variable in width: please quote the exact dimension of carcass depth.	150-299 301-470	600 600	1600 1600	<b>HVA 0 3 6 0</b> <b>HVA 0 3 6 0 T</b>		
	<b>Tall unit for brooms</b> 2 strapped doors 5 glass shelves	300 300	300 400	1600 1600	<b>HNA 0 3 3 0 1 1</b> <b>HNA 0 3 4 0 1 1</b>	L/R L/R	
	Variable in width: please quote the exact dimension of carcass depth.	301-470 301-470	300 400	1600 1600	<b>HVA 0 3 3 0 1 1</b> <b>HVA 0 3 4 0 1 1</b>	L/R L/R	
	<b>Tall unit for brooms</b> 2 strapped doors left 2 strapped doors right 5 glass shelves	300	600	1600	<b>HNA 0 3 6 0 1 1</b>		
	Variable in width: please quote the exact dimension of carcass depth.	301-470	600	1600	<b>HVA 0 3 6 0 1 1</b>		
	<b>Tall unit</b> 1 door 2 glass shelves (top) 1 drawer with buffered closing 260 mm deep 1 door 1 glass shelf	300 300	300 400	1600 1600	<b>HNA 0 5 3 0</b> <b>HNA 0 5 4 0</b>	L/R L/R	
	Variable in width: please quote the exact dimension of carcass depth.	301-470 301-470	300 400	1600 1600	<b>HVA 0 5 3 0</b> <b>HVA 0 5 4 0</b>	L/R L/R	
	<b>Tall unit</b> 2 doors 2 glass shelves (top) 1 drawer with buffered closing 260 mm deep 2 doors 1 glass shelf	300	600	1600	<b>HNA 0 5 6 0</b>		
	Variable in width: please quote the exact dimension of carcass depth.	301-470	600	1600	<b>HVA 0 5 6 0</b>		





# Additional units for all CONCEPT LINE programs

Depth indication corresponds to the carcass depth

**Tall units**  
top cover has to be ordered separately






	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
 <p><b>Tall unit</b> 1 door 1 glass shelf (top) 2 metal pull-outs with buffered closing, 260 mm deep 1 door 1 glass shelf</p> <p>Variable in width: please quote the exact dimension of carcass depth. from 340 mm depth drawers 300 mm deep from 390 mm depth drawers 350 mm deep</p>	300	300	1600	<b>HNA043001</b>	L/R	
	300	400	1600	<b>HNA044001</b>	L/R	
	301-470	300	1600	<b>HVA043001</b>	L/R	
	301-470	400	1600	<b>HVA044001</b>	L/R	
 <p><b>Tall unit</b> 2 doors 1 glass shelf (top) 2 metal pull-outs with buffered closing, 260 mm deep 2 doors 1 glass shelf</p> <p>Variable in width: please quote the exact dimension of carcass depth. from 340 mm depth drawers 300 mm deep from 390 mm depth drawers 350 mm deep</p>	300	600	1600	<b>HNA046001</b>		
	301-470	600	1600	<b>HVA046001</b>		
 <p><b>Tall unit</b> 1 door 1 glass shelf (top) 1 open compartment 1 drawer with buffered closing 260 mm deep 1 door 1 glass shelf</p> <p>Variable in width: please quote the exact dimension of carcass depth. from 340 mm depth drawers 300 mm deep from 390 mm depth drawers 350 mm deep</p>	300	300	1600	<b>HNA023001</b>	L/R	
	300	400	1600	<b>HNA024001</b>	L/R	
	301-470	300	1600	<b>HVA023001</b>	L/R	
	301-470	400	1600	<b>HVA024001</b>	L/R	
 <p><b>Tall unit</b> 2 doors 1 glass shelf (top) 1 open compartment 1 drawer with buffered closing 260 mm deep 2 doors 1 glass shelf</p> <p>Variable in width: please quote the exact dimension of carcass depth. from 340 mm depth drawers 300 mm deep from 390 mm depth drawers 350 mm deep</p>	300	600	1600	<b>HNA026001</b>		
	301-470	600	1600	<b>HVA026001</b>		

# Additional units for all CONCEPT LINE programs






Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<b>Tall units</b> top cover has to be ordered separately							
	<b>Tall unit</b> 1 door 1 glass shelf (top) 1 open compartment 1 door 1 glass shelf	300	300	1600	<b>HNA 0 2 3 0 0 2</b>	L/R	
	Variable in width: please quote the exact dimension of carcass depth.	300	400	1600	<b>HNA 0 2 4 0 0 2</b>	L/R	
		150-299	300	1600	<b>HVA 0 2 3 0 0 2</b>	L/R	
		301-470	300	1600	<b>HVA 0 2 3 0 T 2</b>	L/R	
		150-299	400	1600	<b>HVA 0 2 4 0 0 2</b>	L/R	
	301-470	400	1600	<b>HVA 0 2 4 0 T 2</b>	L/R		
	<b>Tall unit</b> 2 doors 1 glass shelf (top) 1 open compartment 2 doors 1 glass shelf	300	600	1600	<b>HNA 0 2 6 0 0 2</b>		
	Variable in width: please quote the exact dimension of carcass depth.	150-299	600	1600	<b>HVA 0 2 6 0 0 2</b>		
	301-470	600	1600	<b>HVA 0 2 6 0 T 2</b>			
	<b>Tall unit with laundry basket</b> 1 door 2 glass shelves 1 drawer with buffered closing 260 mm deep 1 laundry basket with wire basket						
	Volume of laundry basket: 25 liters	300	300	1600	<b>HNA 0 5 3 0</b>	W	L/R
	Volume of laundry basket: 35 liters	300	400	1600	<b>HNA 0 5 4 0</b>	W	L/R
	Variable in width: please note the exact dimension of carcass depth.	301-470	300	1600	<b>HVA 0 5 3 0</b>	W	L/R
	from 340 mm depth drawers 300 mm deep from 390 mm depth drawers 350 mm deep The laundry basket remains unchanged	301-470	400	1600	<b>HVA 0 5 4 0</b>	W	L/R
	<b>Tall unit with laundry basket</b> 2 doors 2 glass shelves 1 drawer with buffered closing 260 mm deep 1 laundry basket with wire basket						
	Volume of laundry basket: 55 liters	300	600	1600	<b>HNA 0 5 6 0</b>	W	
Variable in width: please note the exact dimension of carcass depth.	301-470	600	1600	<b>HVA 0 5 6 0</b>	W		
from 340 mm depth drawers 300 mm deep from 390 mm depth drawers 350 mm deep The laundry basket remains unchanged							







## Additional units for all CONCEPT LINE programs

	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Depth indication corresponds to the carcass depth						
<b>Tall units</b> top cover has to be ordered separately						
				<b>Tall unit with laundry pull out</b> 2 doors 2 glass shelves (top) 1 drawer with buffered closing 260 mm deep 2 doors 1 laundry pull out with wire basket  Volume of laundry pull out: 40 liters		
	300	600	1600	<b>HNA05601W</b>		
 <p>III. = left</p>	300	500	1600	<b>RHN035001</b>	L/R	
				<b>Tall unit</b> 1 open shelf unit 2 fixed wooden shelves 2 wooden shelves 2 doors 4 glass shelves		
	150-300	150-600	1600	<b>RV 101V01</b>		
	301-470	150-600	1600	<b>RV 101VT1</b>		
				<b>Shelf</b> variable dimensions 5 fixed wooden shelves		
<b>Tall units-additional elements</b> only combined with 1 wall- or base unit						
	300	300	240	<b>ONA2130K</b>		
	300	400	240	<b>ONA2140K</b>		
	300	600	240	<b>ONA2160K</b>		
				<b>Wall unit</b> 1 flap door, additional cabinet above the tall unit  By using as additional element please order mounting accessories with art.-no. 504 6820 18 as well (foc)		
	300	300	240	<b>UNA11302</b>		
	300	400	240	<b>UNA11402</b>		
	300	600	240	<b>UNA11602</b>		
				<b>Base unit</b> 1 drawer with buffered closing additional cabinet below the tall unit  By using as additional element please order mounting accessories with art.-no. 504 6820 18 as well (foc)		

# Additional units for all CONCEPT LINE programs

	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<p>Depth indication corresponds to the carcass depth</p> <h2>Tall cabinets / shelves for ALL Laguna programmes</h2>  <p><b>Tall unit with mirror door</b>            4 glass shelves            1 fixed shelf            1 LED stringboard</p> <p>12 V / converter 15 watt            579 lumens / 6000 Kelvin            LED-sensor switcher            This product contains a light source with energy efficiency class: G</p> <p>Body width including LED-element 428 mm</p> <p>See dimensional drawings for electrical connections</p>	300	446	1600	<b>HNA 0 1 4 F 2</b>	L/R	
 <p><b>Tall unit-mirror-shelf</b>            1 door with mirror surface in carcass colour            3 fixed wooden shelves</p> <p>Ill. = left</p>	150	400	1600	<b>HOG 1 0 4 0 0 1</b>	L/R	
 <p><b>Tall unit-shelf</b>            with open shelf space            in carcass colour            shelves available in different colors</p>	150	300	1600	<b>RG 1 0 3 0 1 1</b>		
 <p><b>Tall unit-shelf</b>            with mirror surface            4 shelves compartments            in carcass colour</p>	150	300	1600	<b>RG 1 0 3 0 0 2</b>		
 <p><b>Tall unit-shelf</b>            4 functional hooks            4 shelves compartments            in carcass colour</p>	150	300	1600	<b>RG 1 0 3 0 0 3</b>		







## Additional units for all CONCEPT LINE programs

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
 <p><b>Tall unit-shelf</b> in carcass colour 5 shelves compartments with front panels please indicate colour version of the front panels: no. 043 black matt no. 044 alu matt no. 101 chrome</p>	150	300	1600	<b>RG 1 0 3 0 0 4</b>		
 <p><b>Tall unit-shelf</b> in carcass colour 5 shelves compartments with front panels in carcass colour</p>	150	300	1600	<b>RG 1 0 3 0 0 5</b>		
 <p><b>Tall unit-shelf</b> 4 protruding shelves compartments in carcass colour shelves available in different colors</p>	150	600	1600	<b>RG 1 0 6 0 0 6</b>		
 <p><b>System shelf</b> metal frame in black matt 4 fixed wooden shelves Depth: 200 mm, 240 mm, 280 mm, 320 mm variable in width  Width from both outer edges of the frame</p>	320	300-600	1600	<b>RG M 1 6 0 V 0 1</b>		

# Additional units for all CONCEPT LINE programs

Depth indication corresponds to the carcass depth







**Central units**  
top cover has to be ordered separately

	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
 <p><b>medium-high unit</b> 1 door 2 glass shelves (top) 2 metal pull-outs with buffered closing 260 mm deep</p>	300	300	1280	<b>MNA 8 7 3 0 4</b>	L/R	
	300	400	1280	<b>MNA 8 7 4 0 4</b>	L/R	
	301-470	300	1280	<b>MVA 8 7 3 0 4</b>	L/R	
	301-470	400	1280	<b>MVA 8 7 4 0 4</b>	L/R	
 <p><b>medium-high unit</b> 2 doors 2 glass shelves (top) 2 metal pull-outs with buffered closing 260 mm deep</p>	300	600	1280	<b>MNA 8 7 6 0 4</b>		
	301-470	600	1280	<b>MVA 8 7 6 0 4</b>		
 <p><b>medium-high unit</b> 1 door 2 glass shelves 1 push-back shelf central 1 metal pull-out with buffered closing 260 mm deep</p>	300	300	1280	<b>MNS 8 2 3 0 R G</b>	L/R	
	300	400	1280	<b>MNS 8 2 4 0 R G</b>	L/R	
 <p><b>medium-high unit</b> 2 doors 2 glass shelves 1 push-back shelf central 1 metal pull-out with buffered closing 260 mm deep</p>	300	600	1280	<b>MNS 8 2 6 0 R G</b>		
 <p><b>medium-high unit</b> 1 door 2 glass shelves 1 metal pull-out with buffered closing 260 mm deep 1 push-back shelf below</p>	300	300	1280	<b>MNS 8 2 3 1 R G</b>	L/R	
	300	400	1280	<b>MNS 8 2 4 1 R G</b>	L/R	
 <p><b>medium-high unit</b> 2 doors 2 glass shelves 1 metal pull-out with buffered closing 260 mm deep 1 push-back shelf below</p>	300	600	1280	<b>MNS 8 2 6 1 R G</b>		






Variable in width:  
please quote the exact dimension of carcass depth.  
from 340 mm depth drawers 300 mm deep  
from 390 mm depth drawers 350 mm deep

please note the accent decor for plug-in shelf  
no. 501 white matt lacquered or  
no. 547 black matt lacquered






## Additional units for all CONCEPT LINE programs

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<b>Central units</b> top cover has to be ordered separately							
 <p>800 160 320</p>	<b>medium-high unit</b> 1 door 2 glass shelves (top) 1 drawer with buffered closing 260 mm deep 1 metal pull-out with buffered closing, 260 mm deep	300	300	1280	<b>MNA8830</b>	L/R	
		300	400	1280	<b>MNA8840</b>	L/R	
	Variable in width: please quote the exact dimension of carcass depth. from 340 mm depth drawers 300 mm deep from 390 mm depth drawers 350 mm deep	301-470	300	1280	<b>MVA8830</b>	L/R	
		301-470	400	1280	<b>MVA8840</b>	L/R	
 <p>800 160 320</p>	<b>medium-high unit</b> 2 doors 2 glass shelves (top) 1 drawer with buffered closing 260 mm deep 1 metal pull-out with buffered closing, 260 mm deep	300	600	1280	<b>MNA8860</b>		
	Variable in width: please quote the exact dimension of carcass depth. from 340 mm depth drawers 300 mm deep from 390 mm depth drawers 350 mm deep	301-470	600	1280	<b>MVA8860</b>		
 <p>640 640</p>	<b>medium-high unit with laundry pull out</b> 2 doors 1 glass shelf (top) 2 doors 1 laundry pull out with wire basket Volume of laundry pull out: 40 liters	300	600	1280	<b>MNA83601W</b>		
 <p>1280</p>	<b>medium-high unit</b> 1 door 4 glass shelves	300	300	1280	<b>MNA8130</b>	7 L/R	
		300	400	1280	<b>MNA8140</b>	7 L/R	
	Variable in width: please quote the exact dimension of carcass depth.	150-299	300	1280	<b>MVA8130</b>	L/R	
		301-470	300	1280	<b>MVA8130</b>	T L/R	
		150-299	400	1280	<b>MVA8140</b>	L/R	
		301-470	400	1280	<b>MVA8140</b>	T L/R	
 <p>1280</p>	<b>medium-high unit</b> 2 doors 4 glass shelves	300	600	1280	<b>MNA8160</b>	7	
	Variable in width: please quote the exact dimension of carcass depth.	150-299	600	1280	<b>MVA8160</b>		
		301-470	600	1280	<b>MVA8160</b>	T	
 <p>1280</p>	<b>medium-high unit with inside drawer</b> 1 door 2 inside metal-drawer with buffered closing 1 glass shelf	300	300	1280	<b>MNA8430</b>	L/R	
		300	400	1280	<b>MNA8440</b>	L/R	

# Additional units for all CONCEPT LINE programs

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<b>Central units</b> <b>top cover has to be ordered separately</b>						
 <p><b>medium-high unit with inside drawer</b>            2 doors            2 inside metal-drawer with buffered closing            1 glass shelf</p>	300	600	1280	<b>MNA 8 4 6 0</b>		
 <p><b>medium-high unit</b>            1 open shelf unit            3 shelves            in carcass colour            1 door            3 glass shelves</p> <p>Ill. = left</p>	300	500	1280	<b>RMN 8 1 5 0 0 1</b>	L/R	
 <p><b>Shelf</b>            variable dimensions            4 fixed wooden shelves</p>	150-300 301-470	150-600 150-600	1280 1280	<b>RV 8 1 V 0 1</b> <b>RV 8 1 V T 1</b>		
 <p><b>LED shelf</b>            3 LED glass shelves            3 x 0,8 / converter 15 watt            3 x 27 lumens / 3000 - 6300 Kelvin            LED-sensor switcher            This product contains a light source with energy efficiency class: F</p> <p>See dimensional drawings for electrical connections</p>	300	400	1280	<b>RN 8 1 4 0 0 7</b>		
<b>medium-high unit-shelf</b> <b>for ALL Laguna programmes</b>						
 <p><b>medium-high unit</b>            1 door in carcass colour 300 mm width            2 fixed wooden shelves</p> <p>Ill. = left</p>	150	400	1280	<b>MOG 8 1 4 0 0 1</b>	L/R	

## Additional units for all CONCEPT LINE programs








Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<b>medium-high unit-shelf</b> <b>for ALL Laguna programmes</b>							
	<b>medium-high unit</b> in carcass colour 4 shelves compartments with front panels please indicate colour version of the front panels: no. 043 black matt no. 044 alu matt no. 101 chrome	150	300	1280	<b>RG 8 1 3 0 0 4</b>		
	<b>medium-high unit</b> 4 shelves compartments with front panels in carcass colour	150	300	1280	<b>RG 8 1 3 0 0 5</b>		
	<b>medium-high unit</b> 3 protruding shelves compartments in carcass colour shelves available in different colors	150	600	1280	<b>RG 8 1 6 0 0 6</b>		
<b>Highboards</b> top cover has to be ordered separately							
	<b>Highboard</b> 1 door 2 glass shelves	150	200	800	<b>HBA 5 1 2 0 1 1</b>	L/R	
	<b>Highboard</b> 1 drawer with buffered closing 260 mm deep 1 door 1 glass shelf	300	300	800	<b>HBA 5 5 3 0</b>	L/R	
		300	400	800	<b>HBA 5 5 4 0</b>	L/R	
	Variable in width: please quote the exact dimension of carcass depth. from 340 mm depth drawers 300 mm deep from 390 mm depth drawers 350 mm deep	301-470	300	800	<b>HBVA 5 5 3</b>	L/R	
		301-470	400	800	<b>HBVA 5 5 4</b>	L/R	

# Additional units for all CONCEPT LINE programs

Depth indication corresponds to the carcass depth







## Highboards

top cover has to be ordered separately








	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
 <p><b>Highboard</b> 1 drawer with buffered closing 260 mm deep 2 doors 1 glass shelf</p> <p>Variable in width: please quote the exact dimension of carcass depth. from 340 mm depth drawers 300 mm deep from 390 mm depth drawers 350 mm deep</p>	300	600	800	<b>HBA 5 5 6 0</b>		
	301-470	600	800	<b>HBVA 5 5 6</b>		
 <p><b>Highboard</b> 1 door 2 glass shelves</p> <p>Variable in width: please quote the exact dimension of carcass depth.</p>	300	300	800	<b>HBA 5 1 3 0</b>	L/R	
	300	400	800	<b>HBA 5 1 4 0</b>	L/R	
	150-299	300	800	<b>HBVA 5 1 3</b>	L/R	
	301-470	300	800	<b>HBVA 5 1 3 T</b>	L/R	
	150-299	400	800	<b>HBVA 5 1 4</b>	L/R	
301-470	400	800	<b>HBVA 5 1 4 T</b>	L/R		
 <p><b>Highboard</b> 2 doors 2 glass shelves</p> <p>Variable in width: please quote the exact dimension of carcass depth.</p>	300	600	800	<b>HBA 5 1 6 0</b>		
	150-299 301-470	600 600	800 800	<b>HBVA 5 1 6</b> <b>HBVA 5 1 6 T</b>		
 <p><b>Highboard with laundry pull out</b> 2 doors 1 laundry pull out with wire basket</p> <p>Volume of laundry pull out: 40 liters</p>	300	600	800	<b>HBA 5 1 6 0 1 W</b>		
 <p><b>Highboard</b> 1 drawer with buffered closing 260 mm deep 2 metal pull-outs with buffered closing 260 mm deep</p> <p>Variable in width: please quote the exact dimension of carcass depth. from 340 mm depth drawers 300 mm deep from 390 mm depth drawers 350 mm deep</p>	300	300	800	<b>HBA 5 6 3 0</b>		
	300	400	800	<b>HBA 5 6 4 0</b>		
	300	600	800	<b>HBA 5 6 6 0</b>		
	301-470	300	800	<b>HBVA 5 6 3 0 1</b>		
301-470	400	800	<b>HBVA 5 6 4 0 1</b>			
301-470	600	800	<b>HBVA 5 6 6 0 1</b>			
 <p><b>Highboard with laundry basket</b> 1 drawer with buffered closing 260 mm deep 1 laundry basket with wire basket</p> <p>Volume of laundry basket: 25 liters</p> <p>Volume of laundry basket: 35 liters</p>	300	300	800	<b>HBA 5 5 3 0 W</b>		
	300	400	800	<b>HBA 5 5 4 0 W</b>		
 <p><b>Highboard with laundry basket</b> 1 drawer with buffered closing 260 mm deep 1 laundry basket with wire basket</p> <p>Volume of laundry basket: 55 liters</p>	300	600	800	<b>HBA 5 5 6 0 W</b>		



# Additional units for all CONCEPT LINE programs

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<h2>Highboards</h2> <p>top cover has to be ordered separately</p>							
 <p>160 640</p>	<p><b>Highboard with laundry pull out</b> 1 drawer with buffered closing 260 mm deep 2 doors 1 laundry pull out with wire basket Volume of laundry pull out: 40 liters</p>	300	600	800	<b>HBA 5 5 6 0 1 W</b>		
 <p>480 320</p>	<p><b>Highboard</b> 1 door 1 glass shelf (top) 1 open compartment</p>	300 300	300 400	800 800	<b>HBA 5 2 3 0</b> <b>HBA 5 2 4 0</b>	L/R L/R	
 <p>480 320</p>	<p><b>Highboard</b> 2 doors 1 glass shelf (top) 1 open compartment</p>	300	600	800	<b>HBA 5 2 6 0</b>		
 <p>200</p>	<p><b>Shelf</b> variable dimensions 3 fixed wooden shelves</p>	150-300 301-470	150-600 150-600	800 800	<b>RV 5 1 V 0 1</b> <b>RV 5 1 V T 1</b>		
<h2>Highboard shelves</h2> <p>for ALL Laguna programmes</p>							
 <p>80 278 278 80</p>	<p><b>System shelf</b> metal frame in black matt 3 fixed wooden shelves variable in width Width from both outer edges of the frame</p>	200	300-600	800	<b>RGM 0 8 0 V 0 1</b>		
<h2>Wall units</h2> <p>top cover has to be ordered separately</p>							
 <p>800</p>	<p><b>Wall unit</b> 1 door 2 glass shelves Variable in width: please quote the exact dimension of carcass depth.</p>	150 150 151-300 301-470 151-300 301-470	300 400 300 300 400 400	800 800 800 800 800 800	<b>OGA 5 1 3 0 1</b> <b>OGA 5 1 4 0 1</b> <b>OVA 5 1 3 0 0 1</b> <b>OVA 5 1 3 0 T</b> <b>OVA 5 1 4 0 0 1</b> <b>OVA 5 1 4 0 T</b>	L/R L/R L/R L/R L/R L/R	











# Additional units for all CONCEPT LINE programs

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<b>Wall units</b> <b>top cover has to be ordered separately</b>							
 <p>800</p>	<b>Wall unit</b> 2 doors 2 glass shelves  Variable in width: please quote the exact dimension of carcass depth.	150	600	800	<b>OGA 5 1 6 0 1</b>		
		151-300 301-470	600 600	800 800	<b>OVA 5 1 6 0 0 1</b> <b>OVA 5 1 6 0 T</b>		
 <p>200</p>	<b>Shelf</b> variable dimensions 3 fixed wooden shelves	150-300 301-470	150-600 150-600	800 800	<b>RV 5 1 V 0 1</b> <b>RV 5 1 V T 1</b>		
 <p>640</p>	<b>Wall unit</b> 1 door 1 glass shelf  Variable in width: please quote the exact dimension of carcass depth.	150	300	640	<b>OGA 4 1 3 0</b>	L/R	
		150	400	640	<b>OGA 4 1 4 0</b>	L/R	
		151-300 301-470	300 300	640 640	<b>OVA 4 1 3 0</b> <b>OVA 4 1 3 0 T</b>	L/R L/R	
		151-300 301-470	400 400	640 640	<b>OVA 4 1 4 0</b> <b>OVA 4 1 4 0 T</b>	L/R L/R	
 <p>640</p>	<b>Wall unit</b> 2 doors 1 glass shelf  Variable in width: please quote the exact dimension of carcass depth.	150	600	640	<b>OGA 4 1 6 0</b>		
		151-300 301-470	600 600	640 640	<b>OVA 4 1 6 0</b> <b>OVA 4 1 6 0 T</b>		
 <p>213</p>	<b>Shelf</b> variable dimensions 2 fixed wooden shelves	150-300 301-470	150-600 150-600	640 640	<b>RV 4 1 V 0 1</b> <b>RV 4 1 V T 1</b>		
 <p>320</p>	<b>Wall unit</b> 1 flap door,	230	600	320	<b>OMA 2 1 6 0 K</b>		
<b>Base units</b> <b>top cover has to be ordered separately</b>							
 <p>240 480</p>	<b>Base unit</b> 1 metal pull-out with buffered closing 260 mm deep 1 door	300	300	720	<b>UNA 5 2 3 0 2</b>	L/R	
		300	400	720	<b>UNA 5 2 4 0 2</b>	L/R	








# Additional units for all CONCEPT LINE programs

Depth indication corresponds to the carcass depth






## Base units top cover has to be ordered separately

	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
 <p><b>Base unit</b> 1 metal pull-out with buffered closing 260 mm deep 2 doors</p>	300	600	720	<b>U N A 5 2 6 0 2</b>		
 <p><b>Base unit</b> 2 metal pull-outs with buffered closing 260 mm deep</p>	300 300 300	300 400 600	640 640 640	<b>U N A 4 8 3 0 9</b> <b>U N A 4 8 4 0 9</b> <b>U N A 4 8 6 0 9</b>		
 <p><b>Base unit</b> 1 door</p>	300 300	300 400	640 640	<b>U N A 4 1 3 0 7</b> <b>U N A 4 1 4 0 7</b>	L/R L/R	
 <p><b>Base unit</b> 2 doors</p>	300	600	640	<b>U N A 4 1 6 0 7</b>		
 <p><b>Shelf</b> variable dimensions 2 fixed wooden shelves</p>	150-300 301-470	150-600 150-600	640 640	<b>R V 4 1 V 0 1</b> <b>R V 4 1 V T 1</b>		
 <p><b>Base unit</b> 2 metal pull-outs with buffered closing 260 mm deep</p>	300 300 300	300 400 600	560 560 560	<b>U N A 4 2 3 0</b> <b>U N A 4 2 4 0</b> <b>U N A 4 2 6 0</b>		
 <p><b>Shelf</b> variable dimensions 1 fixed shelf</p>	150-300 301-470	150-600 150-600	560 560	<b>R V 4 3 V 0 1</b> <b>R V 4 3 V T 1</b>		
 <p><b>Base unit</b> 1 drawer with buffered closing 260 mm deep 1 door</p>	300 300	300 400	480 480	<b>U N A 3 2 3 0</b> <b>U N A 3 2 4 0</b>	L/R L/R	
 <p><b>Base unit</b> 1 drawer with buffered closing 260 mm deep 2 doors</p>	300	600	480	<b>U N A 3 2 6 0</b>		
 <p><b>Base unit</b> 1 drawer with buffered closing 260 mm deep 1 metal pull-out with buffered closing, 260 mm deep</p>	300 300 300	300 400 600	480 480 480	<b>U N A 3 4 3 0</b> <b>U N A 3 4 4 0</b> <b>U N A 3 4 6 0</b>		

## Additional units for all CONCEPT LINE programs


Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
<b>Base units</b> top cover has to be ordered separately							
	<b>Shelf</b> variable dimensions 1 fixed shelf	150-300	150-600	480	<b>R V 3 1 V 0 2</b>		
		301-470	150-600	480	<b>R V 3 1 V T 2</b>		
	<b>Base unit</b> 2 metal pull-outs with buffered closing 260 mm deep	300	300	480	<b>U N A 3 6 3 0 2 U</b>		
		300	400	480	<b>U N A 3 6 4 0 2 U</b>		
		300	600	480	<b>U N A 3 6 6 0 2 U</b>		
	<b>Shelf</b> variable dimensions 1 fixed shelf	300	600	480	<b>R V 3 1 V 0 1</b>		
		470	600	480	<b>R V 3 1 V T 1</b>		
	<b>Base unit</b> 1 flap door,	230	600	320	<b>U M A 2 1 6 0 K</b>		
<b>Shelves</b> for ALL Laguna programmes							
	<b>functional shelf</b> Edges are cut with a mitre vertical and horizontal mounting possible  please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	300	160	<b>R G L 1 1 3 0 0 1</b>		
	<b>functional shelf</b> Edges are cut with a mitre vertical and horizontal mounting possible  please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	600	160	<b>R G L 1 1 6 0 0 2</b>		
	<b>functional shelf</b> Edges are cut with a mitre vertical and horizontal mounting possible  please indicate colour version: no. 501 white matt lacquered no. 547 black matt lacquered	150	900	160	<b>R G L 1 1 9 0 0 3</b>		

# Additional units for all CONCEPT LINE programs

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<b>Universal - washbasin base units</b>							
	<p><b>Universal - washbasin base unit</b>                      2 doors                      1 top cover 330 mm deep with syphon cut-out (depth: 240 mm, width: 80 mm)</p> <p>for free hanging washbasin</p>	300	600	336	<b>W U A 2 1 6 A</b>		
	<p><b>Universal - washbasin base unit</b>                      2 doors                      1 top cover 330 mm deep with syphon cut-out (depth: 240 mm, width: 80 mm)</p> <p>for free hanging washbasin</p>	300	600	496	<b>W U A 3 1 6 0 A</b>		
	<p><b>Universal - washbasin base unit</b>                      1 flap door,                      1 top cover 330 mm deep with syphon cut-out (depth: 240 mm, width: 80 mm)</p> <p>for free hanging washbasin</p>	300	600	336	<b>W U A 2 1 6 0 A K</b>		
<b>Various - washbasin base units</b>							
	<p><b>Washbasin base unit</b>                      2 doors                      depth adjustable</p> <p><b>600 mm wide</b></p> <p><b>800 mm wide</b></p>	200-470 200-470	600 800	480 480	<b>W U A 3 1 6 0 1 V</b> <b>W U A 3 1 8 0 1 V</b>		
	<p><b>washbasin base unit</b>                      1 door                      depth adjustable</p> <p><b>300 mm wide</b></p> <p><b>400 mm wide</b></p> <p>plannable under washbasin top or washbasin extension</p>	200-470 200-470	300 400	480 480	<b>U T A 3 1 3 0 1 V</b> L/R <b>U T A 3 1 4 0 1 V</b> L/R		


\*Price per Washbasin base unit. Please attach a sketch to your order. Check your order confirmation of correctness.

# Additional units for all CONCEPT LINE programs

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<b>Various - washbasin base units</b>						
	<b>Washbasin base unit for washbasins</b>					
Suitable for washbasins of the series: Life plus, Feo, Manhattan and Reflex 1 metal pull-out with buffered closing syphon cut- out central, 1 open compartment the cabinets with LED lighting for the open compartment include: 1 LED converter 15 W 1 motion sensor This product contains a light source with energy efficiency class: E						
<b>600 mm wide</b>						
	470	600	480	<b>WUA 3 2 6 0 0 4</b>		
<b>600 mm wide with LED lighting</b> 2,6 Watt / 286 lumens / 6300 Kelvin						
	470	600	480	<b>WUA 3 2 6 0 B 4</b>		
<b>700 mm wide</b>						
	470	700	480	<b>WUA 3 2 7 0 0 4</b>		
<b>700 mm wide with LED lighting</b> 3,1 watt / 333 lumens / 6300 Kelvin						
	470	700	480	<b>WUA 3 2 7 0 B 4</b>		
<b>800 mm wide</b>						
	470	800	480	<b>WUA 3 2 8 0 0 4</b>		
<b>800 mm wide with LED lighting</b> 3,5 watt / 333 lumens / 6300 Kelvin						
	470	800	480	<b>WUA 3 2 8 0 B 4</b>		
<b>900 mm wide</b>						
	470	900	480	<b>WUA 3 2 9 0 0 4</b>		
<b>900 mm wide with LED lighting</b> 3,9 Watt / 429 lumens / 6300 Kelvin						
	470	900	480	<b>WUA 3 2 9 0 B 4</b>		
<b>1000 mm wide</b>						
	470	1000	480	<b>WUA 3 2 1 0 0 4</b>		
<b>1000 mm wide with LED lighting</b> 4,4 Watt / 485 lumens / 6300 Kelvin						
	470	1000	480	<b>WUA 3 2 1 0 B 4</b>		
<b>1200 mm wide</b>						
	470	1200	480	<b>WUA 3 2 1 2 0 4</b>		
<b>1200 mm wide with LED lighting</b> 5,4 watt / 589 lumens / 6300 Kelvin						
	470	1200	480	<b>WUA 3 2 1 2 B 4</b>		
<b>1200 mm wide for double washbasin</b>						
	470	1200	480	<b>WUA 3 2 2 D 0 4</b>		
<b>1200 mm wide with LED lighting</b> syphon cut- out left and right 5,4 watt / 589 lumens / 6300 Kelvin						
	470	1200	480	<b>WUA 3 2 2 D B 4</b>		
Additional accessories						
Space-saving drain stretch trap DN 40				P Z 1 3 6 7		
Space-saving drain stretch trap DN 32				P Z 1 4 2 3		
Additional price for offset the syphon cutout / without cutout						




\*Price per Washbasin base unit. Please attach a sketch to your order. Check your order confirmation of correctness.

# Additional units for all CONCEPT LINE programs

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<b>Various - washbasin base units</b>						
	<b>Washbasin base unit for washbasin tops</b>					
1 metal pull-out with buffered closing syphon cut- out central, 1 open compartment the cabinets with LED lighting for the open compartment include: 1 LED converter 15 W 1 motion sensor This product contains a light source with energy efficiency class: E						
<b>600 mm wide</b>						
<b>600 mm wide with LED lighting</b> 2,6 Watt / 286 lumens / 6300 Kelvin						
<b>700 mm wide</b>						
<b>700 mm wide with LED lighting</b> 3,1 watt / 333 lumens / 6300 Kelvin						
<b>800 mm wide</b>						
<b>800 mm wide with LED lighting</b> 3,5 watt / 333 lumens / 6300 Kelvin						
<b>900 mm wide</b>						
<b>900 mm wide with LED lighting</b> 3,9 Watt / 429 lumens / 6300 Kelvin						
<b>1000 mm wide</b>						
<b>1000 mm wide with LED lighting</b> 4,4 Watt / 485 lumens / 6300 Kelvin						
<b>1200 mm wide</b>						
<b>1200 mm wide with LED lighting</b> 5,4 watt / 589 lumens / 6300 Kelvin						
<b>1200 mm wide for double washbasin</b>						
<b>1200 mm wide with LED lighting</b> syphon cut- out left and right 5,4 watt / 589 lumens / 6300 Kelvin						
Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32 Additional price for offset the syphon cutout / without cutout						
P Z 1 3 6 7 P Z 1 4 2 3						

\*Price per Washbasin base unit. Please attach a sketch to your order. Check your order confirmation of correctness.




# Additional units for all CONCEPT LINE programs

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<p><b>Various - washbasin base units</b></p>  <p><b>Washbasin base unit</b> Suitable for washbasins of the series: Life plus, Feo, Manhattan and Reflex 1 metal pull out unit with buffered closing 2 metal pull-outs with buffered closing</p> <p><b>600 mm wide</b>      470      600      720      <b>WUA 5 4 6 0 4 U</b></p> <p><b>700 mm wide</b>      470      700      720      <b>WUA 5 4 7 0 4 U</b></p> <p><b>800 mm wide</b>      470      800      720      <b>WUA 5 4 8 0 4 U</b></p> <p><b>900 mm wide</b>      470      900      720      <b>WUA 5 4 9 0 4 U</b></p> <p><b>1000 mm wide</b>      470      1000      720      <b>WUA 5 4 1 0 4 U</b></p> <p><b>1200 mm wide</b> for single washbasin solution      470      1200      720      <b>WUA 5 4 1 2 4 U</b></p> <p><b>1200 mm wide</b> for double washbasin solutions      470      1200      720      <b>WUA 5 4 2 D 4 U</b></p> <p>Additional accessories Space-saving drain stench trap DN 40      P Z    1 3 6 7 Space-saving drain stench trap DN 32      P Z    1 4 2 3 Additional price for offset the syphon cutout / without cutout</p> <p>Because of the heavy load only mountable with the decorative base incl. 4 feet or with the socket.</p>						
 <p><b>Washbasin base unit for double washbasin solutions</b> Suitable for 120 cm wide double washbasins of the serie: Life plus Shape B Feo - Stoneplus washbasin on request 2 metal pull out units with buffered closing and syphon cut-out 4 metal pull-outs with buffered closing</p> <p><b>1200 mm wide</b>      470      1200      720      <b>WUA 5 4 D 2 4 U</b></p> <p>Additional accessories Space-saving drain stench trap DN 40 (order 2 pieces)      P Z    1 3 6 7 Space-saving drain stench trap DN 32 (order 2 pieces)      P Z    1 4 2 3</p> <p>Because of the heavy load only mountable with the decorative base incl. 4 feet or with the socket.</p>						
 <p><b>Plinth with ABS edge variable in width</b> in carcass colour 6 Feet, adjustable in height (8 mm - 25 mm)</p> <p>Please indicate measures for carcass, pedestal will be manufactured accordingly.</p> <p>Price per metre</p>	173-600	300-1800	150	<b>SOCKEL 6 0 V</b>		

\*Price per Washbasin base unit. Please attach a sketch to your order. Check your order confirmation of correctness.








# Additional units for all CONCEPT LINE programs






Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<b>Various - washbasin base units</b>						
	<b>Decor base incl. 4 feet for universal vanity units</b>					
adjustable in height (+ / - 5 mm) Units have to be extra wall-fixed, to avoid fall-overs 1 decor panel optional with chrome edge or black edge: no. 129 chrome no. 144 black 4 decorative feet chrome or black: no. 101 chrome no. 043 black						
600 mm wide	487	594	132	<b>P Z 1 5 0 0 6 0</b>		
700 mm wide	487	694	132	<b>P Z 1 5 0 0 7 0</b>		
800 mm wide	487	794	132	<b>P Z 1 5 0 0 8 0</b>		
900 mm wide	487	894	132	<b>P Z 1 5 0 0 9 0</b>		
1000 mm wide	487	994	132	<b>P Z 1 5 0 0 1 0</b>		
1200 mm wide	487	1194	132	<b>P Z 1 5 0 0 1 2</b>		
	<b>Decor base incl. 4 feet for supplementary cabinets</b>					
adjustable in height (+ / - 5 mm) Units have to be extra wall-fixed, to avoid fall-overs 1 decor panel optional with chrome edge or black edge: no. 129 chrome no. 144 black 4 decorative feet chrome or black: no. 101 chrome no. 043 black						
300 mm width	317	294	132	<b>P Z 1 5 0 1 3 0</b>		
400 mm wide	317	394	132	<b>P Z 1 5 0 1 4 0</b>		
600 mm wide	317	594	132	<b>P Z 1 5 0 1 6 0</b>		
<b>Trolleys</b>						
	<b>Laundryrolli</b>					
1 flap door, with buffered closing 1 take-out laundry-bag, washable 4 roles Colour version corresponds to the carcass colour incl. height indication rolls (100 mm)						
470	470	756		<b>W R S 4 0 4 7</b>		

\*Price per Washbasin base unit. Please attach a sketch to your order. Check your order confirmation of correctness.



## Additional units for all CONCEPT LINE programs

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
<b>Trolleys</b>							
 <p>160 ↑ 160 ↓</p>	<b>Trolley</b> 2 metal pull-outs with buffered closing, 1 top cover 490 mm deep 4 roles	470	600	436	<b>RTA 2 5 6 A 1</b>		
	incl. height indication rolls (100 mm)	470	900	436	<b>RTA 2 5 9 A 1</b>		
 <p>320 ↑ 320 ↓</p>	<b>Trolley</b> 1 metal pull-out with buffered closing incl. drawer rail 1 top cover 490 mm deep 4 roles	470	600	436	<b>RTA 2 7 6 A 1</b>		
	incl. height indication rolls (100 mm)	470	900	436	<b>RTA 2 7 9 A 1</b>		
	<b>cushion</b> 1 seat cushion in imitation leather						
	580 mm wide in cream-white	450	580	50	<b>SKI 6 0 0 W</b>		
	580 mm wide in black	450	580	50	<b>SKI 6 0 0 S</b>		
	880 mm wide in cream-white	450	880	50	<b>SKI 9 0 0 W</b>		
880 mm wide in black	450	880	50	<b>SKI 9 0 0 S</b>			
<b>Benches for ALL Laguna programmes</b>							
 <p>160 ↑ 242 ↓</p>	<b>Bench</b> 1 shelf 1 seat cushion in imitation leather						
	Colour version corresponds to the carcass colour						
	cushion in creamy-white	450	600	508	<b>SETBANK 6 W</b>		
cushion in black	450	600	508	<b>SETBANK 6 S</b>			
 <p>160 ↑ 242 ↓</p>	<b>Bench</b> 2 shelves 1 seat cushion in imitation leather						
	Colour version corresponds to the carcass colour						
	cushion in creamy-white	450	900	508	<b>SETBANK 9 W</b>		
cushion in black	450	900	508	<b>SETBANK 9 S</b>			



# Additional units for all CONCEPT LINE programs

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<h2>Benches variable</h2>						
 <p><b>extension cabinets</b> 1 metal pull-out with buffered closing incl. drawer rail without top cover</p> <p><b>400 mm wide</b> <b>500 mm wide</b> <b>600 mm wide</b> <b>700 mm wide</b> <b>800 mm wide</b> <b>900 mm wide</b></p> <p><b>400 mm wide reduced depth</b> <b>500 mm wide reduced depth</b> <b>600 mm wide reduced depth</b> <b>700 mm wide reduced depth</b> <b>800 mm wide reduced depth</b> <b>900 mm wide reduced depth</b></p> <p>can be combined with washbasin tops</p>				<p><b>U T A 2 7 4 0 1</b> <b>U T A 2 7 5 0 1</b> <b>U T A 2 7 6 0 1</b> <b>U T A 2 7 7 0 1</b> <b>U T A 2 7 8 0 1</b> <b>U T A 2 7 9 0 1</b></p> <p><b>U T A 2 7 4 0 0 8</b> <b>U T A 2 7 5 0 0 8</b> <b>U T A 2 7 6 0 0 8</b> <b>U T A 2 7 7 0 0 8</b> <b>U T A 2 7 8 0 0 8</b> <b>U T A 2 7 9 0 0 8</b></p>		
 <p><b>Shelf</b> variable dimensions 1 fixed shelf</p>	150-300 301-470	150-600 150-600	320 320	<p><b>R V 2 1 V 0 1</b> <b>R V 2 1 V T 1</b></p>		
 <p><b>Shelf</b> variable dimensions</p>	150-300 301-470	150-600 150-600	320 320	<p><b>R V 2 1 V 0 2</b> <b>R V 2 1 V T 2</b></p>		
 <p><b>Top cover</b> with ABS edge</p> <p><b>adjustable in depth und width</b> Price per metre</p>	145-495	300-2600	28	<b>A P N 6 0 V 2 8</b>		
 <p><b>Plinth with ABS edge variable in width</b> in carcass colour 6 Feet, adjustable in height (8 mm - 25 mm)</p> <p>Please indicate measures for carcass, pedestal will be manufactured accordingly.</p> <p>Price per metre</p>	173-600	300-1800	150	<b>S O C K E L 6 0 V</b>		





# Additional units for all CONCEPT LINE programs

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<h2>Washing machine housing</h2>						
	700	700	894-911	<b>WUBSCHR02</b>		
<p><b>Washing machine housing</b>                  2 doors                  1 removable front panel below                  1 top cover 725 mm deep                  Colour version of top cover corresponds to the carcass colour                  4 Feet, adjustable in height (8 mm - 25 mm)                  Door width: 296 mm / 396 mm</p>						
	700	700	894-911	<b>WUBSCHR01</b>		
<p><b>Washing machine housing</b>                  Description as above, though without doors and bar handles</p> <p>not available in following carcass colours:                  no. 139 oak black                  no. 155 hacienda black                  no. 169 hacienda grey                  no. 176 Charleston oak dark                  No. 179 concrete imitation</p> <p>Important: Carbinet will be delivered disassembled</p>						
<h2>Shelves for ALL Laguna programmes</h2>						
 <p><b>Glass shelf</b>  <b>400 mm wide</b>                  incl. 2 metal brackets</p> <p><b>600 mm wide</b>                  incl. 2 metal brackets</p> <p><b>700 mm wide</b>                  incl. 2 metal brackets</p> <p><b>800 mm wide</b>                  incl. 2 metal brackets</p> <p><b>900 mm wide</b>                  incl. 3 metal brackets</p> <p><b>1000 mm wide</b>                  incl. 3 metal brackets</p> <p><b>1200 mm wide</b>                  incl. 3 metal brackets</p> <p><b>1400 mm wide</b>                  incl. 4 metal brackets</p>	130	400	8	<b>ABG134008</b>		
	130	600	8	<b>ABG136008</b>		
	130	700	8	<b>ABG137008</b>		
	130	800	8	<b>ABG138008</b>		
	130	900	8	<b>ABG139008</b>		
	130	1000	8	<b>ABG131008</b>		
	130	1200	8	<b>ABG131208</b>		
	130	1400	8	<b>ABG131408</b>		




## Additional units for all CONCEPT LINE programs

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<h3>Shelves for ALL Laguna programmes</h3>  <p><b>Push-fit shelf</b> with ABS thick edge all around</p>						
<p><b>200 mm wide</b> incl. 2 push-fit holder</p>	150	200	28	<b>S B G 6 0 2 0</b>		
<p><b>300 mm wide</b> incl. 2 push-fit holder</p>	150	300	28	<b>S B G 6 0 3 0</b>		
<p><b>400 mm wide</b> incl. 2 push-fit holder</p>	150	400	28	<b>S B G 6 0 4 0</b>		
<p><b>500 mm wide</b> incl. 2 push-fit holder</p>	150	500	28	<b>S B G 6 0 5 0</b>		
<p><b>600 mm wide</b> incl. 2 push-fit holder</p>	150	600	28	<b>S B G 6 0 6 0</b>		
<p><b>700 mm wide</b> incl. 3 push-fit holder</p>	150	700	28	<b>S B G 6 0 7 0</b>		
<p><b>750 mm wide</b> incl. 3 push-fit holder</p>	150	750	28	<b>S B G 6 0 7 5</b>		
<p><b>800 mm wide</b> incl. 3 push-fit holder</p>	150	800	28	<b>S B G 6 0 8 0</b>		
<p><b>900 mm wide</b> incl. 3 push-fit holder</p>	150	900	28	<b>S B G 6 0 9 0</b>		
<p><b>1000 mm wide</b> incl. 3 push-fit holder</p>	150	1000	28	<b>S B G 6 0 1 0</b>		
<p><b>1200 mm wide</b> incl. 3 push-fit holder</p>	150	1200	28	<b>S B G 6 0 1 2</b>		
<p><b>1400 mm wide</b> incl. 3 push-fit holder</p>	150	1400	28	<b>S B G 6 0 1 4</b>		
<p><b>1600 mm wide</b> incl. 4 push-fit holder</p>	150	1600	28	<b>S B G 6 0 1 6</b>		
<p><b>Push-fit shelf variable dimensions, 200 - 2000 mm</b> Price per metre</p>	150	200-2000	28	<b>S B G 6 0 V</b>		
<h3>Side doublings</h3>						
 <p><b>side doubling with ABS edge</b> for tall units</p>	322	28	1600	<b>SWA 1 6 3 2 2 8</b>		
<p>for central units</p>	322	28	1280	<b>SWA 1 2 3 2 2 8</b>		
<p>for highboards</p>	322	28	800	<b>SWA 8 0 3 2 2 8</b>		
<p>for wall unit</p>	172	28	800	<b>SWA 8 0 1 7 2 8</b>		
<p>for wall unit</p>	172	28	640	<b>SWA 6 4 1 7 2 8</b>		
<p>for base units</p>	322	28	480	<b>SWA 4 8 3 2 2 8</b>		
<p>for flap cabinets</p>	252	28	320	<b>SWA 3 2 2 5 2 8</b>		
<p><b>side doubling variable</b> Price per metre</p> <p>in carcass colour</p> <p>Price per item</p>	172-492	28	480-1840	<b>SWA 6 0 V 2 8</b>		

# Additional units for all CONCEPT LINE programs

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
<b>Counter tops</b>							
	<b>top cover with ABS edge</b> in carcass colour thickness 28 mm						
	<b>302 mm widh Standard depth</b>	330	302	28	<b>APA333028</b>		
	<b>402 mm widh Standard depth</b>	330	402	28	<b>APA334028</b>		
	<b>502 mm widh Standard depth</b>	330	502	28	<b>APA335028</b>		
	<b>602 mm widh Standard depth</b>	330	602	28	<b>APA336028</b>		
	<b>202 mm widh for HBA 5120 11</b>	180	202	28	<b>APA182028</b>		
	<b>302 mm widh for wall unit</b>	180	302	28	<b>APA183028</b>		
	<b>402 mm widh for wall unit</b>	180	402	28	<b>APA184028</b>		
	<b>602 mm widh for wall unit</b>	180	602	28	<b>APA186028</b>		
	<b>adjustable in depth und width</b> Price per metre	145-495	300-2600	28	<b>APN 60V28</b>		
	<b>top cover with ABS edge</b> in carcass colour thickness 16 mm						
	<b>302 mm widh Standard depth</b>	325	302	16	<b>AP 3230</b>		
	<b>402 mm widh Standard depth</b>	325	402	16	<b>AP 3240</b>		
	<b>502 mm widh Standard depth</b>	325	502	16	<b>AP 3250</b>		
	<b>602 mm widh Standard depth</b>	325	602	16	<b>AP 3260</b>		
	<b>202 mm widh for HBA 5120 11</b>	175	202	16	<b>AP 1720</b>		
	<b>302 mm widh Standard depth Wall unit</b>	175	302	16	<b>AP 1730</b>		
	<b>402 mm widh Standard depth Wall unit</b>	175	402	16	<b>AP 1740</b>		
	<b>602 mm widh Standard depth Wall unit</b>	175	602	16	<b>AP 1760</b>		
	<b>adjustable in depth und width</b> Price per metre	100-640	150-1400	16	<b>KBM 64V</b>		
	<b>top cover</b> in no. 103 solid oak thickness 40 mm in oak solid						
	<b>302 mm widh Standard depth</b>	325	302	40	<b>APM323040</b>		
	<b>402 mm widh Standard depth</b>	325	402	40	<b>APM324040</b>		
	<b>602 mm widh Standard depth</b>	325	602	40	<b>APM326040</b>		
	<b>top cover Qsolid</b> Surface polished						
	<b>306 mm widh Standard depth</b>	325	306	12	<b>APS3012PO</b>		
	<b>406 mm widh Standard depth</b>	325	406	12	<b>APS4012PO</b>		
	<b>606 mm widh Standard depth</b>	325	606	12	<b>APS6012PO</b>		
	<b>202 mm widh for HBA 5120 11</b>	175	202	12	<b>ASL1720PO</b>		
	<b>adjustable in depth und width</b> Price per sqm	100-1000	100-2980	12	<b>APS 12VPO</b>		

# Additional units for all CONCEPT LINE programs

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<b>Counter tops</b>						
 <p><b>carcass front panel</b></p> <p><b>carcass front panel</b></p> <p><b>carcass front panel</b></p> <p><b>carcass front panel</b></p> <p><b>carcass front panel</b></p> <p><b>carcass front panel</b></p> <p><b>carcass front panel</b></p> <p><b>carcass front panel</b></p> <p><b>carcass front panel</b></p> <p><b>carcass front panel</b></p> <p><b>carcass front panel</b></p> <p><b>carcass front panel</b></p>	16	100-300	160	<b>BL 1 6 V</b>		
	16	100-300	320	<b>BL 3 2 V</b>		
	16	100-300	480	<b>BL 4 8 V</b>		
	16	100-300	560	<b>BL 5 6 V</b>		
	16	100-300	640	<b>BL 6 4 V</b>		
	16	100-300	800	<b>BL 8 0 V</b>		
	16	100-300	960	<b>BL 9 6 V</b>		
	16	100-300	1120	<b>BL 1 1 2 V</b>		
	16	100-300	1280	<b>BL 1 2 8 V</b>		
	16	100-300	1440	<b>BL 1 4 4 V</b>		
	16	100-300	1600	<b>BL 1 6 0 V</b>		
<p><b>Thick edge</b> Price per metre</p> <p>19 mm x 1 mm</p> <p>34 mm x 1 mm</p>	1	1000-6000	19	<b>KANABS 1 1 9</b>		
	1	1000-5000	34	<b>KANABS 1 3 4</b>		
<b>Shelves</b>						
 <p><b>glass shelves</b> incl. glass shelf supports</p> <p>Indication of length and depth are applied to the unit's carcass</p>	150	300	5	<b>FBG 1 5 3 0</b>		
	150	400	5	<b>FBG 1 5 4 0</b>		
	150	600	5	<b>FBG 1 5 6 0</b>		
	230	300	5	<b>FBG 2 3 3 0</b>		
	230	400	5	<b>FBG 2 3 4 0</b>		
	230	600	5	<b>FBG 2 3 6 0</b>		
	300	300	5	<b>FBG 3 0 3 0</b>		
	300	400	5	<b>FBG 3 0 4 0</b>		
	300	600	5	<b>FBG 3 0 6 0</b>		
	150-470	300-600	5	<b>FBG V</b>		
 <p><b>glass shelves</b> incl. shelf supports No. 114 alu</p> <p>Indication of length and depth are applied to the unit's carcass</p>	150	300	16	<b>FBH 1 5 3 0</b>		
	150	400	16	<b>FBH 1 5 4 0</b>		
	150	600	16	<b>FBH 1 5 6 0</b>		
	230	300	16	<b>FBH 2 3 3 0</b>		
	230	400	16	<b>FBH 2 3 4 0</b>		
	230	600	16	<b>FBH 2 3 6 0</b>		
	300	300	16	<b>FBH 3 0 3 0</b>		
	300	400	16	<b>FBH 3 0 4 0</b>		
	300	600	16	<b>FBH 3 0 6 0</b>		
	150-470	300-600	16	<b>FBH V</b>		

# Additional units for all CONCEPT LINE programs

HNA 014F 2

RN 8140 07

