

Delivery time: 4-6 weeks

Mirror cabinets double mirrored



carcass colours

* High gloss carcass for an additional price



No. 179
concrete imita-
tion




No. 164
Stonegrey matt



No. 175
steel grey dark
matt



No. 177
cosmos grey
matt



No. 111
white matt




no. 191
quarz grey
matt



No. 193
titanium grey
matt



*no. 121
anthracite
hgl.



*no. 161
white hgl.



no. 155
hacienda black



no. 169
hacienda grey



No. 139 Oak Black



no. 170
Halifax oak



no. 180
Charleston oak

Expiry 12/2023



no. 150
cardiff oak



no. 151
Cuneo oak
brown



no. 171 Cuneo
oak natural



no. 176
Charleston oak
dark



Nr. 185
natural oak



no. 194
sand oak

LED lighting for planning mirror cabinets

Please note the power of the converter when combining several mirror cabinets.



article number: PZ 1090 xx



article number: PZ 1094 xx



article number: PZ 1097 xx



article number: PZ 1140 xx



article number: PZ 1160 xx



article number: GSV 41xx 61



article number: PZ 1089 xx



article number: PZ 1079 xx



article number: PZ 107x 5



article number: PZ 105/6x 5



article number: PZ 1503 xx



article number: PZ 1098 xx



article number: PZ 1079 25



article number: GS 43xx 16



article number: PZ 1161 xx



article number: PZ 1162 xx






article number: PZ 1163 xx

Illustrations and specifications are without obligation. Technical modifications reserved.
2023/2024







Please note the instruction for warranty, mounting and care, and the quality agreements as well, at the beginning of the book.

Double mirrored Mirror cabinets for all Laguna programmes:

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Mirror cabinets height 640 mm						
 <p>mirror cabinet 2 double mirror doors 2 glass shelves with 2 side panel lights 9,7 watt each left and right 2 x 910 lumens / 2700 - 6500 Kelvin 1 LED converter 60 W 1 sensor switcher to control cold white and warm white with 3 dimming levels 1 switch-socket element Door width: 396 mm / 196 mm This product contains a light source with energy efficiency class: F</p> <p>wider door left</p> <p>wider door right</p> <p>Necessary accessories: LED surface-mounted lamp 634 mm in matt chrome LED surface-mounted lamp 634 mm in black matt LED washbasin lighting emotion (optional)</p>	150	620	640	S 2 A 4 4 6 L 0 7 S 2 A 4 4 6 R 0 7 PZ 1 1 4 0 6 0 PZ 1 1 6 0 6 0 PZ 1 1 5 0 6 0		
 <p>mirror cabinet 3 double mirror doors with 2 side panel lights 9,7 watt each left and right 2 x 910 lumens / 2700 - 6500 Kelvin 2 central partitions, 6 glass shelves 1 LED converter 60 W 1 sensor switcher to control cold white and warm white with 3 dimming levels 1 switch-socket element Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: F</p> <p>Necessary accessories: LED surface-mounted lamp 934 mm in matt chrome LED surface-mounted lamp 934 mm in black matt LED washbasin lighting emotion (optional)</p>	150	920	640	S 2 A 4 4 9 0 0 7 PZ 1 1 4 0 9 0 PZ 1 1 6 0 9 0 PZ 1 1 5 0 9 0		
 <p>mirror cabinet 3 double mirror doors with 2 side panel lights 9,7 watt each left and right 2 x 910 lumens / 2700 - 6500 Kelvin 2 central partitions, 6 glass shelves 1 LED converter 60 W 1 sensor switcher to control cold white and warm white with 3 dimming levels 1 switch-socket element Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: F</p> <p>Necessary accessories: LED surface-mounted lamp 1234 mm in matt chrome LED surface-mounted lamp 1234 mm in black matt LED washbasin lighting emotion (optional)</p>	150	1220	640	S 2 A 4 4 1 2 0 7 PZ 1 1 4 0 1 2 PZ 1 1 6 0 1 2 PZ 1 1 5 0 1 2		







Please observe the product details of the accessories in the separate index.

Double mirrored Mirror cabinets for all Laguna programmes:

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass	
Mirror cabinets height 640 mm							
 	<p>mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves with 2 side panel lights 9,7 watt each left and right 2 x 910 lumens / 2700 - 6500 Kelvin 1 LED converter 60 W 1 sensor switcher to control cold white and warm white with 3 dimming levels 1 switch-socket element Door width: 446 mm / 496 mm / 446 mm This product contains a light source with energy efficiency class: F</p> <p>Necessary accessories: LED surface-mounted lamp 1434 mm in matt chrome LED surface-mounted lamp 1434 mm in black matt LED washbasin lighting emotion (optional)</p>	150	1420	640	S 2 A 4 4 1 4 0 7 P Z 1 1 4 0 14 P Z 1 1 6 0 14 P Z 1 1 5 0 12	1513	
 	<p>mirror cabinet 3 double mirror doors with 2 side panel lights 9,7 watt each left and right 2 x 910 lumens / 2700 - 6500 Kelvin 2 central partitions, 6 glass shelves 1 LED converter 60 W 1 sensor switcher to control cold white and warm white with 3 dimming levels 1 switch-socket element Door width: 546 mm / 296 mm / 546 mm This product contains a light source with energy efficiency class: F</p> <p>Necessary accessories: LED surface-mounted lamp 1434 mm in matt chrome LED surface-mounted lamp 1434 mm in black matt LED washbasin lighting emotion (optional)</p>	150	1420	640	S 2 A 4 4 1 4 D 7 P Z 1 1 4 0 14 P Z 1 1 6 0 14 P Z 1 1 5 0 12		
  III. = left	<p>Mirror cabinet LED 2 double mirrored doors with bevelled edge rounded at top and bottom 1 LED surface-mounted lamp 8,53 watt / converter 15 watt 430 lumens / (2700 -) 6500 Kelvin 2 glass shelves 1 switch socket element Door width: 446 mm / 246 mm This product contains a light source with energy efficiency class: F</p> <p>Additional accessories Sensor for regulating warm and cold light in 3 dimming levels LED washbasin lighting emotion</p>	150	700	700	S 2 A 4 3 7 0 7 3 P Z 1 0 2 0 1 P Z 1 1 5 0 60	L/R	



Please observe the product details of the accessories in the separate index.

Double mirrored Mirror cabinets for all Laguna programmes:

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<p>Mirror cabinets height 640 mm</p>  <p>Mirror cabinet LED 3 double mirrored doors with bevelled edge rounded at top and bottom 1 LED surface-mounted lamp 8,53 watt / converter 15 watt 430 lumens / (2700 -) 6500 Kelvin 2 central partitions, 6 glass shelves 1 switch socket element Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: F</p> <p>Additional accessories Sensor for regulating warm and cold light in 3 dimming levels LED washbasin lighting emotion</p> 	150	900	700	S 2 A 4 3 9 0 7 3 P Z 1 0 2 0 1 P Z 1 1 5 0 9 0		
 <p>Mirror cabinet LED 3 double mirrored doors with bevelled edge rounded at top and bottom 1 LED surface-mounted lamp 13,18 watt / converter 15 watt 660 lumens / (2700 -) 6500 Kelvin 2 central partitions, 6 glass shelves 1 switch socket element Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: F</p> <p>Additional accessories Sensor for regulating warm and cold light in 3 dimming levels LED washbasin lighting emotion</p> 	150	1200	700	S 2 A 4 3 1 2 7 3 P Z 1 0 2 0 1 P Z 1 1 5 0 1 2		
 <p>Mirror cabinet LED 3 double mirrored doors with bevelled edge rounded at top and bottom 1 LED surface-mounted lamp 13,18 watt / converter 15 watt 660 lumens / (2700 -) 6500 Kelvin 2 central partitions, 6 glass shelves 1 switch socket element Door width: 438 mm / 512 mm / 438 mm This product contains a light source with energy efficiency class: F</p> <p>Additional accessories Sensor for regulating warm and cold light in 3 dimming levels LED washbasin lighting emotion</p> 	150	1400	700	S 2 A 4 3 1 4 7 3 P Z 1 0 2 0 1 P Z 1 1 5 0 1 2		




Please observe the product details of the accessories in the separate index.

Double mirrored Mirror cabinets for all Laguna programmes:

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass	
Planning mirror cabinets height 640 mm								
 Ill. = left	Planning mirror cabinets 2 double mirror doors 2 glass shelves 1 switch socket element 1 LED converter 15 W		150	600	640	S 2 A 4 3 6 0 S X	L/R	
	600 mm wide depth adjustable L: 396 mm R: 194 mm		151-300	600	640	S 2 V 4 3 6 0 S X	L/R	
	700 mm wide depth adjustable L: 396 mm R: 296 mm		150	700	640	S 2 A 4 3 7 0 S X	L/R	
			151-300	700	640	S 2 V 4 3 7 0 S X	L/R	
	800 mm wide depth adjustable L: 496 mm R: 296 mm		150	800	640	S 2 A 4 3 8 0 S X	L/R	
		151-300	800	640	S 2 V 4 3 8 0 S X	L/R		
900 mm wide 1 LED converter 30 W L: 546 mm R: 346 mm		150	900	640	S 2 A 4 3 9 0 S X	L/R		
	Planning mirror cabinets 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 LED converter 30 W		150	800	640	S 2 A 4 3 8 1 S X		
	800 mm wide depth adjustable 1 LED converter 15 W L: 196 mm M: 396 mm R: 196 mm		151-300	800	640	S 2 V 4 3 8 1 S X		
	900 mm wide depth adjustable L: 238 mm M: 412 mm R: 238 mm		150	900	640	S 2 A 4 3 9 1 S X		
			151-300	900	640	S 2 V 4 3 9 1 S X		
	1000 mm wide depth adjustable L: 296 mm M: 396 mm R: 296 mm		150	1000	640	S 2 A 4 3 1 0 S X		
			151-300	1000	640	S 2 V 4 3 1 0 S X		
	1100 mm wide depth adjustable L: 346 mm M: 396 mm R: 346 mm		150	1100	640	S 2 A 4 3 1 1 S X		
			151-300	1100	640	S 2 V 4 3 1 1 S X		
	1200 mm wide depth adjustable L: 388 mm M: 412 mm R: 388 mm		150	1200	640	S 2 A 4 3 1 2 S X		
			151-300	1200	640	S 2 V 4 3 1 2 S X		
	1300 mm wide depth adjustable L: 396 mm M: 496 mm R: 396 mm		150	1300	640	S 2 A 4 3 1 3 S X		
			151-300	1300	640	S 2 V 4 3 1 3 S X		
	1400 mm wide depth adjustable L: 446 mm M: 496 mm R: 446 mm		150	1400	640	S 2 A 4 3 1 4 S X		
			151-300	1400	640	S 2 V 4 3 1 4 S X		
	1500 mm wide depth adjustable L: 496 mm M: 496 mm R: 496 mm		150	1500	640	S 2 A 4 3 1 5 S X		
		151-300	1500	640	S 2 V 4 3 1 5 S X			
1600 mm wide depth adjustable L: 546 mm M: 496 mm R: 546 mm		150	1600	640	S 2 A 4 3 1 6 S X			
		151-300	1600	640	S 2 V 4 3 1 6 S X			





Please observe suitable accessories at the next pages.
 Door width: L = left door, M = middle door, R = right door

Double mirrored Mirror cabinets for all Laguna programmes:

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Planning mirror cabinets height 640 mm						
 <p>Planning mirror cabinets for double washbasin solutions 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 LED converter 30 W</p> <p>1200 mm wide depth adjustable L: 496 mm M: 196 mm R: 496 mm</p> <p>1300 mm wide depth adjustable L: 496 mm M: 296 mm R: 496 mm</p> <p>1400 mm wide depth adjustable L: 546 mm M: 296 mm R: 546 mm</p>	<p>150 151-300</p> <p>1200 1200</p> <p>640 640</p> <p>150 151-300</p> <p>1300 1300</p> <p>640 640</p> <p>150 151-300</p> <p>1400 1400</p> <p>640 640</p>			<p>S 2 A 4 3 2 D S X S 2 V 4 3 2 D S X</p> <p>S 2 A 4 3 3 D S X S 2 V 4 3 3 D S X</p> <p>S 2 A 4 3 4 D S X S 2 V 4 3 4 D S X</p>		
Planning mirror cabinets height 640 mm with side lighting						
  <p>Ill. = left</p> <p>Planning mirror cabinets 2 double mirror doors 2 glass shelves 1 switch socket element 2 LED light profiles 2 X 9,9 watt / Converter 60 watt 2 x 800 lumens / 2700 - 6500 Kelvin 1 sensor switcher to control cold white and warm white with 3 dimming levels This product contains a light source with energy efficiency class: F</p> <p>600 mm wide L: 374 mm R: 188 mm</p> <p>600 mm wide R: 374 mm L: 188 mm</p> <p>700 mm wide L: 380 mm R: 280 mm</p> <p>700 mm wide R: 380 mm L: 280 mm</p> <p>800 mm wide L: 480 mm R: 280 mm</p> <p>800 mm wide R: 480 mm L: 280 mm</p> <p>900 mm wide L: 580 mm R: 280 mm</p> <p>900 mm wide R: 580 mm L: 280 mm</p>	<p>150 150 150 150 150 150 150 150 150 150</p> <p>600 600 700 700 800 800 800 900 900</p> <p>640 640 640 640 640 640 640 640 640</p>			<p>S 2 A 4 4 6 L 0 5 S 2 A 4 4 6 R 0 5</p> <p>S 2 A 4 4 7 L 0 5 S 2 A 4 4 7 R 0 5</p> <p>S 2 A 4 4 8 L 0 5 S 2 A 4 4 8 R 0 5</p> <p>S 2 A 4 4 9 L 0 5 S 2 A 4 4 9 R 0 5</p>		







Please observe suitable accessories at the next pages.
Door width: L = left door, M = middle door, R = right door

Double mirrored Mirror cabinets for all Laguna programmes:

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<h2>Planning mirror cabinets height 640 mm with side lighting</h2>						
  <p>III. = left</p> <p>Planning mirror cabinets 2 double mirror doors 1 central partition 4 glass shelves 1 switch socket element 2 LED light profiles 2 X 9,9 watt / Converter 60 watt 2 x 800 lumens / 2700 - 6500 Kelvin 1 sensor switcher to control cold white and warm white with 3 dimming levels This product contains a light source with energy efficiency class: F</p> <p>1000 mm wide L: 580 mm R: 380 mm</p> <p>1000 mm wide L: 580 mm R: 380 mm</p> <p>1200 mm wide L: 580 mm R: 580 mm for double washbasin solutions</p>	<p>150</p> <p>150</p> <p>150</p>	<p>1000</p> <p>1000</p> <p>1200</p>	<p>640</p> <p>640</p> <p>640</p>	<p>S 2 A 4 4 0 L 0 5</p> <p>S 2 A 4 4 0 R 0 5</p> <p>S 2 A 4 4 1 2 0 5</p>		
  <p>Planning mirror cabinets 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 2 LED light profiles 2 X 9,9 watt / Converter 60 watt 2 x 800 lumens / 2700 - 6500 Kelvin 1 sensor switcher to control cold white and warm white with 3 dimming levels This product contains a light source with energy efficiency class: F</p> <p>900 mm wide L: 280 mm M: 296 mm R:280 mm</p> <p>1000 mm wide L: 280 mm M: 396 mm R:280 mm</p> <p>1100 mm wide L: 280 mm M: 496 mm R:280 mm</p> <p>1200 mm wide L: 374 mm M: 412 mm R: 374 mm</p> <p>1300 mm wide L: 374 mm M: 512 mm R: 374 mm</p> <p>1300 mm wide for double washbasin solutions L: 480 mm M: 296 mm R: 480 mm</p> <p>1400 mm wide L: 424 mm M: 512 mm R: 424 mm</p> <p>1400 mm wide for double washbasin solutions L: 580 mm M: 196 mm R: 580 mm</p> <p>1500 mm wide for double washbasin solutions L: 580 mm M: 296 mm R: 580 mm</p> <p>1600 mm wide for double washbasin solutions L: 580 mm M: 396 mm R: 580 mm</p>	<p>150</p> <p>150</p> <p>150</p> <p>150</p> <p>150</p> <p>150</p> <p>150</p> <p>150</p> <p>150</p> <p>150</p> <p>150</p> <p>150</p>	<p>900</p> <p>1000</p> <p>1100</p> <p>1200</p> <p>1300</p> <p>1300</p> <p>1400</p> <p>1400</p> <p>1500</p> <p>1600</p>	<p>640</p> <p>640</p> <p>640</p> <p>640</p> <p>640</p> <p>640</p> <p>640</p> <p>640</p> <p>640</p> <p>640</p> <p>640</p>	<p>S 2 A 4 4 9 0 0 6</p> <p>S 2 A 4 4 1 0 0 6</p> <p>S 2 A 4 4 1 1 0 6</p> <p>S 2 A 4 4 1 2 0 6</p> <p>S 2 A 4 4 1 3 0 6</p> <p>S 2 A 4 4 1 3 0 5</p> <p>S 2 A 4 4 1 4 0 6</p> <p>S 2 A 4 4 1 4 0 5</p> <p>S 2 A 4 4 1 5 0 5</p> <p>S 2 A 4 4 1 6 0 5</p>		







Please observe suitable accessories at the next pages.
 Door width: L = left door, M = middel door, R = right door

Double mirrored Mirror cabinets for all Laguna programmes:

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
extension elements height 640 mm							
	Shelf variable dimensions 2 fixed wooden shelves	150-300	150-600	640	R V 4 1 V 0 1		
	Shelf 2 glass shelves						
	300 mm width	150	300	640	R G 4 1 3 0		
	400 mm wide	150	400	640	R G 4 1 4 0		
	500 mm wide	150	500	640	R G 4 1 5 0		
	600 mm wide	150	600	640	R G 4 1 6 0		
	variable in width	150	150-600	640	R G 4 1 V		
	Shelf 2 enlightened glass shelves This product contains a light source with energy efficiency class: F						
	300 mm width 2 x 0,4 watt 2 x 18 lumens / (3000 -) 6500 Kelvin	150	300	640	R G 4 3 3 B		
	400 mm wide 2 x 0,8 watt 2 x 27 lumens / (3000 -) 6500 Kelvin	150	400	640	R G 4 3 4 B		
	500 mm wide 2 X 1 Watt 2 x 36 lumens / (3000 -) 6500 Kelvin	150	500	640	R G 4 3 5 B		
	600 mm wide 2 X 1,2 Watt 2 x 45 lumens / (3000 -) 6500 Kelvin	150	600	640	R G 4 3 6 B		
	Shelf with mirrored back side 2 enlightened glass shelves This product contains a light source with energy efficiency class: F						
	200 mm wide 2 x 0,2 watt 2 x 9 lumens / (3000 -) 6500 Kelvin	150	200	640	R G 4 3 2 B 0 1		
	300 mm width 2 x 0,4 watt 2 x 18 lumens / (3000 -) 6500 Kelvin	150	300	640	R G 4 3 3 B 0 1		
	400 mm wide 2 x 0,8 watt 2 x 27 lumens / (3000 -) 6500 Kelvin	150	400	640	R G 4 3 4 B 0 1		
	500 mm wide 2 X 1 Watt 2 x 36 lumens / (3000 -) 6500 Kelvin	150	500	640	R G 4 3 5 B 0 1		



Please observe suitable accessories at the next pages.
Door width: L = left door, M = middle door, R = right door

Double mirrored Mirror cabinets for all Laguna programmes:

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
extension elements height 640 mm							
  III. = left	LED- extension mirror cabinets 1 double mirror door 2 glass shelves 1 LED light profile 9,9 watt 800 lumens / 2700 - 6500 Kelvin 1 extension cable This product contains a light source with energy efficiency class: F	150	300	640	S 2 A 4 4 3 L 0 6		
		150	300	640	S 2 A 4 4 3 R 0 6		
		150	400	640	S 2 A 4 4 4 L 0 6		
		150	400	640	S 2 A 4 4 4 R 0 6		
		150	500	640	S 2 A 4 4 5 L 0 6		
		150	500	640	S 2 A 4 4 5 R 0 6		
		150	600	640	S 2 A 4 4 6 L 0 6		
		150	600	640	S 2 A 4 4 6 R 0 6		
	extension mirror cabinets 1 double mirror door, 2 glass shelves 300 mm wide depth adjustable	150	300	640	S 2 A 4 3 3 0 6 D	L/R	
		151-300	300	640	S 2 V 4 3 3 0 6 D	L/R	
	400 mm wide depth adjustable	150	400	640	S 2 A 4 3 4 0 6 D	L/R	
		151-300	400	640	S 2 V 4 3 4 0 6 D	L/R	
	500 mm wide depth adjustable	150	500	640	S 2 A 4 3 5 0 6 D	L/R	
		151-300	500	640	S 2 V 4 3 5 0 6 D	L/R	
	extension mirror cabinets 2 double mirror doors, 2 glass shelves 600 mm wide depth adjustable	150	600	640	S 2 A 4 3 6 0 6 D		
		151-300	600	640	S 2 V 4 3 6 0 6 D		
 	side doubling for mirror cabinets with double mirror doors in carcass colour Price per item						
	640 mm high	160	16	640	S D H 6 4 1 6 1 6		
	640 mm high incl. vertical LED lighting 9,8 watt / 800 lumens / 2700 (- 6500) Kelvin This product contains a light source with energy efficiency class: F	166	16	640	S D H 6 4 1 6 B 6		
Please note the converter power of the mirror cabinet!							



Please observe suitable accessories at the next pages.
Door width: L = left door, M = middel door, R = right door

Double mirrored Mirror cabinets for all Laguna programmes:

	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Depth indication corresponds to the carcass depth						
Planning mirror cabinets height 800 mm						
 <p>III. = left</p>	Planning mirror cabinets 2 double mirror doors, 2 glass shelves 1 switch socket element 1 LED converter 15 W					
	600 mm wide depth adjustable L: 396 mm R: 194 mm					
	150	600	800	S 2 A 5 3 6 0 S X	L/R	
	151-300	600	800	S 2 V 5 3 6 0 S X	L/R	
	700 mm wide depth adjustable L: 396 mm R: 296 mm					
150	700	800	S 2 A 5 3 7 0 S X	L/R		
151-300	700	800	S 2 V 5 3 7 0 S X	L/R		
800 mm wide depth adjustable L: 496 mm R: 296 mm						
150	800	800	S 2 A 5 3 8 0 S X	L/R		
151-300	800	800	S 2 V 5 3 8 0 S X	L/R		
900 mm wide 1 LED converter 30 W L: 546 mm R: 346 mm						
150	900	800	S 2 A 5 3 9 0 S X	L/R		
						
Planning mirror cabinets 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 LED converter 30 W						
800 mm wide depth adjustable 1 LED converter 15 W L: 196 mm M: 396 mm R: 196 mm						
150	800	800	S 2 A 5 3 8 1 S X			
151-300	800	800	S 2 V 5 3 8 1 S X			
900 mm wide depth adjustable L: 238 mm M: 412 mm R: 238 mm						
150	900	800	S 2 A 5 3 9 1 S X			
151-300	900	800	S 2 V 5 3 9 1 S X			
1000 mm wide depth adjustable L: 296 mm M: 396 mm R: 296 mm						
150	1000	800	S 2 A 5 3 1 0 S X			
151-300	1000	800	S 2 V 5 3 1 0 S X			
1100 mm wide depth adjustable L: 296 mm M: 496 mm R: 296 mm						
150	1100	800	S 2 A 5 3 1 1 S X			
151-300	1100	800	S 2 V 5 3 1 1 S X			
1200 mm wide depth adjustable L: 388 mm M: 412 mm R: 388 mm						
150	1200	800	S 2 A 5 3 1 2 S X			
151-300	1200	800	S 2 V 5 3 1 2 S X			
1300 mm wide depth adjustable L: 388 mm M: 512 mm R: 388 mm						
150	1300	800	S 2 A 5 3 1 3 S X			
151-300	1300	800	S 2 V 5 3 1 3 S X			
1400 mm wide depth adjustable L: 438 mm M: 512 mm R: 438 mm						
150	1400	800	S 2 A 5 3 1 4 S X			
151-300	1400	800	S 2 V 5 3 1 4 S X			
1500 mm wide depth adjustable L: 496 mm M: 496 mm R: 496 mm						
150	1500	800	S 2 A 5 3 1 5 S X			
151-300	1500	800	S 2 V 5 3 1 5 S X			
1600 mm wide depth adjustable L: 546 mm M: 496 mm R: 546 mm						
150	1600	800	S 2 A 5 3 1 6 S X			
151-300	1600	800	S 2 V 5 3 1 6 S X			



Please observe suitable accessories at the next pages.
 Door width: L = left door, M = middle door, R = right door

Double mirrored Mirror cabinets for all Laguna programmes:

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<p>Planning mirror cabinets for double washbasin solutions 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 LED converter 30 W</p> <p>1200 mm wide depth adjustable L: 496 mm M: 196 mm R: 496 mm</p> <p>1300 mm wide depth adjustable L: 496 mm M: 296 mm R: 496 mm</p> <p>1400 mm wide depth adjustable L: 546 mm M: 296 mm R: 546 mm</p>				<p>S 2 A 5 3 2 D S X S 2 V 5 3 2 D S X</p> <p>S 2 A 5 3 3 D S X S 2 V 5 3 3 D S X</p> <p>S 2 A 5 3 4 D S X S 2 V 5 3 4 D S X</p>		
  <p>III. = left</p> <p>Planning mirror cabinets 2 double mirror doors 2 glass shelves 1 switch socket element 1 illuminated shelf Optional colour contrasting back panel 1 LED converter 15 W door height: 636 mm This product contains a light source with energy efficiency class: E</p> <p>600 mm wide L: 396 mm R: 194 mm 2,64 Watt / 327 lumens / (2700 -) 6500 Kelvin</p> <p>700 mm wide L: 396 mm R: 296 mm 3,1 watt / 384 lumens / (2700 -) 6500 Kelvin</p> <p>800 mm wide 1 LED converter 30 W L: 496 mm R: 296 mm 3,6 watt / 446 lumens / (2700 -) 6500 Kelvin</p> <p>900 mm wide 1 LED converter 30 W L: 546 mm R: 346 mm 4,08 watt / 506 lumens / (2700 -) 6500 Kelvin</p> <p>1000 mm wide 1 LED converter 30 W L: 596 mm R: 396 mm 4,56 watt / 565 lumens / (2700 -) 6500 Kelvin</p> <p>Additional accessories additional socket on request</p>				<p>S 2 A 5 5 6 0 S X L/R</p> <p>S 2 A 5 5 7 0 S X L/R</p> <p>S 2 A 5 5 8 0 V X L/R</p> <p>S 2 A 5 5 9 0 V X L/R</p> <p>S 2 A 5 5 1 0 V X L/R</p>		





Please observe suitable accessories at the next pages.
Door width: L = left door, M = middel door, R = right door

Double mirrored Mirror cabinets for all Laguna programmes:

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<p>Planning mirror cabinets height 800 mm</p> 						
 <p>Planning mirror cabinets 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 1 illuminated shelf Optional colour contrasting back panel 1 LED converter 30 W door height: 636 mm This product contains a light source with energy efficiency class: E</p> <p>800 mm wide L: 196 mm M: 396 mm R: 196 mm 3,6 watt / 446 lumens / (2700 -) 6500 Kelvin</p> <p>900 mm wide L: 238 mm M: 412 mm R: 238 mm 4,08 watt / 506 lumens / (2700 -) 6500 Kelvin</p> <p>1000 mm wide L: 296 mm M: 396 mm R: 296 mm 4,56 watt / 565 lumens / (2700 -) 6500 Kelvin</p> <p>1100 mm wide L: 346 mm M: 396 mm R: 346 mm 5,04 watt / 620 lumens / (2700 -) 6500 Kelvin</p> <p>1200 mm wide L: 388 mm M: 412 mm R: 388 mm 5,52 watt / 684 lumens / (2700 -) 6500 Kelvin</p> <p>1200 mm wide for double washbasin solutions L: 496 mm M: 196 mm R: 496 mm 5,52 watt / 684 lumens / (2700 -) 6500 Kelvin</p> <p>1300 mm wide 1 sensor switcher to control cold white and warm white with 3 dimming levels L: 396 mm M: 496 mm R: 396 mm 6,0 watt / converter 15 watt 744 lumens / 2700 - 6500 Kelvin</p> <p>1300 mm wide for double washbasin solutions 1 sensor switcher to control cold white and warm white with 3 dimming levels L: 496 mm M: 296 mm R: 496 mm 6,0 watt / converter 15 watt 744 lumens / 2700 - 6500 Kelvin</p> <p>1400 mm wide 1 sensor switcher to control cold white and warm white with 3 dimming levels L: 446 mm M: 496 mm R: 446 mm 6,48 watt / converter 60 watt 804 lumens / 2700 - 6500 Kelvin</p> <p>1400 mm wide for double washbasin solutions 1 sensor switcher to control cold white and warm white with 3 dimming levels L: 546 mm M: 296 mm R: 546 mm 6,48 watt / converter 60 watt 804 lumens / 2700 - 6500 Kelvin</p> <p>Additional accessories additional socket on request</p>	<p>150</p> <p>150</p> <p>150</p> <p>150</p> <p>150</p> <p>150</p> <p>150</p> <p>150</p> <p>150</p> <p>150</p> <p>150</p> <p>150</p> <p>150</p> <p>150</p> <p>150</p>	<p>800</p> <p>900</p> <p>1000</p> <p>1100</p> <p>1200</p> <p>1200</p> <p>1300</p> <p>1300</p> <p>1400</p> <p>1400</p>	<p>800</p> <p>800</p> <p>800</p> <p>800</p> <p>800</p> <p>800</p> <p>800</p> <p>800</p> <p>800</p> <p>800</p> <p>800</p> <p>800</p> <p>800</p>	<p>S 2 A 5 5 8 0 S X</p> <p>S 2 A 5 5 9 0 S X</p> <p>S 2 A 5 5 1 0 S X</p> <p>S 2 A 5 5 1 1 S X</p> <p>S 2 A 5 5 1 2 S X</p> <p>S 2 A 5 5 2 D S X</p> <p>S 2 A 5 5 1 3 S X</p> <p>S 2 A 5 5 3 D S X</p> <p>S 2 A 5 5 1 4 S X</p> <p>S 2 A 5 5 4 D S X</p>		



Please observe suitable accessories at the next pages.
 Door width: L = left door, M = middle door, R = right door

Double mirrored Mirror cabinets for all Laguna programmes:

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<p>Planning mirror cabinets height 800 mm with side lighting</p>   <p>III. = left</p> <p>Planning mirror cabinets 2 double mirror doors 2 glass shelves 1 switch socket element 2 LED light profiles 2 X 12,4 watt / Converter 60 watt 2 x 1017 lumens / 2700 - 6500 Kelvin 1 sensor switcher to control cold white and warm white with 3 dimming levels This product contains a light source with energy efficiency class: F</p> <p>600 mm wide L: 374 mm R: 188 mm</p> <p>600 mm wide R: 374 mm L: 188 mm</p> <p>700 mm wide L: 374 mm R: 288 mm</p> <p>700 mm wide R: 374 mm L: 288 mm</p> <p>800 mm wide L: 480 mm R: 280 mm</p> <p>800 mm wide R: 480 mm L: 280 mm</p> <p>900 mm wide L: 580 mm R: 280 mm</p> <p>900 mm wide R: 580 mm L: 280 mm</p>				<p>S 2 A 5 4 6 L 0 5</p> <p>S 2 A 5 4 6 R 0 5</p> <p>S 2 A 5 4 7 L 0 5</p> <p>S 2 A 5 4 7 R 0 5</p> <p>S 2 A 5 4 8 L 0 5</p> <p>S 2 A 5 4 8 R 0 5</p> <p>S 2 A 5 4 9 L 0 5</p> <p>S 2 A 5 4 9 R 0 5</p>		
  <p>III. = left</p> <p>Planning mirror cabinets 2 double mirror doors 1 central partition 4 glass shelves 1 switch socket element 2 LED light profiles 2 X 12,4 watt / Converter 60 watt 2 x 1017 lumens / 2700 - 6500 Kelvin 1 sensor switcher to control cold white and warm white with 3 dimming levels This product contains a light source with energy efficiency class: F</p> <p>1000 mm wide L: 580 mm R: 380 mm</p> <p>1000 mm wide R: 580 mm L: 380 mm</p> <p>1200 mm wide L: 580 mm R: 580 mm for double washbasin solutions</p>				<p>S 2 A 5 4 1 L 0 5</p> <p>S 2 A 5 4 1 R 0 5</p> <p>S 2 A 5 4 1 2 0 5</p>		








Please observe suitable accessories at the next pages.
 Door width: L = left door, M = middel door, R = right door

Double mirrored Mirror cabinets for all Laguna programmes:

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<h2>Planning mirror cabinets height 800 mm with side lighting</h2>						
 <p>Planning mirror cabinets 3 double mirror doors 2 central partitions, 6 glass shelves 1 switch socket element 2 LED light profiles 2 X 12,4 watt / Converter 60 watt 2 x 1017 lumens / 2700 - 6500 Kelvin 1 sensor switcher to control cold white and warm white with 3 dimming levels This product contains a light source with energy efficiency class: F</p>						
<p>900 mm wide L: 280 mm M: 296 mm R:280 mm</p>	150	900	800	S 2 A 5 4 9 0 0 6		
<p>1000 mm wide L: 280 mm M: 396 mm R:280 mm</p>	150	1000	800	S 2 A 5 4 1 0 0 6		
<p>1100 mm wide L: 280 mm M: 496 mm R:280 mm</p>	150	1100	800	S 2 A 5 4 1 1 0 6		
<p>1200 mm wide L: 374 mm M: 412 mm R: 374 mm</p>	150	1200	800	S 2 A 5 4 1 2 0 6		
<p>1300 mm wide L: 374 mm M: 512 mm R: 374 mm</p>	150	1300	800	S 2 A 5 4 1 3 0 6		
<p>1300 mm wide for double washbasin solutions L: 480 mm M: 296 mm R: 480 mm</p>	150	1300	800	S 2 A 5 4 1 3 0 5		
<p>1400 mm wide L: 424 mm M: 512 mm R: 424 mm</p>	150	1400	800	S 2 A 5 4 1 4 0 6		
<p>1400 mm wide for double washbasin solutions L: 580 mm M: 196 mm R: 580 mm</p>	150	1400	800	S 2 A 5 4 1 4 0 5		
<p>1500 mm wide for double washbasin solutions L: 580 mm M: 296 mm R: 580 mm</p>	150	1500	800	S 2 A 5 4 1 5 0 5		
<p>1600 mm wide for double washbasin solutions L: 580 mm M: 396 mm R: 580 mm</p>	150	1600	800	S 2 A 5 4 1 6 0 5		
<h2>extension elements height 800 mm</h2>						
 <p>Shelf 3 shelves in carcass colour</p> <p>150 mm width 200 mm width 300 mm width 400 mm wide 500 mm width 600 mm wide adjustable in depth und width</p>	150 150 150 150 150 150 150-300	150 200 300 400 500 600 150-600	800 800 800 800 800 800 800	R G 5 1 1 5 0 1 R G 5 1 2 0 0 1 R G 5 1 3 0 0 1 R G 5 1 4 0 0 1 R G 5 1 5 0 0 1 R G 5 1 6 0 0 1 R V 5 1 V 0 1		







Please observe suitable accessories at the next pages.
 Door width: L = left door, M = middle door, R = right door

Double mirrored Mirror cabinets for all Laguna programmes:

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
extension elements height 800 mm							
  Ill. = left	LED- extension mirror cabinets 1 double mirror door 2 glass shelves 1 LED light profile 12,4 watt 1017 lumens / 2700 - 6500 Kelvin 1 extension cable This product contains a light source with energy efficiency class: F	150	300	800	S 2 A 5 4 3 L 0 6		
		150	300	800	S 2 A 5 4 3 R 0 6		
		150	400	800	S 2 A 5 4 4 L 0 6		
		150	400	800	S 2 A 5 4 4 R 0 6		
		150	500	800	S 2 A 5 4 5 L 0 6		
		150	500	800	S 2 A 5 4 5 R 0 6		
		150	600	800	S 2 A 5 4 6 L 0 6		
	150	600	800	S 2 A 5 4 6 R 0 6			
	extension mirror cabinets 1 double mirror door, 2 glass shelves 300 mm wide depth adjustable	150	300	800	S 2 A 5 1 3 0	D	L/R
		151-300	300	800	S 2 V 5 1 3 0	D	L/R
	400 mm wide depth adjustable	150	400	800	S 2 A 5 1 4 0	D	L/R
		151-300	400	800	S 2 V 5 1 4 0	D	L/R
	500 mm wide depth adjustable	150	500	800	S 2 A 5 1 5 0	D	L/R
		151-300	500	800	S 2 V 5 1 5 0	D	L/R
	extension mirror cabinets 2 double mirror doors, 2 glass shelves 600 mm wide depth adjustable	150	600	800	S 2 A 5 2 6 0	D	
		151-300	600	800	S 2 V 5 2 6 0	D	
	extension mirror cabinets 1 double mirror door 1 shelf Optional colour contrasting back panel 300 mm wide	150	300	800	S 2 A 5 5 3 0 0 1		L/R
	400 mm wide	150	400	800	S 2 A 5 5 4 0 0 1		L/R
	500 mm wide	150	500	800	S 2 A 5 5 5 0 0 1		L/R
	600 mm wide	150	600	800	S 2 A 5 5 6 0 0 1		L/R
 	side doubling for mirror cabinets with double mirror doors in carcass colour Price per item 800 mm high	160	16	800	S D H 8 0 1 6 1 6		
	800 mm high incl. vertical LED lighting 12,4 watt / 1017 lumens / (2700 -) 6500 Kelvin This product contains a light source with energy efficiency class: F Please note the converter power of the mirror cabinet!	166	16	800	S D H 8 0 1 6 B 6		

Please observe suitable accessories at the next pages.
 Door width: L = left door, M = middle door, R = right door





Double mirrored Mirror cabinets for all Laguna programmes:

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
can be combined with planning mirror cabinets						
	LED panel light angled This product contains a light source with energy efficiency class: F					
	260	600	20	P Z 1 0 9 7 6 0		
 angled	260	700	20	P Z 1 0 9 7 7 0		
	260	800	20	P Z 1 0 9 7 8 0		
	260	900	20	P Z 1 0 9 7 9 0		
	260	1000	20	P Z 1 0 9 7 1 0		
	260	1100	20	P Z 1 0 9 7 1 1		
	260	1200	20	P Z 1 0 9 7 1 2		
	260	1300	20	P Z 1 0 9 7 1 3		
	260	1400	20	P Z 1 0 9 7 1 4		
	260	1500	20	P Z 1 0 9 7 1 5		
	260	1600	20	P Z 1 0 9 7 1 6		
	260	1700	20	P Z 1 0 9 7 1 7		
	Additional accessories Sensor for regulating warm and cold light in 3 dimming levels			P Z 1 0 2 0 1		
	LED panel light round This product contains a light source with energy efficiency class: F					
	260	500	20	P Z 1 0 9 4 5 0		
 round	260	600	20	P Z 1 0 9 4 6 0		
	260	700	20	P Z 1 0 9 4 7 0		
	260	800	20	P Z 1 0 9 4 8 0		
	260	900	20	P Z 1 0 9 4 9 0		
	260	1000	20	P Z 1 0 9 4 1 0		
	260	1100	20	P Z 1 0 9 4 1 1		
	260	1200	20	P Z 1 0 9 4 1 2		
	260	1300	20	P Z 1 0 9 4 1 3		
	260	1400	20	P Z 1 0 9 4 1 4		
	Additional accessories Sensor for regulating warm and cold light in 3 dimming levels			P Z 1 0 2 0 1		







Double mirrored Mirror cabinets for all Laguna programmes:

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<p>LED panel light asymmetrical This product contains a light source with energy efficiency class: F</p> <p>600 mm wide narrow side left 8,5 watt / 699 lumens / (2700 -) 6500 Kelvin</p> <p>600 mm wide narrow side right 8,5 watt / 699 lumens / (2700 -) 6500 Kelvin</p> <p>900 mm wide narrow side left 13,2 watt / 1081 lumens / (2700 -) 6500 Kelvin</p> <p>900 mm wide narrow side right 13,2 watt / 1081 lumens / (2700 -) 6500 Kelvin</p> <p>1200 mm wide narrow side left 17,8 watt / 1462 lumens / (2700 -) 6500 Kelvin</p> <p>1200 mm wide narrow side right 17,8 watt / 1462 lumens / (2700 -) 6500 Kelvin</p> <p>1400 mm wide narrow side left 20,9 watt / 1716 lumens / (2700 -) 6500 Kelvin</p> <p>1400 mm wide narrow side right 20,9 watt / 1716 lumens / (2700 -) 6500 Kelvin</p> <p>Additional accessories Sensor for regulating warm and cold light in 3 dimming levels</p>	<p>240</p> <p>240</p> <p>240</p> <p>240</p> <p>240</p> <p>240</p> <p>240</p> <p>240</p> <p>240</p> <p>240</p> <p>240</p> <p>240</p> <p>240</p> <p>240</p> <p>240</p> <p>240</p> <p>240</p>	<p>600</p> <p>600</p> <p>900</p> <p>900</p> <p>1200</p> <p>1200</p> <p>1400</p> <p>1400</p> <p>1400</p> <p>1400</p> <p>1400</p> <p>1400</p> <p>1400</p> <p>1400</p> <p>1400</p> <p>1400</p> <p>1400</p> <p>1400</p> <p>1400</p>	<p>10</p> <p>10</p> <p>10</p> <p>10</p> <p>10</p> <p>10</p> <p>10</p> <p>10</p> <p>10</p> <p>10</p> <p>10</p> <p>10</p> <p>10</p> <p>10</p> <p>10</p> <p>10</p> <p>10</p> <p>10</p>	<p>P Z 1 0 9 0 6 L</p> <p>P Z 1 0 9 0 6 R</p> <p>P Z 1 0 9 0 9 L</p> <p>P Z 1 0 9 0 9 R</p> <p>P Z 1 0 9 0 2 L</p> <p>P Z 1 0 9 0 2 R</p> <p>P Z 1 0 9 0 4 L</p> <p>P Z 1 0 9 0 4 R</p> <p>P Z 1 0 2 0 1</p>		
<p>depth-variable chrome veneer (2 pieces) sideward veneer for LED-surface-light for depth-variable mirror-cabinets</p> <p>chrome veneer shorable in depth</p> <p>can be combined with PZ 1097 xx, PZ 1094 xx, PZ 1090 xx</p>	<p>300</p>	<p>1</p>	<p>20</p>	<p>P Z 1 1 0 9 7 V</p>		







Double mirrored Mirror cabinets for all Laguna programmes:

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
can be combined with planning mirror cabinets						
	LED panel light angled outer edges in chrom					
	not suitable for depth-variable mirror-cabinets This product contains a light source with energy efficiency class: F					
angled	243	602	19	P Z 1 0 8 9 6 0		
	243	902	19	P Z 1 0 8 9 9 0		
	243	1202	19	P Z 1 0 8 9 1 2		
	243	1402	19	P Z 1 0 8 9 1 4		
	243	1502	19	P Z 1 0 8 9 1 5		
	243	1602	19	P Z 1 0 8 9 1 6		
	243	1802	19	P Z 1 0 8 9 1 8		
	Additional accessories Sensor for regulating warm and cold light in 3 dimming levels			P Z 1 0 2 0 1		
	flyover shelf with LED lighting not suitable for depth-variable mirror-cabinets This product contains a light source with energy efficiency class: F					
	171	600	16	G S 4 3 6 0 1 6		
	171	700	16	G S 4 3 7 0 1 6		
	171	800	16	G S 4 3 8 0 1 6		
	171	900	16	G S 4 3 9 0 1 6		
	171	1000	16	G S 4 3 1 0 1 6		
	171	1200	16	G S 4 3 1 2 1 6		
	Additional accessories Sensor for regulating warm and cold light in 3 dimming levels			P Z 1 0 2 0 1		








Double mirrored Mirror cabinets for all Laguna programmes:

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
can be combined with planning mirror cabinets						
	LED lighting element Chrome hgl. This product contains a light source with energy efficiency class: F					
	600 mm wide 6,9 Watt / 769 lumens / (2700 -) 6500 Kelvin	115	600	37	P Z 1 1 6 1 6 0	
	900 mm wide 9,9 watt / 1020 lumens / (2700 -) 6500 Kelvin	115	900	37	P Z 1 1 6 1 9 0	
	1200 mm wide 13 Watt / 1316 lumens / (2700 -) 6500 Kelvin	115	1200	37	P Z 1 1 6 1 1 2	
	Additional accessories Sensor for regulating warm and cold light in 3 dimming levels				P Z 1 0 2 0 1	
	LED lighting element black matt This product contains a light source with energy efficiency class: G					
	600 mm wide 6,9 Watt / 769 lumens / (2700 -) 6500 Kelvin	115	600	37	P Z 1 1 6 2 6 0	
	900 mm wide 9,9 watt / 1020 lumens / (2700 -) 6500 Kelvin	115	900	37	P Z 1 1 6 2 9 0	
	1200 mm wide 13 Watt / 1316 lumens / (2700 -) 6500 Kelvin	115	1200	37	P Z 1 1 6 2 1 2	
	Additional accessories Sensor for regulating warm and cold light in 3 dimming levels				P Z 1 0 2 0 1	
	LED lighting element Chrome hgl. This product contains a light source with energy efficiency class: G					
	600 mm wide 7,0 watt / 480 lumens / (3000 -) 6500 Kelvin	115	600	47	P Z 1 1 6 3 6 0	
	900 mm wide 9,0 watt / 650 lumens / (3000 -) 6500 Kelvin	115	900	47	P Z 1 1 6 3 9 0	
	1200 mm wide 12,0 watt / 850 lumens / (3000 -) 6500 Kelvin	115	1200	47	P Z 1 1 6 3 1 2	
	Additional accessories Sensor for regulating warm and cold light in 3 dimming levels				P Z 1 0 2 0 1	




Double mirrored Mirror cabinets for all Laguna programmes:

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
can be combined with planning mirror cabinets						
 	<p>LED surface-mounted lamp chrome matt This product contains a light source with energy efficiency class: G</p> <p>434 mm wide 6,19 Watt / 464 lumens / (2700 -) 6500 Kelvin</p> <p>634 mm wide 9,28 watt / 731 lumens / (2700 -) 6500 Kelvin</p> <p>934 mm wide 14,08 Watt / 1109 lumens / (2700 -) 6500 Kelvin</p> <p>1234 mm wide 18,88 watt / 1487 lumens / (2700 -) 6500 Kelvin</p> <p>1434 mm wide 23,18 watt / 1739 lumens / (2700 -) 6500 Kelvin</p> <p>Additional accessories Sensor for regulating warm and cold light in 3 dimming levels</p>					
	127	434	24	P Z 1 1 4 0 4 0		
	127	634	24	P Z 1 1 4 0 6 0		
	127	934	24	P Z 1 1 4 0 9 0		
	127	1234	24	P Z 1 1 4 0 1 2		
	127	1434	24	P Z 1 1 4 0 1 4		
				P Z 1 0 2 0 1		
 	<p>LED surface-mounted lamp black matt This product contains a light source with energy efficiency class: G</p> <p>634 mm wide 9,28 watt / 731 lumens / (2700 -) 6500 Kelvin</p> <p>934 mm wide 14,08 Watt / 1109 lumens / (2700 -) 6500 Kelvin</p> <p>1234 mm wide 18,88 watt / 1487 lumens / (2700 -) 6500 Kelvin</p> <p>1434 mm wide 23,18 watt / 1739 lumens / (2700 -) 6500 Kelvin</p> <p>Additional accessories Sensor for regulating warm and cold light in 3 dimming levels</p>					
	127	634	24	P Z 1 1 6 0 6 0		
	127	934	24	P Z 1 1 6 0 9 0		
	127	1234	24	P Z 1 1 6 0 1 2		
	127	1434	24	P Z 1 1 6 0 1 4		
				P Z 1 0 2 0 1		
 	<p>LED lighting element Chrome hgl. This product contains a light source with energy efficiency class: E</p> <p>420 mm wide 1 pedestal 3,84 Watt / 330 lumens / (2700 -) 6500 Kelvin</p> <p>600 mm wide 5,28 Watt / 450 lumens / (2700 -) 6500 Kelvin</p> <p>900 mm wide 8,17 Watt / 690 lumens / (2700 -) 6500 Kelvin</p> <p>1100 mm wide 10,08 watt / 860 lumens / (2700 -) 6500 Kelvin</p> <p>1300 mm wide 12,0 watt / 1020 lumens / (2700 -) 6500 Kelvin</p> <p>Additional accessories Sensor for regulating warm and cold light in 3 dimming levels</p>					
	100	420	38	P Z 1 0 5 5 5		
	100	600	38	P Z 1 0 5 8 5		
	100	900	38	P Z 1 0 5 9 5		
	100	1100	38	P Z 1 0 6 7 5		
	100	1300	38	P Z 1 0 6 8 5		
				P Z 1 0 2 0 1		










Double mirrored Mirror cabinets for all Laguna programmes:

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
can be combined with planning mirror cabinets						
	LED lighting element Chrome hgl. This product contains a light source with energy efficiency class: F					
	600 mm wide 8,53 watt / 430 lumens / (2700 -) 6500 Kelvin	130	600	38	P Z 1 0 7 5 5	
	600 mm wide high pedestals 8,53 watt / 430 lumens / (2700 -) 6500 Kelvin	130	600	73	P Z 1 0 7 7 5	
	900 mm wide 13,18 Watt / 660 lumens / (2700 -) 6500 Kelvin	130	900	38	P Z 1 0 7 6 5	
	900 mm wide high pedestals 13,18 Watt / 660 lumens / (2700 -) 6500 Kelvin	130	900	73	P Z 1 0 7 8 5	
	Additional accessories Sensor for regulating warm and cold light in 3 dimming levels				P Z 1 0 2 0 1	
	LED lighting element Chrome hgl. This product contains a light source with energy efficiency class: F					
	400 mm wide 5,9 watt / 480 lumens / (2700 -) 6500 Kelvin	78	400	47	P Z 1 0 7 9 2 8	
	600 mm wide 9,0 watt / 736 lumens / (2700 -) 6500 Kelvin	78	600	47	P Z 1 0 7 9 2 6	
	900 mm wide 13,7 watt / 1119 lumens / (2700 -) 6500 Kelvin	78	900	47	P Z 1 0 7 9 2 7	
	Additional accessories Sensor for regulating warm and cold light in 3 dimming levels				P Z 1 0 2 0 1	
	LED lighting element Chrome hgl. This product contains a light source with energy efficiency class: F					
	500 mm wide 7,36 watt / 604 lumens / (2700 -) 6500 Kelvin	94	500	44	P Z 1 5 0 3 5 0	
	800 mm wide 12,01 watt / 985 lumens / (2700 -) 6500 Kelvin	94	800	44	P Z 1 5 0 3 8 0	
	Additional accessories Sensor for regulating warm and cold light in 3 dimming levels				P Z 1 0 2 0 1	
	LED lighting element Chrome hgl. This product contains a light source with energy efficiency class: F					
	400 mm wide 6,5 watt / 760 lumens / 6500 Kelvin	120	400	50	P Z 1 0 9 8 4 0	
	600 mm wide 9,7 watt / 1140 lumens / 6500 Kelvin	120	600	50	P Z 1 0 9 8 6 0	
	900 mm wide 2 pedestals 13,6 Watt / 1580 lumens / 6500 Kelvin	120	900	50	P Z 1 0 9 8 9 0	

Double mirrored Mirror cabinets for all Laguna programmes:

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<p>can be combined with planning mirror cabinets</p>						
 <p>LED lighting element Chrome hgl. 280 mm wide 4,8 watt 366 lumens / 6000 Kelvin This product contains a light source with energy efficiency class: G</p>	114	280	42	P Z 1 0 7 9 2 5		
 <p>flyover shelf with LED lighting depth adjustable 1 flyover shelf with LED lighting 1 middle panel with chrome edge This product contains a light source with energy efficiency class: G</p> <p>600 mm wide 6,3 Watt / 549 lumens / 6000 Kelvin</p> <p>700 mm wide 9,1 watt / 696 lumens / 6000 Kelvin</p> <p>800 mm wide 11,4 watt / 989 lumens / 6000 Kelvin</p> <p>900 mm wide 11,4 watt / 989 lumens / 6000 Kelvin</p> <p>1000 mm wide 11,4 watt / 989 lumens / 6000 Kelvin</p> <p>1100 mm wide 11,4 watt / 989 lumens / 6000 Kelvin</p> <p>1200 mm wide 16,4 watt / 1422 lumens / 6000 Kelvin</p> <p>1300 mm wide 16,4 watt / 1422 lumens / 6000 Kelvin</p> <p>1400 mm wide 16,4 watt / 1422 lumens / 6000 Kelvin</p>	300-450	600	40	G S V 4 1 6 0 6 1		
 <p>flyover shelf Price per metre</p> <p>flyover shelf also available with LED-lighting against surcharge</p> <p>Please submit inquiry with drawing</p> <p>adjustable in depth und width</p>	100-500	100-2600	28	G B N 4 0 V		



Double mirrored Mirror cabinets for all Laguna programmes:

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
<p>can be combined with planning mirror cabinets</p>						
  <p>LED washbasin lighting emotion LED converter This product contains a light source with energy efficiency class: G</p> <p>LED mood lighting available as an option</p> <p>560 mm wide 2,6 Watt / 187 lumens / (2700 -) 6500 Kelvin</p> <p>860 mm wide 4,0 Watt / 287 lumens / (2700 -) 6500 Kelvin</p> <p>1160 mm wide 5,3 Watt / 388 lumens / (2700 -) 6500 Kelvin</p>	16	560	7	P Z 1 1 5 0 6 0 P Z 1 1 5 0 9 0 P Z 1 1 5 0 1 2		
  <p>Emotion lighting sensor switcher for dimming and for colour change control from cold white to warm white</p> <p>Can only be used with mirror cabinets that offer this sensor switch as an optional accessory. cannot be used with LED washbasin lighting - PZ 1063</p>	13	40	40	P Z 1 0 2 0 1		
 <p>socket element without switch for additional installation in mirror cabinets</p> <p>not installed in mirror cabinet</p> <p>installed in mirror cabinet please state position - left, middle or right</p>	73	135	75	P Z 1 1 3 5 P Z 1 1 3 5 E B		
 <p>USB socket element 2 plus-in slots connection 220 V with clamp for additional installation in mirror cabinets</p> <p>not installed in mirror cabinet</p> <p>installed in mirror cabinet please state position - left, middle or right</p>	45	80	64	P Z 1 1 5 1 1 P Z 1 1 5 1 E B		
 <p>LED converter 12 V, 15 Watt 6 way distributor including cable with Euro plug</p>				P Z 1 0 7 0		
 <p>LED converter 12 V, 30 watt 9 way distributor including cable with Euro plug</p>				P Z 1 0 6 5		
 <p>LED converter 12 V, 60 watt 12 way distributor Sensor for regulating warm and cold light in 3 dimming levels incl. connecting cable</p>				P Z 1 0 9 9		

Mirror cabinets - dimensional drawings

electrical connections for mirror cabinets
height 640 mm

S2A 55xx SX



electrical connections for mirror cabinets
height 800 mm

