

Delivery time: 4-6 weeks /
special washbasins 8 weeks




Front colours

F foiled front

M Melamine coated front with ABS-edge



No. 679 concrete imitation



No. 764 Stonegrey matt



No. 777 cosmos grey matt



No. 793 noble white matt




No. 891 quarz grey matt



No. 893 titanium grey matt



No. 686 anthracite hgl.



No. 722 polar white hgl.



No. 755 hacienda black



No. 769 hacienda grey

Expiry 12/2023



No. 639 Oak Black



no. 670 Halifax oak



no. 680 Charleston oak



No. 750 cardiff oak



no. 751 Cuneo oak brown



no. 771 Cuneo oak natural



no. 776 Charleston oak dark



Nr. 785 natural oak



no. 794 sand oak

carcass colours

* High gloss carcass for an additional price



No. 179
concrete imitation



No. 164
Stonegrey matt



No. 177
cosmos grey matt



No. 111
white matt



no. 191
quarz grey matt



No. 193
titanium grey matt



*no. 121
anthracite hgl.



*no. 161
white hgl.



no. 155
hacienda black



no. 169
hacienda grey
Expiry 12/2023



No. 139 Oak Black



no. 170
Halifax oak



no. 180
Charleston oak



no. 150
cardiff oak



no. 151
Cuneo oak brown



no. 171 Cuneo
oak natural



no. 176
Charleston oak dark



Nr. 185
natural oak



no. 194
sand oak

Washbasin colours

STONEPLUS wash-basins



No. 61
white

Ceramic washbasins



no. 1
white

STONEPLUS wash-basins



No. 61
white

Glass washbasin



no. 82
optiwhite

pull-out element

Pull out with premium soft close

door with integrated buffered closing

Handle versions

Standard handle



no. 590 bar handle chromo

Optional handles



No. 529
Strip handle chrome











no. 538
Strip handle aluminium matt



No. 539
Strip handle black matt









CONCEPT LINE Feo

Additional units and accessories - see separate chapter

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
 <p>Consisting of: mirror (FSA 4560 10), 600 mm washbasin white Washbasin base unit 600 mm (height 640 mm)</p> <p>STONEPLUS - washbasin</p> <p>STONEPLUS - washbasin incl. LED light</p> <p>Ceramic washbasin</p>							
 <p>III. = STONEPLUS</p>			606		SETFF60S1		
			606		SETFF60SB		
			620		SETFF60K1		
 <p>Consisting of: mirror (FSA 4570 10), 700 mm washbasin white Washbasin base unit 700 mm (height 640 mm)</p> <p>STONEPLUS - washbasin</p> <p>STONEPLUS - washbasin incl. LED light</p> <p>Ceramic washbasin</p>							
 <p>III. = STONEPLUS</p>			706		SETFF70S1		
			706		SETFF70SB		
			720		SETFF70K1		
 <p>Consisting of: Mirror (FSA 4580 10), 800 mm washbasin white Washbasin base unit 800 mm (height 640 mm)</p> <p>STONEPLUS - washbasin</p> <p>STONEPLUS - washbasin incl. LED light</p> <p>Ceramic washbasin</p>							
 <p>III. = STONEPLUS</p>			806		SETFF80S1		
			806		SETFF80SB		
			820		SETFF80K1		
 <p>Consisting of: Mirror (FSA 4590 10), 900 mm washbasin white washbasin base unit 900 mm (height 640 mm)</p> <p>STONEPLUS - washbasin</p> <p>STONEPLUS - washbasin incl. LED light</p> <p>Ceramic washbasin</p>							
 <p>III. = STONEPLUS</p>			906		SETFF90S1		
			906		SETFF90SB		
			920		SETFF90K1		









CONCEPT LINE Feo

Additional units and accessories - see separate chapter

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
 <p>Consisting of: Mirror (FSA 4510 10), 1000 mm washbasin white washbasin base unit 1000 mm (height 640 mm)</p> <p>STONEPLUS - washbasin</p>  <p>STONEPLUS - washbasin incl. LED light</p> <p>Ceramic washbasin</p> <p>III. = STONEPLUS</p>		1006		<p>S E T F F 1 0 S 1</p> <p>S E T F F 1 0 S B</p> <p>S E T F F 1 0 K 1</p>		
 <p>Consisting of: Mirror (FSA 4512 10), 1200 mm washbasin white washbasin base unit 1200 mm (height 640 mm)</p> <p>STONEPLUS - washbasin</p>  <p>STONEPLUS - washbasin incl. LED light</p> <p>Ceramic washbasin</p> <p>III. = STONEPLUS</p>		1206		<p>S E T F F 1 2 S 1</p> <p>S E T F F 1 2 S B</p> <p>S E T F F 1 2 K 1</p>		
 <p>Consisting of: Mirror (FSA 4512 10), 1200 mm Double washbasin white washbasin base unit 1200 mm (height 640 mm)</p> <p>STONEPLUS - washbasin</p>  <p>STONEPLUS - washbasin incl. LED light</p> <p>Ceramic washbasin</p> <p>III. = STONEPLUS</p>		1206		<p>S E T F F 1 2 S 2</p> <p>S E T F F 1 2 S 3</p> <p>S E T F F 1 2 K 2</p>		
 <p>Consisting of: Mirror (FSA 4512 10), 1200 mm Double washbasin white washbasin base unit 1200 mm (height 640 mm)</p> <p>STONEPLUS - washbasin</p>  <p>STONEPLUS - washbasin incl. LED light</p> <p>Ceramic washbasin</p> <p>III. = STONEPLUS</p>		1206		<p>S E T F F 1 2 S 4</p> <p>S E T F F 1 2 S 5</p> <p>S E T F F 1 2 K 4</p>		









CONCEPT LINE Feo

Additional units and accessories - see separate chapter

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
 <p>Consisting of: Mirror cabinet, 600 mm wide door optional left or right washbasin white Washbasin base unit 600 mm (height 640 mm)</p>							
<p>STONEPLUS - washbasin</p>			606		SETFS60S1	L/R	
 <p>STONEPLUS - washbasin incl. LED light</p>			606		SETFS60SB	L/R	
<p>Ceramic washbasin</p>			620		SETFS60K1	L/R	
<p>III. = left III. = STONEPLUS</p>							
 <p>Consisting of: Mirror cabinet, 700 mm wide door optional left or right washbasin white Washbasin base unit 700 mm (height 640 mm)</p>							
<p>STONEPLUS - washbasin</p>			706		SETFS70S1	L/R	
 <p>STONEPLUS - washbasin incl. LED light</p>			706		SETFS70SB	L/R	
<p>Ceramic washbasin</p>			720		SETFS70K1	L/R	
<p>III. = left III. = STONEPLUS</p>							
 <p>Consisting of: Mirror cabinet, 800 mm wide door optional left or right washbasin white Washbasin base unit 800 mm (height 640 mm)</p>							
<p>STONEPLUS - washbasin</p>			806		SETFS80S1	L/R	
 <p>STONEPLUS - washbasin incl. LED light</p>			806		SETFS80SB	L/R	
<p>Ceramic washbasin</p>			820		SETFS80K1	L/R	
<p>III. = left III. = STONEPLUS</p>							
 <p>Consisting of: Mirror cabinet, 900 mm wide door optional left or right washbasin white washbasin base unit 900 mm (height 640 mm)</p>							
<p>STONEPLUS - washbasin</p>			906		SETFS90S1	L/R	
 <p>STONEPLUS - washbasin incl. LED light</p>			906		SETFS90SB	L/R	
<p>Ceramic washbasin</p>			920		SETFS90K1	L/R	
<p>III. = left III. = STONEPLUS</p>							









CONCEPT LINE Feo

Additional units and accessories - see separate chapter

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
 <p>Consisting of: Mirror cabinet, 1000 mm washbasin white washbasin base unit 1000 mm (height 640 mm)</p> <p>STONEPLUS - washbasin</p> <p>STONEPLUS - washbasin incl. LED light</p>  <p>Ceramic washbasin</p> <p>III. = STONEPLUS</p>		1006	1006	<p>S E T F S 1 0 S 1</p> <p>S E T F S 1 0 S B</p> <p>S E T F S 1 0 K 1</p>		
 <p>Consisting of: Mirror cabinet 1200 mm washbasin white washbasin base unit 1200 mm (height 640 mm)</p> <p>STONEPLUS - washbasin</p> <p>STONEPLUS - washbasin incl. LED light</p>  <p>Ceramic washbasin</p> <p>III. = STONEPLUS</p>		1206	1206	<p>S E T F S 1 2 S 1</p> <p>S E T F S 1 2 S B</p> <p>S E T F S 1 2 K 1</p>		
 <p>Consisting of: Mirror cabinet 1200 mm Double washbasin white washbasin base unit 1200 mm (height 640 mm)</p> <p>STONEPLUS - washbasin</p> <p>STONEPLUS - washbasin incl. LED light</p>  <p>Ceramic washbasin</p> <p>III. = STONEPLUS</p>		1206	1206	<p>S E T F S 1 2 S 2</p> <p>S E T F S 1 2 S 3</p> <p>S E T F S 1 2 K 2</p>		
 <p>Consisting of: Mirror cabinet 1200 mm Double washbasin white washbasin base unit 1200 mm (height 640 mm)</p> <p>STONEPLUS - washbasin</p> <p>STONEPLUS - washbasin incl. LED light</p>  <p>Ceramic washbasin</p> <p>III. = STONEPLUS</p>		1206	1206	<p>S E T F S 1 2 S 4</p> <p>S E T F S 1 2 S 5</p> <p>S E T F S 1 2 K 4</p>		

CONCEPT LINE Feo







Additional units and accessories - see separate chapter

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
  III. = left		150	600	816	S 2 A 5 3 6 1 G 2	L/R	
<p>mirror cabinet</p> <ul style="list-style-type: none"> 1 double mirror door 2 glass shelves 1 flyover shelf with LED lighting 9,5 watt / Converter 15 watt 731 lumens / 2700 - 6500 Kelvin 1 switch-socket element 1 sensor switcher to control cold white and warm white with 3 dimming levels <p>This product contains a light source with energy efficiency class: F</p> <p>Additional accessories</p> <ul style="list-style-type: none"> LED washbasin lighting emotion further sockets possible - see accessories 					P Z 1 1 5 0 6 0		
  III. = left		150	600	816	S 2 A 5 3 6 0 G 2	L/R	
<p>mirror cabinet</p> <ul style="list-style-type: none"> 2 double mirror doors 2 glass shelves 1 flyover shelf with LED lighting 9,5 watt / Converter 15 watt 731 lumens / 2700 - 6500 Kelvin 1 switch-socket element 1 sensor switcher to control cold white and warm white with 3 dimming levels <p>Door width: 396 mm / 196 mm</p> <p>This product contains a light source with energy efficiency class: F</p> <p>Additional accessories</p> <ul style="list-style-type: none"> LED washbasin lighting emotion further sockets possible - see accessories 					P Z 1 1 5 0 6 0		
  III. = left		150	700	816	S 2 A 5 3 7 0 G 2	L/R	
<p>mirror cabinet</p> <ul style="list-style-type: none"> 2 double mirror doors 2 glass shelves 1 flyover shelf with LED lighting 10,5 watt / Converter 15 watt 858 lumens / 2700 - 6500 Kelvin 1 switch-socket element 1 sensor switcher to control cold white and warm white with 3 dimming levels <p>Door width: 396 mm / 296 mm</p> <p>This product contains a light source with energy efficiency class: F</p> <p>Additional accessories</p> <ul style="list-style-type: none"> LED washbasin lighting emotion further sockets possible - see accessories 					P Z 1 1 5 0 6 0		
  III. = left		150	800	816	S 2 A 5 3 8 0 G 2	L/R	
<p>mirror cabinet</p> <ul style="list-style-type: none"> 2 double mirror doors 2 glass shelves 1 flyover shelf with LED lighting 12,4 watt / Converter 15 watt 1017 lumens / 2700 - 6500 Kelvin 1 switch-socket element 1 sensor switcher to control cold white and warm white with 3 dimming levels <p>Door width: 496 mm / 296 mm</p> <p>This product contains a light source with energy efficiency class: F</p> <p>Additional accessories</p> <ul style="list-style-type: none"> LED washbasin lighting emotion further sockets possible - see accessories 					P Z 1 1 5 0 6 0		

Please observe the product details of the accessories in the separate index.

CONCEPT LINE Feo




Additional units and accessories - see separate chapter

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass	
<h3>Mirror cabinets</h3>							
  III. = left	<p>mirror cabinet 2 double mirror doors 2 glass shelves 1 flyover shelf with LED lighting 14,25 watt / converter 30 watt 1112 lumens / 2700 - 6500 Kelvin 1 switch-socket element 1 sensor switcher to control cold white and warm white with 3 dimming levels Door width: 546 mm / 346 mm This product contains a light source with energy efficiency class: F</p> <p>Additional accessories LED washbasin lighting emotion further sockets possible - see accessories</p>	150	900	816	S 2 A 5 3 9 0 G 2 P Z 1 1 5 0 9 0	L/R	
 	<p>mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 flyover shelf with LED lighting 15,11 watt / converter 30 watt 1238 lumens / 2700 - 6500 Kelvin 1 switch-socket element 1 sensor switcher to control cold white and warm white with 3 dimming levels Door width: 296 mm / 396 mm / 296 mm This product contains a light source with energy efficiency class: F</p> <p>Additional accessories LED washbasin lighting emotion further sockets possible - see accessories</p>	150	1000	816	S 2 A 5 3 1 0 G 2 P Z 1 1 5 0 9 0		
 	<p>mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 flyover shelf with LED lighting 19,0 watt / converter 30 watt 1493 lumens / 2700 - 6500 Kelvin 1 switch-socket element 1 sensor switcher to control cold white and warm white with 3 dimming levels Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: F</p> <p>Additional accessories LED washbasin lighting emotion further sockets possible - see accessories</p>	150	1200	816	S 2 A 5 3 1 2 G 2 P Z 1 1 5 0 1 2		

Please observe the product details of the accessories in the separate index.

CONCEPT LINE Feo




Additional units and accessories - see separate chapter

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
STONEPLUS washbasins						
 <p>STONEPLUS - single washbasin 600 mm incl. CLOU drain and overflow system in chrome can be combined with WUA 4860 9 and WUA 3360 08</p> <p>STONEPLUS - washbasin white</p> <p>STONEPLUS - washbasin white, LED 1 LED converter 12 V, 15 Watt 238 lumens / 6500 Kelvin integrated sensor switcher This product contains a light source with energy efficiency class: F</p> <p>Additional accessories motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 holes (according to sketch)</p>						
	527	606	30	WMS 9 5 0 6 6 1		
	527	606	30	SWM 9 5 0 6 B 6		
				P Z 1 1 4 1		
 <p>STONEPLUS - single washbasin 700 mm incl. CLOU drain and overflow system in chrome can be combined with WUA 4870 9 and WUA 3370 08</p> <p>STONEPLUS - washbasin white</p> <p>STONEPLUS - washbasin white, LED 1 LED converter 12 V, 15 Watt 281 lumens / 6500 Kelvin integrated sensor switcher This product contains a light source with energy efficiency class: F</p> <p>Additional accessories motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 holes (according to sketch)</p>						
	527	706	30	WMS 9 5 0 7 6 1		
	527	706	30	SWM 9 5 0 7 B 6		
				P Z 1 1 4 1		
 <p>STONEPLUS - single washbasin 800 mm incl. CLOU drain and overflow system in chrome can be combined with WUA 4880 9 and WUA 3380 08</p> <p>STONEPLUS - washbasin white</p> <p>STONEPLUS - washbasin white, LED 1 LED converter 12 V, 15 Watt 324 lumens / 6500 Kelvin integrated sensor switcher This product contains a light source with energy efficiency class: F</p> <p>Additional accessories motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 holes (according to sketch)</p>						
	527	806	30	WMS 9 5 0 8 6 1		
	527	806	30	SWM 9 5 0 8 B 6		
				P Z 1 1 4 1		

*Delivery time: 8 weeks. Price per washbasin. Washbasin without tap hole is incompatible with CLOU System. Please check your order confirmation for correctness.

CONCEPT LINE Feo






Additional units and accessories - see separate chapter

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
 <p>STONEPLUS - single washbasin 900 mm incl. CLOU drain and overflow system in chrome can be combined with WUA 4890 9 and WUA 3390 08</p> <p>STONEPLUS - washbasin white</p> <p>STONEPLUS - washbasin white, LED 1 LED converter 12 V, 15 Watt 367 lumens / 6500 Kelvin integrated sensor switcher This product contains a light source with energy efficiency class: F</p> <p>Additional accessories motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 holes (according to sketch)</p>	527	906	30	WMS 9 5 0 9 6 1 SWM 9 5 0 9 B 6 P Z 1 1 4 1		
 <p>STONEPLUS - single washbasin 1000 mm incl. CLOU drain and overflow system in chrome can be combined with WUA 4810 9 and WUA 3310 08</p> <p>STONEPLUS - washbasin white</p> <p>STONEPLUS - washbasin white, LED 1 LED converter 12 V, 15 Watt 410 lumens / 6500 Kelvin integrated sensor switcher This product contains a light source with energy efficiency class: F</p> <p>Additional accessories motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 holes (according to sketch)</p>	527	1006	30	WMS 9 5 1 0 6 1 SWM 9 5 1 0 B 6 P Z 1 1 4 1		
 <p>STONEPLUS - single washbasin 1200 mm incl. CLOU drain and overflow system in chrome can be combined with WUA 4812 9 and WUA 3312 08</p> <p>STONEPLUS - washbasin white</p> <p>STONEPLUS - washbasin white, LED 1 LED converter 12 V, 15 Watt 497 lumens / 6500 Kelvin integrated sensor switcher This product contains a light source with energy efficiency class: F</p> <p>Additional accessories motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 holes (according to sketch)</p>	527	1206	30	WMS 9 5 1 2 6 1 SWM 9 5 1 2 B 6 P Z 1 1 4 1		

*Delivery time: 8 weeks. Price per washbasin. Washbasin without tap hole is incompatible with CLOU System. Please check your order confirmation for correctness.

CONCEPT LINE Feo





Additional units and accessories - see separate chapter

	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Depth indication corresponds to the carcass depth						
STONEPLUS washbasins						
				STONEPLUS double washbasin 1200 mm incl. 2 CLOU drain and overflow systems in chrome can be combined with WUA 482D 9, WUA 4812 2D, WUA 3312 D8 and WUA 332D 08		
	527	1206	30	WMS 9 5 2 D 6 1		
	527	1206	30	STONEPLUS - washbasin white, LED 1 LED converter 12 V, 15 Watt 497 lumens / 6500 Kelvin integrated sensor switcher This product contains a light source with energy efficien- cy class: F		
				Additional accessories motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 holes (according to sketch)	P Z 1 1 4 1	
Ceramic washbasins						
	500	620	18	Ceramic washbasin, white incl. 1 tap hole with overflow can be combined with WUA 4860 9 and WUA 3360 08		
				Additional accessories LED lighting frame motion sensor for LED lighting	P Z 1 0 6 1 6 0 P Z 1 1 4 1	
	500	720	18	Ceramic washbasin, white incl. 1 tap hole with overflow can be combined with WUA 4870 9 and WUA 3370 08		
				Additional accessories LED lighting frame motion sensor for LED lighting	P Z 1 0 6 1 7 0 P Z 1 1 4 1	
	500	820	18	Ceramic washbasin, white incl. 1 tap hole with overflow can be combined with WUA 4880 9 and WUA 3380 08		
				Additional accessories LED lighting frame motion sensor for LED lighting	P Z 1 0 6 1 8 0 P Z 1 1 4 1	
	500	920	18	Ceramic washbasin, white incl. 1 tap hole with overflow can be combined with WUA 4890 9 and WUA 3390 08		
				Additional accessories LED lighting frame motion sensor for LED lighting	P Z 1 0 6 1 9 0 P Z 1 1 4 1	

*Delivery time: 8 weeks. Price per washbasin. Washbasin without tap hole is incompatible with CLOU System. Please check your order confirmation for correctness.

CONCEPT LINE Feo




Additional units and accessories - see separate chapter

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
 <p>Ceramic washbasin, white incl. 1 tap hole with overflow can be combined with WUA 4810 9 and WUA 3310 08</p> <p>Additional accessories LED lighting frame motion sensor for LED lighting</p>		500	1020	18	WTM 4 4 1 0 1 P Z 1 0 6 1 10 P Z 1 1 4 1		
 <p>Ceramic washbasin, white incl. 1 tap hole with overflow can be combined with WUA 4812 9 and WUA 3312 08</p> <p>Additional accessories LED lighting frame motion sensor for LED lighting</p>		500	1220	18	WTM 4 4 1 2 1 P Z 1 0 6 1 12 P Z 1 1 4 1		
 <p>Ceramic washbasin, white Double washbasin incl. 2 tap holes with overflow can be combined with WUA 482D 9, WUA 4812 2D, WUA 3312 D8 and WUA 332D 08</p> <p>Additional accessories LED lighting frame motion sensor for LED lighting</p>		500	1220	18	WTM 4 4 2 D 1 P Z 1 0 6 1 12 P Z 1 1 4 1		
<h3>Washbasin base units height 480 mm</h3>							
 <p>Washbasin base unit for single washbasin solution 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail</p> <p>600 mm wide 700 mm wide 800 mm wide 900 mm wide 1000 mm wide 1200 mm wide</p> <p>Additional accessories socket element Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32</p>							
		470	600	480	WUA 3 3 6 0 0 8		
		470	700	480	WUA 3 3 7 0 0 8		
		470	800	480	WUA 3 3 8 0 0 8		
		470	900	480	WUA 3 3 9 0 0 8		
		470	1000	480	WUA 3 3 1 0 0 8		
		470	1200	480	WUA 3 3 1 2 0 8		
					P Z 1 0 9 5 P Z 1 3 6 7 P Z 1 4 2 3		

Please observe the product details of the accessories in the separate index.

CONCEPT LINE Feo





Additional units and accessories - see separate chapter

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Washbasin base units height 480 mm						
 <p>Washbasin base unit for double washbasin solutions 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail</p> <p>1200 mm wide</p> <p>Additional accessories socket element Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces)</p>	470	1200	480	W U A 3 3 1 2 D 8 P Z 1 0 9 5 P Z 1 3 6 7 P Z 1 4 2 3		
 <p>Washbasin base unit for double washbasin solutions 2 metal pull out units with buffered closing and syphon cut- out 2 metal pull outs with buffered closing and rail</p> <p>1200 mm wide</p> <p>Additional accessories socket element Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces)</p>	470	1200	480	W U A 3 3 2 D 0 8 P Z 1 0 9 5 P Z 1 3 6 7 P Z 1 4 2 3		
Washbasin base units height 640 mm						
 <p>Washbasin base unit for single washbasin solution 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail</p> <p>600 mm wide</p> <p>700 mm wide</p> <p>800 mm wide</p> <p>900 mm wide</p> <p>1000 mm wide</p> <p>1200 mm wide</p> <p>Additional accessories socket element Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32</p>	470	600	640	W U A 4 8 6 0 9 P Z 1 0 9 5 P Z 1 3 6 7 P Z 1 4 2 3		

Please observe the product details of the accessories in the separate index.

CONCEPT LINE Feo



Additional units and accessories - see separate chapter

	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Depth indication corresponds to the carcass depth						
Washbasin base units height 640 mm						
 <p>Washbasin base unit for double washbasin solutions 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail</p> <p>1200 mm wide</p> <p>Additional accessories socket element Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces)</p>	470	1200	640	WUA 4 8 2 D 9 P Z 1 0 9 5 P Z 1 3 6 7 P Z 1 4 2 3		
 <p>Washbasin base unit for double washbasin solutions 2 metal pull out units with buffered closing and syphon cut-out 2 metal pull outs with buffered closing and rail</p> <p>1200 mm wide</p> <p>Additional accessories socket element Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces)</p>	470	1200	640	WUA 4 8 1 2 2 D P Z 1 0 9 5 P Z 1 3 6 7 P Z 1 4 2 3		
GUEST BATHROOM						
 <p>mirror, 400 mm vertical lighting element LED- lighting 14 watt 1200 lumens / 4000 Kelvin converter 15 watt incl. toggle switch This product contains a light source with energy efficiency class: F</p>	30	400	640	FSA 4 3 4 0 0 8		
 <p>Set Consisting of: STONEPLUS - washbasin, 500 mm colour white incl. not lockable flow-off valve washbasin base unit 500 mm 2 doors (196 / 296 mm)</p> <p>reduced depth</p> <p>Washbasin turnable</p> <p>Additional accessories Space-producing drain stench trap DN 32</p>	255	504	522	SETFG5S01 P Z 1 4 0 7		34

Please observe the product details of the accessories in the separate index.

CONCEPT LINE Feo

Additional units and accessories - see separate chapter




Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
GUEST BATHROOM   reduced depth		306	506	492	SETFG5002 P Z 1 2 3 5 P Z 1 4 0 7		
Set Consisting of: glass washbasin 500 mm Colour Optiwhite incl. not lockable flow-off valve washbasin base unit 500 mm 2 doors (196 / 296 mm)							
Washbasin turnable Additional accessories Neutrally bonding silicone for glass washbasins Space-producing drain stench trap DN 32							

CONCEPT LINE Feo - dimensional drawings

WMS/SWM 9506

WMS/SWM 9507




WMS/SWM 9508



WMS/SWM 9509



WMS/SWM 9510

WMS/SWM 9512



WMS/SWM 952D

WTM 4406 1



Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon!

STONEPLUS:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed in a few seconds, so that staining can be avoided.

Modifications:


Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.

LEGEND


B = Width of Washbasin base units
X = Position wastewater connection

CONCEPT LINE Feo - dimensional drawings


WTM 4407 1




WTM 4408 1




WTM 4409 1




WTM 4410 1




WTM 4412 1



WTM 442D 1



SET FG5S 01
(Washbasin can be installed reversed)



LEGEND
B = Width of Washbasin base units
X = Position wastewater connection

Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon!

STONEPLUS:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed in a few seconds, so that staining can be avoided.



Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.

CONCEPT LINE Feo - dimensional drawings



SET FG50 02
(Washbasin can be installed reversed)

Single washbasin
Washbasin height corresponds to the height of the ceramic washbasin





Double washbasin
Washbasin height corresponds to the height of the ceramic washbasin

GUEST BATHROOM (Washbasin can be installed reversed)
Washbasin height corresponds to the height of the Stoneplus washbasin



Mirror 400 mm

electrical connections for mirror cabinets



Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon!

STONEPLUS:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed in a few seconds, so that staining can be avoided.

Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.

Fe.18

LEGEND

B = Width of Washbasin base units
X = Position wastewater connection