

Delivery time: 4-6 weeks / special washbasins 8 weeks

Laola

Program 526



Front colours

F foiled front



No. 764 Stonegrey matt



No. 777 cosmos grey matt



No. 793 noble white matt



No. 891 quarz grey matt



No. 893 titanium grey matt



No. 686 anthracite hgl.



No. 722 polar white hgl.



no. 680 Charleston oak



no. 776 Charleston oak dark



Nr. 785 natural oak



no. 794 sand oak

carcass colours

* High gloss carcass for an additional price



No. 164
Stonegrey matt



No. 177
cosmos grey
matt



No. 111
white matt



no. 191
quarz grey
matt



No. 193
titanium grey
matt



*no. 121
anthracite
hgl.



*no. 161
white hgl.



no. 180
Charleston oak



no. 176
Charleston oak
dark



Nr. 185
natural oak



no. 194
sand oak

Washbasin colours

STONEPLUS washbasins



No. 61
white

STONEPLUS®

Glass washbasin



no. 82
optiwhite



no. 92
optiwhite matt

pull-out element

Pull out with premium soft close

door with integrated buffered closing

Handle version

Standard handle



no. 590 bar handle chrom

Optional handles also suitable for additional cabinets



No. 537
Strip handle chrome



no. 548
Strip handle aluminium
matt



No. 549
Strip handle black matt

Mirror cabinets

Series A



Series B

with side lighting



Accent decors for plug-in shelf

no. 501
white matt lacquered



no. 547
black matt lacquered









Illustrations and specifications are without obligation. Technical modifications reserved.

2023/2024

Please note the instruction for warranty, mounting and care, and the quality agreements as well, at the beginning of the book.

CONCEPT LINE Laola - model list

Additional units and accessories - see separate chapter







Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Mirror cabinets Series A							
 	mirror cabinet 2 double mirror doors 2 glass shelves 1 switch socket element 1 LED panel light with chrome edge 13,6 Watt / converter 30 Watt 1115 lumens / 2700 - 6500 Kelvin 1 sensor switcher to control cold white and warm white with 3 dimming levels Door width: 296 mm / 596 mm This product contains a light source with energy efficien- cy class: F						
	wider door right	150	902	659	S E T 4 2 9 0 L 2		
	wider door left	150	902	659	S E T 4 2 9 0 R 2		
	Additional accessories LED washbasin lighting emotion further sockets possible - see accessories				P Z 1 1 5 0 9 0		
 	mirror cabinet 2 double mirror doors 2 glass shelves 1 switch socket element 1 LED panel light with chrome edge 18,2 watt / converter 30watt 1492 lumens / 2700 - 6500 Kelvin 1 sensor switcher to control cold white and warm white with 3 dimming levels 1 shelf 300 mm width 2 glass shelves Door width: 596 mm / 296 mm This product contains a light source with energy efficien- cy class: F	150	1202	659	S E T 4 2 1 2 R 2		
	shelf backplane available in different colors Additional accessories LED washbasin lighting emotion further sockets possible - see accessories				P Z 1 1 5 0 9 0		
 	mirror cabinet 2 double mirror doors 2 glass shelves 1 switch socket element 1 LED panel light with chrome edge 18,2 watt / converter 30watt 1492 lumens / 2700 - 6500 Kelvin 1 sensor switcher to control cold white and warm white with 3 dimming levels 1 shelf 300 mm width 2 glass shelves Door width: 296 mm / 596 mm This product contains a light source with energy efficien- cy class: F	150	1202	659	S E T 4 2 1 2 L 2		
	shelf backplane available in different colors Additional accessories LED washbasin lighting emotion further sockets possible - see accessories				P Z 1 1 5 0 9 0		

Please observe the product details of the accessories in the separate index.

* The lighting can be controlled with one switch-socket combination.

CONCEPT LINE Laola - model list

Additional units and accessories - see separate chapter







Depth indication corresponds to the carcass depth				Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Mirror cabinets Series A									
 	mirror cabinet 2 double mirror doors 2 glass shelves 1 switch socket element 1 LED panel light with chrome edge 21,3 watt / converter 30 watt 1747 lumens / 2700 - 6500 Kelvin 1 sensor switcher to control cold white and warm white with 3 dimming levels 1 shelf 500 mm width 2 glass shelves Door width: 596 mm / 296 mm This product contains a light source with energy efficien- cy class: F shelf backplane available in different colors Additional accessories LED washbasin lighting emotion further sockets possible - see accessories			150	1402	659	S E T 4 2 1 4 R 2		
							P Z 1 1 5 0 9 0		
 	mirror cabinet 2 double mirror doors 2 glass shelves 1 switch socket element 1 LED panel light with chrome edge 21,3 watt / converter 30 watt 1747 lumens / 2700 - 6500 Kelvin 1 sensor switcher to control cold white and warm white with 3 dimming levels 1 shelf 500 mm width 2 glass shelves Door width: 296 mm / 596 mm This product contains a light source with energy efficien- cy class: F shelf backplane available in different colors Additional accessories LED washbasin lighting emotion further sockets possible - see accessories			150	1402	659	S E T 4 2 1 4 L 2		
							P Z 1 1 5 0 9 0		
 	mirror cabinet consisting of 2 mirror cabinets à 2 double mirror doors 2 glass shelves 2 switch-socket elements* 1 LED converter 30 W 1 sensor switcher to control cold white and warm white with 3 dimming levels 1 shelf 400 mm wide 2 glass shelves 1 LED panel light with chrome edge 27,4 watt 2247 lumens / 2700 - 6500 Kelvin Door width: 396 mm / 296 mm - 296 mm / 396 mm This product contains a light source with energy efficien- cy class: F shelf backplane available in different colors Additional accessories LED washbasin lighting emotion (please order 2 pieces) further sockets possible - see accessories			150	1802	659	S E T 4 2 1 8 0 2		
							P Z 1 1 5 0 6 0		

Please observe the product details of the accessories in the separate index.

* The lighting can be controlled with one switch-socket combination.

CONCEPT LINE Laola - model list

Additional units and accessories - see separate chapter







Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Mirror cabinets Series B with side lighting							
 	mirror cabinet 2 double mirror doors 2 glass shelves 1 switch socket element 1 LED panel light with chrome edge 13,6 Watt 2 LED light profiles at the sides 1115 + 2 x 800 lumens / 2700 - 6500 Kelvin 1 LED converter 60 W 1 sensor switcher to control cold white and warm white with 3 dimming levels Door width: 288 mm / 574 mm This product contains a light source with energy efficien- cy class: F						
	wider door right wider door left	150 150	902 902	659 659	SET 4 2 9 0 L 3 SET 4 2 9 0 R 3		
Additional accessories LED washbasin lighting emotion further sockets possible - see accessories					P Z 1 1 5 0 9 0		
 	mirror cabinet 2 double mirror doors 2 glass shelves 1 switch socket element 1 LED panel light with chrome edge 18,2 watt 2 LED light profiles at the sides 1492 + 2 x 800 lumens / 2700 - 6500 Kelvin 1 LED converter 60 W 1 sensor switcher to control cold white and warm white with 3 dimming levels 1 shelf 300 mm widh 2 glass shelves Door width: 574 mm / 288 mm This product contains a light source with energy efficien- cy class: F	150	1202	659	SET 4 2 1 2 R 3		
	shelf backplane available in different colors Additional accessories LED washbasin lighting emotion further sockets possible - see accessories				P Z 1 1 5 0 9 0		
 	mirror cabinet 2 double mirror doors 2 glass shelves 1 switch socket element 1 LED panel light with chrome edge 18,2 watt 2 LED light profiles at the sides 1492 + 2 x 800 lumens / 2700 - 6500 Kelvin 1 LED converter 60 W 1 sensor switcher to control cold white and warm white with 3 dimming levels 1 shelf 300 mm widh 2 glass shelves Door width: 288 mm / 574 mm This product contains a light source with energy efficien- cy class: F	150	1202	659	SET 4 2 1 2 L 3		
	shelf backplane available in different colors Additional accessories LED washbasin lighting emotion further sockets possible - see accessories				P Z 1 1 5 0 9 0		

Please observe the product details of the accessories in the separate index.

* The lighting can be controlled with one switch-socket combination.

CONCEPT LINE Laola - model list

Additional units and accessories - see separate chapter















Depth indication corresponds to the carcass depth				Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Mirror cabinets Series B with side lighting									
 	mirror cabinet 2 double mirror doors 2 glass shelves 1 switch socket element 1 LED panel light with chrome edge 21,3 watt 2 LED light profiles at the sides 1747 + 2 x 800 lumens / 2700 - 6500 Kelvin 1 LED converter 60 W 1 sensor switcher to control cold white and warm white with 3 dimming levels 1 shelf 500 mm width 2 glass shelves Door width: 574 mm / 288 mm This product contains a light source with energy efficiency class: F shelf backplane available in different colors Additional accessories LED washbasin lighting emotion further sockets possible - see accessories			150	1402	659	S E T 4 2 1 4 R 3		
							P Z 1 1 5 0 9 0		
 	mirror cabinet 2 double mirror doors 2 glass shelves 1 switch socket element 1 LED panel light with chrome edge 21,3 watt 2 LED light profiles at the sides 1747 + 2 x 800 lumens / 2700 - 6500 Kelvin 1 LED converter 60 W 1 sensor switcher to control cold white and warm white with 3 dimming levels 1 shelf 500 mm width 2 glass shelves Door width: 288 mm / 574 mm This product contains a light source with energy efficiency class: F shelf backplane available in different colors Additional accessories LED washbasin lighting emotion further sockets possible - see accessories			150	1402	659	S E T 4 2 1 4 L 3		
							P Z 1 1 5 0 9 0		
 	mirror cabinet consisting of 2 mirror cabinets à 2 double mirror doors 2 glass shelves 2 switch-socket elements* 1 sensor switcher to control cold white and warm white with 3 dimming levels 2 LED light profiles at the sides 2247 + 2 x 800 lumens / 2700 - 6500 Kelvin 1 LED converter 60 W 1 shelf 400 mm wide 2 glass shelves 1 LED panel light with chrome edge 27,4 watt Door width: 374 mm / 288 mm - 288 mm / 374 mm This product contains a light source with energy efficiency class: F shelf backplane available in different colors Additional accessories LED washbasin lighting emotion (please order 2 pieces) further sockets possible - see accessories			150	1802	659	S E T 4 2 1 8 0 3		
							P Z 1 1 5 0 6 0		

Please observe the product details of the accessories in the separate index.

* The lighting can be controlled with one switch-socket combination.

CONCEPT LINE Laola - model list
















Additional units and accessories - see separate chapter

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
STONEPLUS washbasins							
  STONEPLUS	STONEPLUS washbasin, 900 mm white extention left incl. CLOU drain and overflow system in chrome can be combined with WUA 3690 1M L	515	906	15	WMM 5 2 9 L 6 1		
	Additional accessories Additional price for Washbasin without tap hole / with 3 holes (acc. to sketch).						
  STONEPLUS	STONEPLUS washbasin, 900 mm white extension right incl. CLOU drain and overflow system in chrome can be combined with WUA 3690 1M R	515	906	15	WMM 5 2 9 R 6 1		
	Additional accessories Additional price for Washbasin without tap hole / with 3 holes (acc. to sketch).						
  STONEPLUS	STONEPLUS washbasin, 1.200 mm white extention left incl. CLOU drain and overflow system in chrome can be combined with WUA 3690 1M L, UTA 3x3x 1M	515	1206	15	WMM 5 2 2 L 6 1		
	Additional accessories Additional price for Washbasin without tap hole / with 3 holes (acc. to sketch).						
  STONEPLUS	STONEPLUS washbasin, 1.200 mm white extension right incl. CLOU drain and overflow system in chrome can be combined with WUA 3690 1M R, UTA 3x3x 1M	515	1206	15	WMM 5 2 2 R 6 1		
	Additional accessories Additional price for Washbasin without tap hole / with 3 holes (acc. to sketch).						
  STONEPLUS	STONEPLUS washbasin, 1400 mm white extention left incl. CLOU drain and overflow system in chrome can be combined with WUA 3690 1M L, UTA 3x5x 1M	515	1406	15	WMM 5 2 4 L 6 1		
	Additional accessories Additional price for Washbasin without tap hole / with 3 holes (acc. to sketch).						
  STONEPLUS	STONEPLUS washbasin, 1400 mm white extension right incl. CLOU drain and overflow system in chrome can be combined with WUA 3690 1M R, UTA 3x5x 1M	515	1406	15	WMM 5 2 4 R 6 1		
	Additional accessories Additional price for Washbasin without tap hole / with 3 holes (acc. to sketch).						
  STONEPLUS	STONEPLUS double washbasin, 1800 mm white incl. 2 CLOU drain and overflow systems in chrome can be combined with WUA 3690 1M L, WUA 3690 1M R	515	1806	15	WMM 5 2 8 D 6 1		
	Additional accessories Additional price for Washbasin without tap hole / with 3 holes (acc. to sketch).						

*Delivery time: 8 weeks. Price per washbasin. Washbasin without tap hole is incompatible with CLOU System. Please check your order confirmation for correctness.

CONCEPT LINE Laola - model list











Additional units and accessories - see separate chapter

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Glass washbasin							
  	Glass washbasin, 900 mm extension left incl. CLOU drain and overflow system in chrome can be combined with WUA 3690 1M L Colour Optiwhite Colour Optiwhite matt Additional accessories Neutrally bonding silicone for glass washbasins Additional price for washbasin without tap hole*	520	912	12	WGM 5 0 9 L 8 2		
		520	912	12	WGM 5 0 9 L 9 2		
					P Z 1 2 3 5		
  	Glass washbasin, 900 mm extension right incl. CLOU drain and overflow system in chrome can be combined with WUA 3690 1M R Colour Optiwhite Colour Optiwhite matt Additional accessories Neutrally bonding silicone for glass washbasins Additional price for washbasin without tap hole*	520	912	12	WGM 5 0 9 R 8 2		
		520	912	12	WGM 5 0 9 R 9 2		
					P Z 1 2 3 5		
  	Glass washbasin, 1200 mm extension left incl. CLOU drain and overflow system in chrome can be combined with WUA 3690 1M L, UTA 3x3x 1M Colour Optiwhite Colour Optiwhite matt Additional accessories Neutrally bonding silicone for glass washbasins Additional price for washbasin without tap hole*	520	1212	12	WGM 5 1 2 L 8 2		
		520	1212	12	WGM 5 1 2 L 9 2		
					P Z 1 2 3 5		
  	Glass washbasin, 1200 mm extension right incl. CLOU drain and overflow system in chrome can be combined with WUA 3690 1M R, UTA 3x3x 1M Colour Optiwhite Colour Optiwhite matt Additional accessories Neutrally bonding silicone for glass washbasins Additional price for washbasin without tap hole*	520	1212	12	WGM 5 1 2 R 8 2		
		520	1212	12	WGM 5 1 2 R 9 2		
					P Z 1 2 3 5		
  	Glass washbasin, 1400 mm extension left incl. CLOU drain and overflow system in chrome can be combined with WUA 3690 1M L, UTA 3x3x 1M Colour Optiwhite Colour Optiwhite matt Additional accessories Neutrally bonding silicone for glass washbasins Additional price for washbasin without tap hole*	520	1412	12	WGM 5 1 4 L 8 2		
		520	1412	12	WGM 5 1 4 L 9 2		
					P Z 1 2 3 5		

*Delivery time: 8 weeks. Price per washbasin. Washbasin without tap hole is incompatible with CLOU System. Please check your order confirmation for correctness.

CONCEPT LINE Laola - model list







Additional units and accessories - see separate chapter

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Glass washbasin							
  	Glass washbasin, 1400 mm extension right incl. CLOU drain and overflow system in chrome can be combined with WUA 3690 1M R, UTA 3x5x 1M						
	Colour Optiwhite	520	1412	12	WGM 5 1 4 R 8 2		
	Colour Optiwhite matt	520	1412	12	WGM 5 1 4 R 9 2		
Additional accessories Neutrally bonding silicone for glass washbasins Additional price for washbasin without tap hole*					P Z 1 2 3 5		
  	Glass double washbasin, 1800 mm incl. 2 CLOU drain and overflow systems in chrome can be combined with WUA 3690 1M L, WUA 3690 1M R						
	Colour Optiwhite	520	1812	12	WGM 5 1 8 D 8 2		
	Colour Optiwhite matt	520	1812	12	WGM 5 1 8 D 9 2		
Additional accessories Neutrally bonding silicone for glass washbasins Additional price for washbasin without tap hole*					P Z 1 2 3 5		
Washbasin base units							
  <p>III. = right</p>	Washbasin base unit 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail sidewise carcass depth = 400 mm	500	900	480	WUA 3 6 9 0 1 M	L/R	
	Additional accessories socket element Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z 1 0 9 5 P Z 1 3 6 7 P Z 1 4 2 3		
	Base unit for washbasin 2 metal pull-out units with buffered closing incl. drawer rail	400 400	300 500	480 480	UTA 3 6 3 0 1 M UTA 3 6 5 0 1 M		
	Base unit for washbasin 1 push-back shelf 1 metal pull out unit with buffered closing and rail please note the accent decor for plug-in shelf no. 501 white matt lacquered no. 547 black matt lacquered	400 400	300 500	480 480	UTA 3 2 3 A 1 M UTA 3 2 5 A 1 M		

*Delivery time: 8 weeks. Price per washbasin. Washbasin without tap hole is incompatible with CLOU System. Please check your order confirmation for correctness.




CONCEPT LINE Laola GUEST BATHROOM - model list

Additional units and accessories - see separate chapter

Depth indication corresponds to the carcass depth				Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Mirror cabinets Series A									
<div></div> <p>Mirror cabinet 2 double mirror doors, 2 glass shelves 1 LED panel light with chrome edge 1 sensor switcher to control cold white and warm white with 3 dimming levels 8,91 watt / converter 15 watt 731 lumens / 2700 - 6500 Kelvin 1 switch socket element Door width: 196 mm / 396 mm This product contains a light source with energy efficiency class: F</p> <p>wider door right wider door left</p> <p>Additional accessories LED washbasin lighting emotion further sockets possible - see accessories</p>				150 150	602 602	659 659	S 2 A 4 2 6 A L 2 S 2 A 4 2 6 A R 2 P Z 1 1 5 0 6 0		
Mirror cabinets Series B with side lighting									
<div></div> <p>mirror cabinet 2 double mirror doors, 2 glass shelves 1 switch socket element 1 LED panel light with chrome edge 8,91 watt / converter 15 watt 2 LED light profiles at the sides 731 + 2 x 800 lumens / 2700 - 6500 Kelvin 1 LED converter 30 W 1 sensor switcher to control cold white and warm white with 3 dimming levels Door width: 188 mm / 374 mm This product contains a light source with energy efficiency class: F</p> <p>wider door right wider door left</p> <p>Additional accessories LED washbasin lighting emotion further sockets possible - see accessories</p>				150 150	602 602	659 659	S E T 4 2 6 0 L 3 S E T 4 2 6 0 R 3 P Z 1 1 5 0 6 0		
Set GUEST BATHROOM									
<div></div> <p>Consisting of: STONEPLUS washbasin, 600 mm white incl. not lockable flow-off valve Washbasin base unit 1 metal pull-out with buffered closing incl. drawer rail sidewise carcass depth = 310 mm</p> <p>Additional accessories Space-producing drain stench trap DN 32 Additional price for Washbasin without tap hole / with 3 holes (acc. to sketch).</p>				400	606	335	S E T F G 6 S 0 5 P Z 1 4 0 7	L/R	









*Delivery time: 8 weeks. Price per washbasin. Washbasin without tap hole is incompatible with CLOU System. Please check your order confirmation for correctness.

CONCEPT LINE Laola - bathroom variations

LAM-0190-8R				900 mm wide
1	Mirror cabinet- Set Series A	S E T 4 2 9 0 R 2		
1	Washbasin base unit 900	W U A 3 6 9 0 1 M		
1	STONEPLUS washbasin, 900 mm	W M M 5 2 9 R 6 1		
Sum				
LAG 8 2 9 0 5 R	WGM 509R 82 glass optiwhite inst. STONEPLUS	Sum		
LAG 9 2 9 0 5 R	WGM 509R 92 glass optiwhite matt inst. STONEPLUS	Sum		
Surcharge high-gloss carcass				
LAM-0190-7R				900 mm wide
1	Mirror cabinet- Set Series B	S E T 4 2 9 0 R 3		
1	Washbasin base unit 900	W U A 3 6 9 0 1 M		
1	STONEPLUS washbasin, 900 mm	W M M 5 2 9 R 6 1		
Sum				
LAG 8 2 9 0 4 R	WGM 509R 82 glass optiwhite inst. STONEPLUS	Sum		
LAG 9 2 9 0 4 R	WGM 509R 92 glass optiwhite matt inst. STONEPLUS	Sum		
Surcharge high-gloss carcass				
LAM-0112-8R				1200 mm wide
1	Mirror cabinet- Set Series A	S E T 4 2 1 2 R 2		
1	washbasin base unit 900 mm	W U A 3 6 9 0 1 M		
1	washbasin base unit 300 mm	U T A 3 6 3 0 1 M		
1	STONEPLUS washbasin, 1.200 mm	W M M 5 2 2 R 6 1		
Sum				
LAG 8 2 1 2 5 R	WGM 512R 82 glass optiwhite inst. STONEPLUS	Sum		
LAG 9 2 1 2 5 R	WGM 512R 92 glass optiwhite matt inst. STONEPLUS	Sum		
Surcharge high-gloss carcass				
LAM-0112-7R				1200 mm wide
1	Mirror cabinet- Set Series B	S E T 4 2 1 2 R 3		
1	washbasin base unit 900 mm	W U A 3 6 9 0 1 M		
1	washbasin base unit 300 mm	U T A 3 6 3 0 1 M		
1	STONEPLUS washbasin, 1.200 mm	W M M 5 2 2 R 6 1		
Sum				
LAG 8 2 1 2 4 R	WGM 512R 82 glass optiwhite inst. STONEPLUS	Sum		
LAG 9 2 1 2 4 R	WGM 512R 92 glass optiwhite matt inst. STONEPLUS	Sum		
Surcharge high-gloss carcass				

Please observe a matching space-saving drain stretch trap in the separate index accessories.


CONCEPT LINE Laola - bathroom variations

LAM-0114-8R			  1400 mm wide
1	Mirror cabinet- Set Series A	S E T 4 2 1 4 R 2	
1	washbasin base unit 900 mm	W U A 3 6 9 0 1 M	
1	washbasin base unit 500 mm	U T A 3 6 5 0 1 M	
1	STONEPLUS washbasin, 1400 mm	W M M 5 2 4 R 6 1	
		Sum	
LAG 8 2 1 4 5 R	WGM 514R 82 glass optiwhte inst. STONEPLUS	Sum	1400 mm wide
LAG 9 2 1 4 5 R	WGM 514R 92 glass optiwhte matt inst. STONEPLUS	Sum	
		Surcharge high-gloss carcass	
LAM-0114-7R			  1400 mm wide
1	Mirror cabinet- Set Series B	S E T 4 2 1 4 R 3	
1	washbasin base unit 900 mm	W U A 3 6 9 0 1 M	
1	washbasin base unit 500 mm	U T A 3 6 5 0 1 M	
1	STONEPLUS washbasin, 1400 mm	W M M 5 2 4 R 6 1	
		Sum	
LAG 8 2 1 4 4 R	WGM 514R 82 glass optiwhte inst. STONEPLUS	Sum	1400 mm wide
LAG 9 2 1 4 4 R	WGM 514R 92 glass optiwhte matt inst. STONEPLUS	Sum	
		Surcharge high-gloss carcass	
LAM-0118-8			  1800 mm wide
1	Mirror cabinet- Set Series A	S E T 4 2 1 8 0 2	
1	washbasin base unit 900 mm	W U A 3 6 9 0 1 M	
1	washbasin base unit 900 mm	W U A 3 6 9 0 1 M	
1	STONEPLUS double washbasin, 1800 mm	W M M 5 2 8 D 6 1	
		Sum	
LAG 8 2 1 8 5	WGM 518D 82 glass optiwhte inst. STONEPLUS	Sum	1800 mm wide
LAG 9 2 1 8 5	WGM 518D 92 glass optiwhte matt inst. STONEPLUS	Sum	
		Surcharge high-gloss carcass	
LAM-0118-7			  1800 mm wide
1	Mirror cabinet- Set Series B	S E T 4 2 1 8 0 3	
1	washbasin base unit 900 mm	W U A 3 6 9 0 1 M	
1	washbasin base unit 900 mm	W U A 3 6 9 0 1 M	
1	STONEPLUS double washbasin, 1800 mm	W M M 5 2 8 D 6 1	
		Sum	
LAG 8 2 1 8 4	WGM 518D 82 glass optiwhte inst. STONEPLUS	Sum	1800 mm wide
LAG 9 2 1 8 4	WGM 518D 92 glass optiwhte matt inst. STONEPLUS	Sum	
		Surcharge high-gloss carcass	


Please observe a matching space-saving drain stench trap in the separate index accessories.

CONCEPT LINE Laola - dimensional drawings


WMM 529L




WMM 529R




WMM 522L




WMM 522R



WMM 524L



WMM 524R



Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon!

STONEPLUS:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed in a few seconds, so that staining can be avoided.



Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.

CONCEPT LINE Laola - dimensional drawings



WMM 528D

WGM 509L





WGM 509R

WGM 512L



WGM 512R

WGM 514L



Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon!

STONEPLUS:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed in a few seconds, so that staining can be avoided.



Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.

CONCEPT LINE Laola - dimensional drawings



WGM 514R

WGM 518



SET FG6S 05 L

SET FG6S 05 R





Single washbasin 900 mm

Washbasin height corresponds to the height of the Stoneplus washbasin

Single washbasin 1200 mm + 1400 mm

Washbasin height corresponds to the height of the Stoneplus washbasin



Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon!

STONEPLUS:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed in a few seconds, so that staining can be avoided.


Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.

CONCEPT LINE Laola - dimensional drawings



Double washbasin

Washbasin height corresponds to the height of the Stoneplus washbasin



GUEST BATHROOM

electrical connections for mirror cabinets



Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon!

STONEPLUS:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed in a few seconds, so that staining can be avoided.

Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.