


Delivery time: 4-6 weeks / with * marked washbasins 10 weeks

Magic

program 521 - with handle

program 541 - handleless



Front colours

F foiled front

M Melamine coated front with ABS-edge



No. 679 concrete imitation



No. 764 Stonegrey matt



No. 777 cosmos grey matt



No. 793 noble white matt



No. 891 quarz grey matt



No. 893 titanium grey matt



No. 686 anthracite hgl.



No. 722 polar white hgl.



No. 755 hacienda black



No. 769 hacienda grey

Expiry 12/2023



No. 639 Oak Black



no. 670 Halifax oak



no. 680 Charleston oak



No. 750 cardiff oak



no. 751 Cuneo oak brown



no. 771 Cuneo oak natural



no. 776 Charleston oak dark



Nr. 785 natural oak



no. 794 sand oak

carcass colours

* High gloss carcass for an additional price




No. 179
concrete imitation



No. 164
Stonegrey matt



No. 177
cosmos grey matt



No. 111
white matt




no. 191
quarz grey matt



No. 193
titanium grey matt



*no. 121
anthracite hgl.



*no. 161
white hgl.



no. 155
hacienda black



no. 169
hacienda grey
Expiry 12/2023



No. 139 Oak Black



no. 170
Halifax oak



no. 180
Charleston oak



no. 150
cardiff oak



no. 151
Cuneo oak brown



no. 171 Cuneo
oak natural



no. 176
Charleston oak dark



Nr. 185
natural oak



no. 194
sand oak

Handle versions

Standard handle



No. 522 bar handle chrome

Optional handles



No. 529
Strip handle chrome



no. 538
Strip handle aluminium
matt



No. 539
Strip handle black matt

Handleless versions



The vanity units are fitted with a 40 mm high recess.

No. 005

Push to open

handleless - handle profil in carcass colour

pull-out element

Pull out with premium soft close

door with integrated buffered closing

washbasin typs



Q!flat
no. 1
white



Valencia
no. 1
white



Squared
no. 1
white



Till
no. 1
white



K-Line
no. 1
white

Illustrations and specifications are without obligation. Technical modifications reserved.




2023/2024

Ma.2

Please note the instruction for warranty, mounting and care, and the quality agreements as well, at the beginning of the book.

CONCEPT LINE Magic - model list




Additional units and accessories - see separate chapter

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Mirror cabinets							
 Ill. = left	mirror cabinet 2 double mirror doors 2 glass shelves 1 LED surface-mounted lamp 600 mm 7 watt / converter 15 watt 480 lumens / 3000 - 6300 Kelvin 1 switch-socket element 1 sensor switcher to control cold white and warm white with 3 dimming levels This product contains a light source with energy efficien- cy class: G 600 mm wide L: 396 mm R: 194 mm 700 mm wide L: 396 mm R: 296 mm 800 mm wide L: 496 mm R: 296 mm Additional accessories LED washbasin lighting emotion further sockets possible - see accessories	150	600	847	S 2 A 5 3 6 0 1 X	L/R	
		150	700	847	S 2 A 5 3 7 0 1 X	L/R	
		150	800	847	S 2 A 5 3 8 0 1 X	L/R	
					P Z 1 1 5 0 60		
 Ill. = left	mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 LED surface-mounted lamp 900 mm 9,0 watt / converter 15 watt 650 lumens / 3000 - 6300 Kelvin 1 switch-socket element 1 sensor switcher to control cold white and warm white with 3 dimming levels This product contains a light source with energy efficien- cy class: G 900 mm wide L: 238 mm M: 412 mm R: 238 mm 1000 mm wide L: 296 mm M: 396 mm R: 296 mm Additional accessories LED washbasin lighting emotion further sockets possible - see accessories	150	900	847	S 2 A 5 3 9 0 1 X		
		150	1000	847	S 2 A 5 3 1 0 1 X		
					P Z 1 1 5 0 90		
 Ill. = left Shelf = left	mirror cabinet 2 double mirror doors 1 open compartment 1 central partition 4 glass shelves 1 LED surface-mounted lamp 900 mm 9,0 watt / converter 15 watt 650 lumens / 3000 - 6300 Kelvin 1 switch-socket element 1 sensor switcher to control cold white and warm white with 3 dimming levels Door width: 296 mm / 596 mm This product contains a light source with energy efficien- cy class: G Additional accessories LED washbasin lighting emotion further sockets possible - see accessories	150	900	847	S 2 A 5 5 9 0 S 5	L/R	
					P Z 1 1 5 0 60		

Please observe the product details of the accessories in the separate index.

CONCEPT LINE Magic - model list



Additional units and accessories - see separate chapter

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Mirror cabinets							
 	mirror cabinet 3 double mirror doors 2 central partitions, 6 glass shelves 1 LED surface-mounted lamp 1200 mm wide 12,0 watt / converter 30 watt 850 lumens / 3000 - 6300 Kelvin 1 switch-socket element 1 sensor switcher to control cold white and warm white with 3 dimming levels Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: G Additional accessories LED washbasin lighting emotion further sockets possible - see accessories	150	1200	847	S 2 A 5 3 1 2 1 X		
					P Z 1 1 5 0 1 2		
  III. = left Shelf = left	mirror cabinet 3 double mirror doors 1 open compartment 2 central partitions, 6 glass shelves 1 LED surface-mounted lamp 1200 mm 12,0 watt / converter 30 watt 850 lumens / 3000 - 6300 Kelvin 1 switch socket element 1 sensor switcher to control cold white and warm white with 3 dimming levels Door width: 296 mm / 546 mm / 346 mm This product contains a light source with energy efficiency class: F Additional accessories LED washbasin lighting emotion further sockets possible - see accessories	150	1200	847	S 2 A 5 5 1 2 S 5	L/R	
					P Z 1 1 5 0 9 0		
  choose the hinge of the middle-door	mirror cabinet 3 double mirror doors 1 open compartment central 6 glass shelves 2 LED surface-mounted lamps per 600 mm per 7,0 watt / 480 lumens / 3000 - 6300 Kelvin 2 LED converter 15 W 2 sensors for warm/cold light control with 3 dimming levels 2 switch-socket elements Door width: 596 mm / 296 mm / 596 mm This product contains a light source with energy efficiency class: G Additional accessories LED washbasin lighting emotion further sockets possible - see accessories	150	1500	847	S 2 A 5 5 1 5 S 5	L/R	
					P Z 1 1 5 0 6 0		

Please observe the product details of the accessories in the separate index.

CONCEPT LINE Magic - model list


Additional units and accessories - see separate chapter

Depth indication corresponds to the carcass depth			Article number	Hinge	Surcharge high-gloss carcass
Sets Q!flat:					
 Q!flat 620	Q!flat 620, WTM 5306 1 washbasin base unit, WUA 3360 42 incl. CLOU drain and overflow system	white	SET Q F 6 0 01		
	Additional accessories socket element		P Z 1 0 9 5		
 Q!flat 920	Q!flat 920, WTM 5309 1 washbasin base unit, WUA 3390 42 incl. CLOU drain and overflow system	white	SET Q F 9 0 01		
	Additional accessories socket element		P Z 1 0 9 5		
 Q!flat 920 extension left	Q!flat 920, WTM 539L 1 washbasin base unit, WUA 339L 42 incl. CLOU drain and overflow system	white	SET Q F 9 0 2L		
	Additional accessories socket element		P Z 1 0 9 5		
 Q!flat 920 extension right	Q!flat 920, WTM 539R 1 washbasin base unit, WUA 339R 42 incl. CLOU drain and overflow system	white	SET Q F 9 0 2R		
	Additional accessories socket element		P Z 1 0 9 5		
 Q!flat 920 extension left	Q!flat 920, WTM 539L 1 washbasin base unit, WUA 3360 42 + UTA 3330 42 incl. CLOU drain and overflow system	white	SET Q F 9 0 1L		
	Additional accessories socket element		P Z 1 0 9 5		
 Q!flat 920 extension right	Q!flat 920, WTM 539R 1 washbasin base unit, WUA 3360 42 + UTA 3330 42 incl. CLOU drain and overflow system	white	SET Q F 9 0 1R		
	Additional accessories socket element		P Z 1 0 9 5		
 Q!flat 1220	Q!flat 1220, WTM 5312 1 washbasin base unit, WUA 3312 42 incl. CLOU drain and overflow system	white	SET Q F 12 01		
	Additional accessories socket element		P Z 1 0 9 5		

Please observe a matching space-saving drain stretch trap in the separate index accessories.
Because of different delivery times of the ceramic manufacturer, please consider the delivery times on our order confirmation.

CONCEPT LINE Magic - model list


Additional units and accessories - see separate chapter

Depth indication corresponds to the carcass depth			Article number	Hinge	Surcharge high-gloss carcass
Sets Q!flat:					
 Q!flat 1220 extension left	Q!flat 1220, WTM 532L 1 washbasin base unit, WUA 332L 42 incl. CLOU drain and overflow system Additional accessories socket element	white	SET Q F 1 2 2L P Z 1 0 9 5		
 Q!flat 1220 extension right	Q!flat 1220, WTM 532R 1 washbasin base unit, WUA 332R 42 incl. CLOU drain and overflow system Additional accessories socket element	white	SET Q F 1 2 2R P Z 1 0 9 5		
 Q!flat 1220 extension left	Q!flat 1220, WTM 532L 1 washbasin base unit, WUA 3390 42 + UTA 3330 42 incl. CLOU drain and overflow system Additional accessories socket element	white	SET Q F 1 2 1L P Z 1 0 9 5		
 Q!flat 1220 extension right	Q!flat 1220, WTM 532R 1 washbasin base unit, WUA 3390 42 + UTA 3330 42 incl. CLOU drain and overflow system Additional accessories socket element	white	SET Q F 1 2 1R P Z 1 0 9 5		
 Q!flat 1520	Q!flat 1520, WTM 535D 1 washbasin base unit, WUA 336L 42 & UTA 333D 42 & WUA 336R 42 incl. 2 CLOU drain and overflow systems Additional accessories socket element	white	SET Q F 1 5 1D P Z 1 0 9 5		
Sets Valencia:					
 Valencia 660	Valencia 660, WTM 4906 1 washbasin base unit, WUA 3760 49 washbasin with overflow hole Additional accessories socket element	white	SET K L 6 0 1 P Z 1 0 9 5		
 Valencia 860	Valencia 860, WTM 4908 1 washbasin base unit, WUA 3780 49 washbasin with overflow hole Additional accessories socket element	white	SET K L 8 0 1 P Z 1 0 9 5		

Please observe a matching space-saving drain stretch trap in the separate index accessories.
Because of different delivery times of the ceramic manufacturer, please consider the delivery times on our order confirmation.

CONCEPT LINE Magic - model list



Additional units and accessories - see separate chapter

Depth indication corresponds to the carcass depth			Article number	Hinge	Surcharge high-gloss carcass
Sets Valencia:					
 Valencia 960	Valencia 960, WTM 4909 1 washbasin base unit, WUA 3790 49	white	SET K L 9 0 1		
	washbasin with overflow hole Additional accessories socket element		P Z 1 0 9 5		
 Valencia 1060	Valencia 1060, WTM 4910 1 washbasin base unit, WUA 3710 49	white	SET K L 1 0 1		
	washbasin with overflow hole Additional accessories socket element		P Z 1 0 9 5		
 Valencia 1260 Single washbasin	Valencia 1260, WTM 4912 1 washbasin base unit, WUA 3712 49	white	SET K L 1 2 1		
	washbasin with overflow hole Additional accessories socket element		P Z 1 0 9 5		
 Valencia 1260 Double washbasin	Valencia 1260, WTM 492D 1 washbasin base unit, WUA 37D2 49	white	SET K L 1 2 D1		
	washbasin with overflow hole Additional accessories socket element		P Z 1 0 9 5		
 Valencia 1260 Double washbasin	Valencia 1260, WTM 492D 1 washbasin base unit, 2x WUA 3760 49	white	SET K L 2 D 1		
	washbasin with overflow hole Additional accessories socket element		P Z 1 0 9 5		
Sets Squared:					
 Squared 620	Squared 620 white washbasin base unit, WUA 3360 33 without overflow incl. permanent drain				
	Set incl. 1 tap hole		SET S Q 6 0 01		
	Set without tap hole*		SET S Q 6 0 03		
	Additional accessories socket element CLOU drain and overflow system		P Z 1 0 9 5 P Z 1 1 0 9 1		

*Delivery time: 10 weeks. Washbasin is not combinable with the CLOU System.

CONCEPT LINE Magic - model list





Additional units and accessories - see separate chapter

Depth indication corresponds to the carcass depth		Article number	Hinge	Surcharge high-gloss carcass
Sets Squared:				
  Squared 810	Squared 810 white washbasin base unit, WUA 3380 33 without overflow incl. permanent drain Set incl. 1 tap hole Set without tap hole* Additional accessories socket element CLOU drain and overflow system	SET S Q 8 0 0 1 SET S Q 8 0 0 3 P Z 1 0 9 5 P Z 1 1 0 9 1		
  Squared 1020 Single washbasin	Squared 1020 white washbasin base unit, WUA 3310 33 without overflow incl. permanent drain Set incl. 1 tap hole Set without tap hole* Additional accessories socket element CLOU drain and overflow system	SET S Q 1 0 0 1 SET S Q 1 0 0 3 P Z 1 0 9 5 P Z 1 1 0 9 1		
 Squared 1020 Double washbasin	Squared 1020 Double washbasin white washbasin base unit, WUA 3310 33 without overflow incl. permanent drain Set incl. 2 tap holes Set without tap holes* Additional accessories socket element	SET S Q 1 0 D 1 SET S Q 1 0 0 3 P Z 1 0 9 5		
  Squared 1220 Single washbasin	Squared 1220 white washbasin base unit, WUA 3312 33 without overflow incl. permanent drain Set incl. 1 tap hole Set without tap hole* Additional accessories socket element CLOU drain and overflow system	SET S Q 1 2 0 1 SET S Q 1 2 0 3 P Z 1 0 9 5 P Z 1 1 0 9 1		

*Delivery time: 10 weeks. Washbasin is not combinable with the CLOU System.

CONCEPT LINE Magic - model list



Additional units and accessories - see separate chapter

Depth indication corresponds to the carcass depth		Article number	Hinge	Surcharge high-gloss carcass
Sets Squared:				
 Squared 1220 Double washbasin	Squared 1220 Double washbasin white washbasin base unit, WUA 3312 33 without overflow incl. permanent drain Set incl. 2 tap holes* Set without tap holes* Additional accessories socket element	SET S Q 12 D2 SET S Q 12 03 P Z 1 0 9 5		
 Squared 1220 Double washbasin	Squared 1220 Double washbasin white washbasin base unit, 2x WUA 3360 33 without overflow incl. permanent drain Set incl. 2 tap holes Set without tap holes* Additional accessories socket element CLOU drain and overflow system (order 2 pieces)	SET S Q 12 D1 SET S Q 12 D3 P Z 1 0 9 5 P Z 1 1 0 9 1		
Sets Till:				
 Till 620	Till 620, WTM 5006 1 washbasin base unit, WUA 3360 33 without overflow incl. permanent drain Additional accessories socket element	white SET T I 60 01 P Z 1 0 9 5		
 Till 810	Till 810, WTM 5008 1 washbasin base unit, WUA 3380 33 without overflow incl. permanent drain Additional accessories socket element	white SET T I 80 01 P Z 1 0 9 5		
 Till 1020 Single washbasin	Till 1020, WTM 5010 1 washbasin base unit, WUA 3310 33 without overflow incl. permanent drain Additional accessories socket element	white SET T I 10 01 P Z 1 0 9 5		

*Delivery time: 10 weeks. Washbasin is not combinable with the CLOU System.

CONCEPT LINE Magic - model list


Additional units and accessories - see separate chapter

Depth indication corresponds to the carcass depth			Article number	Hinge	Surcharge high-gloss carcass
Sets Till:					
 Till 1020 Double washbasin	Till 1020, WTM 5021 1 washbasin base unit, WUA 3310 33	white	SET T I 1 0 D1		
	incl. 2 tap holes without overflow incl. permanent drain Additional accessories socket element		P Z 1 0 9 5		
 Till 1220 Double washbasin	Till 1220, WTM 502D 1 washbasin base unit, 2x WUA 3360 33	white	SET T I 1 2 D1		
	without overflow incl. permanent drain Additional accessories socket element		P Z 1 0 9 5		
Sets K-Line:					
 K-Line 710	K-Line 710, WTM 5107 1 washbasin base unit, WUA 3770 79	white	SET K L 7 0 02		
	washbasin with overflow hole Additional accessories socket element		P Z 1 0 9 5		
 K-Line 1010	K-Line 1010, WTM 5110 1 washbasin base unit, WUA 3710 79	white	SET K L 1 0 02		
	washbasin with overflow hole Additional accessories socket element		P Z 1 0 9 5		
 K-Line 1210 Single washbasin	K-Line 1210, WTM 5112 1 washbasin base unit, WUA 3712 79	white	SET K L 1 2 02		
	washbasin with overflow hole Additional accessories socket element		P Z 1 0 9 5		
 K-Line 1210 Double washbasin	K-Line 1210, WTM 512D 1 washbasin base unit, WUA 372D 79	white	SET K L 1 2 D2		
	washbasin with overflow hole Additional accessories socket element		P Z 1 0 9 5		


Please observe a matching space-saving drain stretch trap in the separate index accessories.
Because of different delivery times of the ceramic manufacturer, please consider the delivery times on our order confirmation.

CONCEPT LINE Magic - dimensional drawings


Q!flat 620




Q!flat 920




Q!flat 920 - sheft left




Q!flat 920 - shelf right



Q!flat 1220



Q!flat 1220 - shelf left



LEGEND

B = Width of Washbasin base units
X = Position wastewater connection

For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.


Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon!

Tolerances:


The dimensional tolerances and flatness tolerances (DIN 18202) are subject to the usual material-specific tolerances for building materials, based on DIN 18202.

CONCEPT LINE Magic - dimensional drawings


Single washbasin Q!flat - shelf right
Washbasin base unit (4 drawers) with handle and handleless




Double washbasin Q!flat
Washbasin base unit with handle and handleless




Valencia 660




Valencia 860




Valencia 960



Valencia 1060



Valencia 1260



LEGEND

B = Width of Washbasin base units
X = Position wastewater connection

For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.


Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon!

Tolerances:


The dimensional tolerances and flatness tolerances (DIN 18202) are subject to the usual material-specific tolerances for building materials, based on DIN 18202.

CONCEPT LINE Magic - dimensional drawings


Valencia 1260 Double washbasin




Single washbasin Valencia
Washbasin base cabinet with handle




Single washbasin Valencia
Washbasin base cabinet handleless




Double washbasin Valencia
Washbasin base cabinet with handle



Double washbasin Valencia
Washbasin base cabinet handleless



Double washbasin Valencia
Washbasin base cabinet with handle



For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.
Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon!
Tolerances:
The dimensional tolerances and flatness tolerances (DIN 18202) are subject to the usual material-specific tolerances for building materials, based on DIN 18202.

LEGEND



B = Width of Washbasin base units

X = Position wastewater connection

CONCEPT LINE Magic - dimensional drawings



Double washbasin Valencia
Washbasin base cabinet handleless

K-Line 710





K-Line 1010

K-Line 1210



K-Line 1210 Double washbasin

Single washbasin K-Line
Washbasin base cabinet with handle



LEGEND

B = Width of Washbasin base units
X = Position wastewater connection

For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.


Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon!

Tolerances:


The dimensional tolerances and flatness tolerances (DIN 18202) are subject to the usual material-specific tolerances for building materials, based on DIN 18202.

CONCEPT LINE Magic - dimensional drawings


Single washbasin K-Line
Washbasin base cabinet handleless




Double washbasin K-Line
Washbasin base cabinet with handle




Double washbasin K-Line
Washbasin base cabinet handleless




Squared 620



Squared 810



Squared 1020



For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.

Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon!

Tolerances:


The dimensional tolerances and flatness tolerances (DIN 18202) are subject to the usual material-specific tolerances for building materials, based on DIN 18202.

LEGEND


B = Width of Washbasin base units
X = Position wastewater connection

CONCEPT LINE Magic - dimensional drawings


Squared 1020 Double washbasin




Squared 1220




Squared 1220 Double washbasin




Squared 1220 Double washbasin



Single washbasin Squared
Washbasin base unit with handle and handleless



Double washbasin Squared
Washbasin base unit with handle and handleless



LEGEND

B = Width of Washbasin base units
X = Position wastewater connection

For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.

Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon!


Tolerances:

The dimensional tolerances and flatness tolerances (DIN 18202) are subject to the usual material-specific tolerances for building materials, based on DIN 18202.

CONCEPT LINE Magic - dimensional drawings


Double washbasin Squared
Washbasin base unit with handle and handleless

Till 620




Till 810

Till 1020



Till 1020 Double washbasin

Till 1220 Double washbasin



For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.

Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon!

Tolerances:

The dimensional tolerances and flatness tolerances (DIN 18202) are subject to the usual material-specific tolerances for building materials, based on DIN 18202.


LEGEND

B = Width of Washbasin base units


X = Position wastewater connection

CONCEPT LINE Magic - dimensional drawings


Single washbasin Till
Washbasin base unit with handle and handleless



Double washbasin Till
Washbasin base unit with handle and handleless



electrical connections for mirror cabinets



LEGEND

B = Width of Washbasin base units
X = Position wastewater connection

For washing stands with fixing screws, the dimensions for boring must be drawn in on-site after the washing stand has been laid on the floor unit.

Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon!

Tolerances:

The dimensional tolerances and flatness tolerances (DIN 18202) are subject to the usual material-specific tolerances for building materials, based on DIN 18202.