Manhattan

Programm 532








Front colours







No. 679 concrete imitation



No. 764 Stonegrey matt



No. 777 cosmos grey matt



No. 793 noble white matt



No. 891 quarz grey matt



No. 893 titanium grey matt



No. 686 anthracite hgl.



No. 722 polar white hgl.



No. 755 hacienda black



No. 769 hacienda grey Expiry 12/2023



No. 639 Oak Black



no. 670 Halifax oak



no. 680 Charleston oak



No. 750 cardiff oak



no. 751 Cuneo oak brown



no. 771 Cuneo oak natural



no. 776 Charleston oak dark



Nr. 785 natural oak



no. 794 sand oak

carcass colours

* High gloss carcass for an additional price



No. 179 concrete imitation



No. 164 Stonegrey matt



No. 177 cosmos grey matt



No. 111 white matt



no. 191 quarz grey matt



No. 193 titanium grey matt



*no. 121 anthracite hgl.



*no. 161 white hgl.



no. 155 hacienda black



no. 169 hacienda grey Expiry 12/2023



No. 139 Oak Black no. 170



no. 170 Halifax oak



no. 180 Charleston oak



no. 150 cardiff oak



no. 151 Cuneo oak brown



no. 171 Cuneo oak natural



no. 176 Charleston oak dark



Nr. 185 natural oak



no. 194 sand oak

Washbasin colours

Cast mineral washbasin



Glass washbasin



no. 1 white



No. 61 white



no. 82 optiwhite



no. 92 optiwhite matt

Handle versions

Standard handle

Optional handles



No. 598 Strip- handle chrome



No. 529 Strip handle chrome



no. 538 Strip handle aluminium matt



No. 539 Strip handle black matt

pull-out element

Pull out with premium soft close door with integrated buffered closing

Marked articles also available with the following techique:

No. 558

		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Mirror cabinets							
3 double n 2 central p 1 LED par Depth: 26 13,2 watt / 1082 lume 1 sensor s with 3 dim 1 switch s Door width This producy class: F	O mm Converter 30watt converter 30watt cons / 2700 - 6500 Kelvin witcher to control cold white and warm white ming levels ocket element 1: 238 mm / 412 mm / 238 mm loct contains a light source with energy efficien-	150	900	660	S 2 A 4 3 9 0 9 2		
LED wash	basin lighting emotion kets possible - see accessories				PZ 115090		
3 double n 2 central p 1 LED par Depth: 260 17,83 watt 1462 lume 1 sensor s with 3 dim 1 switch so Door width This produ cy class: F for single w Additional LED wash	0 mm c/converter 30 watt cns / 2700 - 6500 Kelvin witcher to control cold white and warm white ming levels ocket element cold 388 mm / 412 mm / 388 mm lect contains a light source with energy efficien-	150	1200	660	S 2 A 4 3 1 2 9 2 PZ 1 1 5 0 12		
3 double n 2 central p 1 LED par Depth: 260 17,83 watt 1462 lume 1 sensor s with 3 dim 1 switch so Door width This produ cy class: F for double Additional LED wash	0 mm c/converter 30 watt cns / 2700 - 6500 Kelvin witcher to control cold white and warm white ming levels ocket element c: 496 mm / 196 mm / 496 mm lot contains a light source with energy efficien-	150	1200	660	S 2 A 4 3 1 2 9 3		

Depth indication corre	sponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Mirror cabine	ets						
EMOTION	Mirror cabinet with LED panel light 3 double mirror doors 2 central partitions, 6 glass shelves 1 LED panel light Depth: 260 mm 20,93 watt / converter 30 watt 1716 lumens / 2700 - 6500 Kelvin 1 sensor switcher to control cold white and warm white with 3 dimming levels 1 switch socket element Door width: 446 mm / 496 mm / 446 mm This product contains a light source with energy efficiency class: F for single washbasin solution Additional accessories LED washbasin lighting emotion	150	1400	660	S 2 A 4 3 1 4 9 2		
	further sockets possible - see accessories						
EMOTION	Mirror cabinet with LED panel light 3 double mirror doors 2 central partitions, 6 glass shelves 1 LED panel light Depth: 260 mm 20,93 watt / converter 30 watt 1716 lumens / 2700 - 6500 Kelvin 1 sensor switcher to control cold white and warm white with 3 dimming levels 1 switch socket element Door width: 546 mm / 296 mm / 546 mm This product contains a light source with energy efficiency class: F for double washbasin solutions Additional accessories LED washbasin lighting emotion further sockets possible - see accessories	150	1400	660	S 2 A 4 3 1 4 9 3 PZ 1 1 5 0 12		
EMOTION /	Mirror cabinet with LED panel light 3 double mirror doors 2 central partitions, 6 glass shelves 1 LED panel light Depth: 260 mm 23,92 watt / converter 30 watt 1968 lumens / 2700 - 6500 Kelvin 1 sensor switcher to control cold white and warm white with 3 dimming levels 1 switch socket element This product contains a light source with energy efficiency class: F Door width: 546 mm / 496 mm / 546 mm Additional accessories LED washbasin lighting emotion further sockets possible - see accessories	150	1600	660	S 2 A 4 3 1 6 9 3		
Diagram	serve the product details of the accessories in the separa	(- !					

Washbasins				in mm					Hinge	ge high- gloss carcass
• • • • • • • • • • • • • • • • • • •	washbasin 900 mm 1 tap hole incl. CLOU drain and overflow system in chrome can be combined with WUA 3390 E9, WUA 3390 36									
	STONEPLUS - washbasin white	495	906	18	wms	9 2	9 E	6 1		
	Glass washbasin optiwhite	495	906	12	WGS	9 2	9 E	8 2		
	Glass washbasin optiwhite matt	495	906	12	wgs	9 2	9 E	9 2		
	Additional accessories Neutrally bonding silicone for glass washbasins LED lighting frame 900 mm motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 hole	es (accord	ing to ske	tch)	PZ PZ PZ	1 2 1 0 1 1	6 1			
	LED lighting frame can not be combined with glass washbasins.									
	washbasin 1200 mm 1 tap hole incl. CLOU drain and overflow system in chrome can be combined with WUA 3312 E9, WUA 3312 36									
	STONEPLUS - washbasin white	495	1206	18	wm s	9 2	2 E	6 1		
	Glass washbasin optiwhite	495	1206	12	wgs	9 2	2 E	8 2		
	Glass washbasin optiwhite matt	495	1206	12	wgs	9 2	2 E	9 2		
	Additional accessories Neutrally bonding silicone for glass washbasins LED lighting frame 1200 mm motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ing to ske	tch)	PZ PZ PZ	1 2 1 0 1 1	6 1			
	LED lighting frame can not be combined with glass washbasins.									
	Double washbasin 1200 mm 2 tap holes incl. permanent drain can be combined with WUA 3312 E9, WUA 3312 36 only STONEPLUS can be combined with WUA 3312 7									
	STONEPLUS - washbasin white	495	1206	18	wm s	9 2	2 C	6 1		
	Glass washbasin optiwhite	495	1206	12	wgs	9 2	2 D	8 2		
	Glass washbasin optiwhite matt	495	1206	12	WGS	9 2	2 [9 2		
	Additional accessories Neutrally bonding silicone for glass washbasins LED lighting frame 1200 mm motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 hole	s (accord	ing to ske	tch)	PZ PZ PZ	1 2 1 0 1 1	6 1	12		
	LED lighting frame can not be combined with glass washbasins.									

Depth indication corre	sponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Washbasins							
	washbasin 1400 mm 1 tap hole incl. CLOU drain and overflow system in chrome can be combined with WUA 3314 E9, WUA 3314 36						
	STONEPLUS - washbasin white	495	1406	18	WMS924E61		
	Glass washbasin optiwhite	495	1406	12	WGS924E82		
	Glass washbasin optiwhite matt	495	1406	12	WGS924E92		
	Additional accessories Neutrally bonding silicone for glass washbasins LED lighting frame 1400 mm motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 hole	es (accord	ing to ske	tch)	PZ 1235 PZ 106114 PZ 1141		
	LED lighting frame can not be combined with glass washbasins.						
	Double washbasin 1400 mm 2 tap holes incl. 2 CLOU drain and overflow systems in chrome can be combined with WUA 3314 9, WUA 334D 36						
	STONEPLUS - washbasin white	495	1406	18	WMS924D61		
	Glass washbasin optiwhite	495	1406	12	WGS924D82		
	Glass washbasin optiwhite matt	495	1406	12	WGS924D92		
	Additional accessories Neutrally bonding silicone for glass washbasins LED lighting frame 1400 mm motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 hole	es (accord	ing to ske	tch)	PZ 1235 PZ 106114 PZ 1141		
	LED lighting frame can not be combined with glass washbasins.						
	Double washbasin 1600 mm 2 tap holes incl. 2 CLOU drain and overflow systems in chrome can be combined with WUA 3316 9, WUA 336D 36						
	STONEPLUS - washbasin white	495	1606	18	WMS 9 2 6 D 6 1		
	Glass washbasin optiwhite	495	1606	12	WGS926D82		
	Additional accessories Neutrally bonding silicone for glass washbasins LED lighting frame 1600 mm motion sensor for LED lighting Surcharge for washbasins without tap-hole or with 3 hole	495 es (accord	1606 ing to ske	12 tch)	WGS926D92 PZ 1 235 PZ 1 061 16 PZ 1 141		
	LED lighting frame can not be combined with glass washbasins.						

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Washbasin I	base units					_	ou.ouco
240	Washbasin base unit 1 metal pull out unit with buffered closing 1 metal pull out unit with buffered closing and rail						
	900 mm wide	470	900	480	WUA3390E9		
	1200 mm wide	470	1200	480	WUA3312E9		
	1400 mm wide	470	1400	480	WUA3314E9		
	Additional accessories socket element Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				PZ 1095 PZ 1367 PZ 1423		
240	Washbasin base unit consisting of 2 elements 2 metal pull out units with buffered closing and syphon cut- out 2 metal pull-out units with buffered closing incl. drawer rail						
	1200 mm wide can only be combined with STONEPLUS - double washbasin	470	1200	480	WUA3312 7		
	1400 mm wide	470	1400	480	WUA3314 9		
	1600 mm wide	470	1600	480	WUA3316 9		
	Additional accessories socket element Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces)				PZ 1095 PZ 1367 PZ 1423		
Washbasin I	pase units - Push to open						
240	Washbasin base unit 1 metal pull out unit with buffered closing 1 metal pull out unit with buffered closing and rail						
	900 mm wide	470	900	480	WUA339036		
	1200 mm wide	470	1200	480	WUA331236		
	1400 mm wide	470	1400	480	WUA331436		
	Additional accessories socket element Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				PZ 1095 PZ 1367 PZ 1423		
	roduct details of the accessories in the senarate index						

Additional units and accessories - see separate chapter

·	responds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
VVdSIIDdSIII	base units - Push to open Washbasin base unit						
240	consisting of 2 elements 2 metal pull out units with buffered closing and syphon cut- out 2 metal pull-out units with buffered closing incl. drawer rail						
	1400 mm wide 1600 mm wide	470 470	1400 1600	480 480	WUA334D36 WUA336D36		
	Additional accessories socket element Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces)				PZ 1095 PZ 1367 PZ 1423		
Tall units - F	Push to open						
	as to be ordered separately						
640	Tall unit 1 door	300	300	1600	H N A 0 2 3 0 7 P		
320	glass shelf (top) open compartment door glass shelf	300	400	1600	H N A 0 2 4 0 7 P	L/R	
320	Tall unit 2 doors 1 glass shelf (top) 1 open compartment 2 doors 1 glass shelf	300	600	1600	H N A 0 2 6 0 7 P		
	s - Push to open as to be ordered separately						
	medium-high unit 1 door	300	300		MNA81307P		
1280	4 glass shelves	300	400	1280	MNA81407P	L/K	
1280	medium-high unit 2 doors 4 glass shelves	300	600	1280	MNA81607P		
			L	1	1		


Please observe the product details of the accessories in the separate index.

Depth indication cor	responds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss
·	·					출	carcass
	ts - Push to open						
top cover ii	as to be ordered separately medium-high unit with inside drawers	300	300	1280	M N A 8 4 3 0 7 P	I/R	
	1 door 1 glass shelf	300	400	1280	MNA84407P		
1280	2 inside metal-drawer with buffered closing						
1200							
	medium-high unit with inside drawers 2 doors	300	600	1280	M N A 8 4 6 0 7 P		
	1 glass shelf 2 inside metal-drawer with buffered closing						
1280	2 made metal-drawer with bulleted closing						
* V							
-	s - Push to open						
top cover h	as to be ordered separately						
†	Highboard	300	300	800	HBA51307P	L/R	
800	1 door 2 glass shelves	300	400	800	HBA51407P	L/R	
<u> </u>	Highboard 2 doors	300	600	800	HBA51607P		
800	2 glass shelves						
<u> </u>							
* (F	Highboard with laundry pull out 2 doors	300	600	800	HBA5160WP		
800 000000 000000 000000	1 laundry pull out with wire basket Volume of laundry pull out: 40 liters						
0000000	Totalio of Idana, poincall to more						
Wall units -	Push to open						
	as to be ordered separately						
	Wall unit	150	300	640	OGA41307P	I /R	
640	1 door 1 glass shelf	150	400	640	OGA41307P		
040	· grade error						
,							
Please observe the	product details of the accessories in the separate index.						

Depth indication con	responds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss
•	·					출	carcass
	Push to open						
top cover h	as to be ordered separately						
640	Wall unit 2 doors 1 glass shelf	150	600	640	OGA41607P		
Counter top	OS .						
thickness 28 mm	top cover with ABS edge in carcass colour						
	302 mm widh	330	302	28	A P A 3 3 3 0 2 8		
	402 mm widh 602 mm widh	330 330	402 602	28 28	A P A 3 3 4 0 2 8 A P A 3 3 6 0 2 8		
	302 mm widh for wall unit	180	302	28	A P A 1 8 3 0 2 8		
	402 mm widh for wall unit	180	402	28	A P A 1 8 4 0 2 8		
	602 mm widh for wall unit	180	602	28	A P A 1 8 6 0 2 8		
	adjustable in depth und width Price per metre	145-495	300-2600	28	APN 60V28		
	top cover with ABS edge in carcass colour						
thickness 16 mm		005	000	40			
	302 mm widh 402 mm widh	325 325	302 402	16 16	AP 3230 AP 3240		
	602 mm widh	325	602	16	AP 3260		
	302 mm widh Wall unit	175	302	16	AP 1730		
	402 mm widh Wall unit 602 mm widh Wall unit	175 175	402 602	16 16	AP 1740 AP 1760		
	adjustable in depth und width Price per metre		150-1400		KBM 64V		
Set GUEST	BATHROOM						
320	Consisting of: Washbasin base unit 600 mm 1 metal pull-out with buffered closing Cast mineral washbasin white extension right incl. not lockable flow-off valve	350	606	345	SETFG6004		
*Pality	Additional accessories Space-producing drain stench trap DN 32 Additional price for Washbasin without tap hole / with 3 holes (acc. to sketch). ery time: 8 weeks. Price per washbasin. Washbasin without tap hole / with 3	hout ton	holo is		PZ 1407		

^{*}Delivery time: 8 weeks. Price per washbasin. Washbasin without tap hole is incompatible with CLOU System. Please check your order confirmation for correctness.

CONCEPT LINE Manhattan - bathroom variations





Please observe a matching space-saving drain stench trap in the separate index accessories.


CONCEPT LINE Manhattan - dimensional drawings

WMS/ WGS 929E

WMS/ WGS 922E











WMS/ WGS 922D

WMS/ WGS 922D













WMS/ WGS 924E

WMS/ WGS 924D









Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon!

Cast mineral:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed immediately, so that staining can be avoided.

Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.

LEGEND

S = STONEPLUS washbasin G = Glass washbasin


B = Width of Washbasin base units X = Position wastewater connection


CONCEPT LINE Manhattan - dimensional drawings

WMS/ WGS 926D

Single washbasin

Washbasin height corresponds to the height of the Stoneplus washbasin







Double washbasin WMS/ WGS 922D

Washbasin height corresponds to the height of the Stoneplus washbasin

Double washbasin WMS/ WGS 922D

Washbasin height corresponds to the height of the Stoneplus washbasin





Double washbasin

542

502 -352


850

Washbasin height corresponds to the height of the Stoneplus washbasin

"B"

260

700



SET FG60 04

LEGEND

S = STONEPLUS washbasin G = Glass washbasin

B = Width of Washbasin base units X = Position wastewater connection Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon!

Cast mineral:

260 _

700

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed immediately, so that staining can be avoided.


Modifications:


Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.

CONCEPT LINE Manhattan - dimensional drawings

GUEST BATHROOM

electrical connections for mirror cabinets





Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon!

Cast mineral:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed immediately, so that staining can be avoided.

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.

LEGEND

S = STONEPLUS washbasin
G = Glass washbasin
B = Width of Washbasin base units
X = Position wastewater connection