

Delivery time: 4-6 weeks

facto
program 552



Front colours

F foiled front



standard version
handleless
No. 677 cosmos grey matt

optional version
with handle:
No. 777 cosmos grey matt



standard version
handleless
No. 672 polar white hgl.

optional version
with handle:
No. 722 polar white hgl.



standard version
handleless
no. 676 Charleston oak

optional version
with handle:
no. 680 Charleston oak



standard version
handleless
Nr. 695 natural oak

optional version
with handle:
Nr. 785 natural oak



standard version
handleless
no. 675 sand oak

optional version
with handle:
no. 794 sand oak

carcass colours

* High gloss carcass for an additional price



No. 177
cosmos grey
matt



No. 111
white matt



*no. 161
white hgl.



no. 180
Charleston
oak



Nr. 185
natural oak



no. 194
sand oak

Handle versions

Standard handle



handleless with recessed grip

Optional handle



No. 520 bar handle chrome

Washbasin colours

Cast mineral washbasins



no. 1
white

Ceramic washbasins



no. 1
white

pull-out element



No. 559

Pull outs and drawers with soft close

door with integrated buffered closing

Mirror cabinets

Series A






Series B



EASY LINE facto - model list




For further supplementary cupboards and accessories, see separate tabs

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Mirrors							
	Mirror LED- lighting left and right 11,0 watt / Converter 15 watt 968 lumens / 6500 Kelvin incl. toggle switch This product contains a light source with energy efficien- cy class: F						
	700 mm wide	30	700	640	F S B 4 4 7 0 0 1		
	1000 mm wide	30	1000	640	F S B 4 4 1 0 0 1		
	1200 mm wide	30	1200	640	F S B 4 4 1 2 0 1		
	Mirror 1 LED surface-mounted lamp 1 LED converter incl. toggle switch This product contains a light source with energy efficien- cy class: F						
	Please state the carcass colour						
	700 mm wide 1 LED surface-mounted lamp 400 mm 6,5 Watt / converter 15 Watt 760 lumens / 6500 Kelvin 1 pedestal	28	700	640	F S A 4 5 7 0 B 2		
	1000 mm wide 1 LED surface-mounted lamp 600 mm 9,7 watt / Converter 15 watt 1140 lumens / 6500 Kelvin 1 pedestal	28	1000	640	F S A 4 5 1 0 B 2		
	1200 mm wide LED lighting element 900 mm 13,6 Watt / converter 30 Watt 1580 lumens / 6500 Kelvin 2 pedestals	28	1200	640	F S A 4 5 1 2 B 2		
Mirror cabinets Series A							
 incl. handle blocks	mirror cabinet 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 LED surface-mounted lamp 400 mm (6,5 Watt) 760 lumens / 6500 Kelvin 1 LED converter 15 W 1 switch socket element Door width: 196 mm / 296 mm / 196 mm This product contains a light source with energy efficien- cy class: F	150	700	640	S 2 A 4 3 7 S 4		
	Additional accessories LED washbasin lighting further sockets possible - see accessories				P Z 1 0 6 3 6 0		

Please observe the product details of the accessories in the separate index.

EASY LINE facto - model list




For further supplementary cupboards and accessories, see separate tabs

Depth indication corresponds to the carcass depth				Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Mirror cabinets Series A									
	mirror cabinet 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 LED surface-mounted lamp 600 mm (9,7 Watt) 1140 lumens / 6500 Kelvin 1 LED converter 30 W 1 switch socket element Door width: 288 mm / 412 mm / 288 mm This product contains a light source with energy efficien- cy class: F Additional accessories LED washbasin lighting further sockets possible - see accessories			150	1000	640	S 2 A 4 3 1 S 4		
incl. handle blocks							P Z 1 0 6 3 9 0		
	mirror cabinet 3 mirror doors on wooden-plated 3 glass shelves 2 central partitions, 1 LED surface-mounted lamp 900 mm (13,6 Watt) 1580 lumens / 6500 Kelvin 1 LED converter 30 W 1 switch socket element Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficien- cy class: F Additional accessories LED washbasin lighting further sockets possible - see accessories			150	1200	640	S 2 A 4 3 2 S 4		
incl. handle blocks							P Z 1 0 6 3 1 2		
Mirror cabinets Series B									
	mirror cabinet 3 mirror doors on wooden-plated 3 glass shelves 2 central partitions, 2 LED light profiles at the sides 2 x 6 watt / converter 30 watt 2 x 462 lumens / 6000 Kelvin 1 switch socket element Door width: 180 mm / 296 mm / 180 mm This product contains a light source with energy efficien- cy class: G Additional accessories lighting element LED washbasin lighting further sockets possible - see accessories			170	700	640	S 2 A 4 3 7 0 7 9		
incl. handle blocks							P Z 1 0 8 3 5 0 P Z 1 0 6 3 6 0		

Please observe the product details of the accessories in the separate index.

EASY LINE facto - model list



For further supplementary cupboards and accessories, see separate tabs

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Mirror cabinets Series B							
 <p>incl. handle blocks</p>	mirror cabinet 3 mirror doors on wooden-plated 3 glass shelves 2 central partitions, 2 LED light profiles at the sides 2 x 6 watt / converter 30 watt 2 x 462 lumens / 6000 Kelvin 1 switch socket element Door width: 222 mm / 512 mm / 222 mm This product contains a light source with energy efficien- cy class: G Additional accessories lighting element LED washbasin lighting further sockets possible - see accessories	170	1000	640	S 2 A 4 3 1 0 7 9		
					P Z 1 0 8 3 8 0 P Z 1 0 6 3 9 0		
 <p>incl. handle blocks</p>	mirror cabinet 3 mirror doors on wooden-plated 3 glass shelves 2 central partitions, 2 LED light profiles at the sides 2 x 6 watt / converter 30 watt 2 x 462 lumens / 6000 Kelvin 1 switch socket element Door width: 372 mm / 412 mm / 372 mm This product contains a light source with energy efficien- cy class: G Additional accessories lighting element LED washbasin lighting further sockets possible - see accessories	170	1200	640	S 2 A 4 3 1 2 7 9		
					P Z 1 0 8 3 8 0 P Z 1 0 6 3 1 2		
Sets - cast mineral washbasin							
 <p>handleless</p>	Consisting of: washbasin, cast mineral, white, 720 mm with overflow 1 middle panel white pre-milled Washbasin base unit 700 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail without LED lighting with LED lighting 1 LED converter 12 V, 15 Watt 711 lumens / 6500 Kelvin incl. toggle switch This product contains a light source with energy efficien- cy class: F Additional accessories motion sensor for LED lighting Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32	505	720	515	S E T 7 0 1 2 1		
		505	720	515	S E T 7 0 1 2 B 1		
					P Z 1 1 4 1 P Z 1 3 6 7 P Z 1 4 2 3		

Please observe the product details of the accessories in the separate index.

EASY LINE facto - model list




For further supplementary cupboards and accessories, see separate tabs

Depth indication corresponds to the carcass depth				Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Sets - cast mineral washbasin									
 <p>240 ↑ 240 ↑ ↓</p> <p>handleless</p>	Consisting of: washbasin, cast mineral, white, 1020 mm with overflow 1 middle panel white pre-milled Washbasin base unit, 1000 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail								
	without LED lighting with LED lighting 1 LED converter 12 V, 15 Watt 846 lumens / 6500 Kelvin incl. toggle switch This product contains a light source with energy efficiency class: F Additional accessories motion sensor for LED lighting Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32			505 505	1020 1020	515 515	S E T 1 0 1 2 1 S E T 1 0 1 2 B 1		
 <p>240 ↑ 240 ↑ ↓</p> <p>handleless</p>	Consisting of: washbasin, cast mineral, white, 1220 mm with overflow 1 middle panel white pre-milled washbasin base unit 1200 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail								
	without LED lighting with LED lighting 1 LED converter 12 V, 15 Watt 927 lumens / 6500 Kelvin incl. toggle switch This product contains a light source with energy efficiency class: F Additional accessories motion sensor for LED lighting Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32			505 505	1220 1220	515 515	S E T 1 2 1 2 1 S E T 1 2 1 2 B 1		

Please observe the product details of the accessories in the separate index.

EASY LINE facto - model list





For further supplementary cupboards and accessories, see separate tabs

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Sets - cast mineral washbasin							
 <p>240 240</p> <p>handleless</p>	Consisting of: Double washbasin white cast mineral, 1220 mm with overflow 1 middle panel white pre-milled washbasin base unit 1200 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail						
	without LED lighting with LED lighting 1 LED converter 12 V, 15 Watt 927 lumens / 6500 Kelvin incl. toggle switch This product contains a light source with energy efficiency class: F	505 505	1220 1220	515 515	S E T 1 2 2 D 1 S E T 1 2 2 D B 1		
	Additional accessories motion sensor for LED lighting Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces)				P Z 1 1 4 1 P Z 1 3 6 7 P Z 1 4 2 3		
Sets - ceramic washbasin							
 <p>240 240</p> <p>handleless</p>	Consisting of: Washbasin, ceramic, white, 720 mm with overflow Washbasin base unit 700 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail	500	720	495	S E T 7 0 4 4 1		
	Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z 1 3 6 7 P Z 1 4 2 3		
 <p>240 240</p> <p>handleless</p>	Consisting of: Washbasin, ceramic, white, 1020 mm with overflow Washbasin base unit, 1000 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail	500	1020	495	S E T 1 0 4 4 1		
	Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				P Z 1 3 6 7 P Z 1 4 2 3		

Please observe the product details of the accessories in the separate index.

EASY LINE facto - model list




For further supplementary cupboards and accessories, see separate tabs

Depth indication corresponds to the carcass depth				Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Sets - ceramic washbasin									
 <p>240 240</p> <p>handleless</p>	Consisting of: Washbasin, ceramic, white, 1220 mm with overflow washbasin base unit 1200 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32			500	1220	495	SET 1 2 4 4 1		
							P Z 1 3 6 7 P Z 1 4 2 3		
 <p>240 240</p> <p>handleless</p>	Consisting of: Double washbasin white ceramic, 1220 mm with overflow washbasin base unit 1200 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail Additional accessories Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces)			500	1220	495	SET 1 2 4 4 D 1		
							P Z 1 3 6 7 P Z 1 4 2 3		
 <p>240 240 240</p> <p>handleless</p>	Consisting of: Washbasin, ceramic, white, 720 mm with overflow Washbasin base unit 700 mm 1 pull-out with cushioned closure and syphon cutout 2 pull-outs with buffered closing 1 decor panel optional with chrome edge or black edge: no. 129 chrome no. 144 black 4 decorative feet chrome or black: no. 101 chrome no. 043 black Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32			500	720	867	SETQU 7 0 2		
							P Z 1 3 6 7 P Z 1 4 2 3		
 <p>240 240 240</p> <p>handleless</p>	Consisting of: Washbasin, ceramic, white, 1020 mm with overflow Washbasin base unit, 1000 mm 1 pull-out with cushioned closure and syphon cutout 2 pull-outs with buffered closing 1 decor panel optional with chrome edge or black edge: no. 129 chrome no. 144 black 4 decorative feet chrome or black: no. 101 chrome no. 043 black Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32			500	1020	867	SETQU 1 0 2		
							P Z 1 3 6 7 P Z 1 4 2 3		

Please observe the product details of the accessories in the separate index.

EASY LINE facto - model list






For further supplementary cupboards and accessories, see separate tabs

Depth indication corresponds to the carcass depth					Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
<h2>Sets - ceramic washbasin</h2>										
 <p>handleless</p>	Consisting of: Washbasin, ceramic, white, 1220 mm with overflow washbasin base unit 1200 mm 1 pull-out with cushioned closure and syphon cutout 2 pull-outs with buffered closing 1 decor panel optional with chrome edge or black edge: no. 129 chrome no. 144 black 4 decorative feet chrome or black: no. 101 chrome no. 043 black Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				500	1220	867	S E T Q U 1 2 2		
								P Z 1 3 6 7 P Z 1 4 2 3		
 <p>handleless</p>	Consisting of: Double washbasin white ceramic, 1220 mm with overflow washbasin base unit 1200 mm 1 pull-out with cushioned closure and 2 syphon cutouts 2 pull-outs with buffered closing 1 decor panel optional with chrome edge or black edge: no. 129 chrome no. 144 black 4 decorative feet chrome or black: no. 101 chrome no. 043 black Additional accessories Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces)				500	1220	867	S E T Q U 2 D 2		
								P Z 1 3 6 7 P Z 1 4 2 3		
<h2>Tall units</h2>										
 <p>handleless</p>	Tall unit 1 door 4 glass shelves 2 pull-outs with buffered closing				300	300	1600	H N A 0 8 3 0 4 L/R		
					300	400	1600	H N A 0 8 4 0 4 L/R		

Please observe the product details of the accessories in the separate index.

EASY LINE facto - model list








For further supplementary cupboards and accessories, see separate tabs

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge		Surchar- ge high- gloss carcass
Tall units								
 <p>1120 240 240</p> <p>handleless</p>	Tall unit 2 doors 4 glass shelves 2 pull-outs with buffered closing	300	600	1600	H N A 0 8 6 0 4			
Central units								
 <p>640 240 240</p> <p>handleless</p>	medium-high unit 1 door 1 glass shelf 2 pull-outs with buffered closing 1 top cover 325 mm deep	300 300	300 400	1136 1136	M N A 7 7 3 A 0 1 M N A 7 7 4 A 0 1	L/R L/R		
 <p>640 240 240</p> <p>handleless</p>	medium-high unit 2 doors 1 glass shelf 2 pull-outs with buffered closing 1 top cover 325 mm deep	300	600	1136	M N A 7 7 6 A 0 1			
 <p>1120</p> <p>handleless</p>	medium-high unit 1 door 3 glass shelves 1 top cover 325 mm deep	300 300	300 400	1136 1136	M N A 7 1 3 A 0 1 M N A 7 1 4 A 0 1	L/R L/R		
 <p>1120</p> <p>handleless</p>	medium-high unit 2 doors 3 glass shelves 1 top cover 325 mm deep	300	600	1136	M N A 7 1 6 A 0 1			

Please observe the product details of the accessories in the separate index.

EASY LINE facto - model list






For further supplementary cupboards and accessories, see separate tabs

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surcharge high-gloss carcass
Highboards							
 <p>640</p> <p>handleless</p>	Highboard 1 door 1 glass shelf 1 top cover 325 mm deep	300	300	656	H B A 4 1 3 A 0 1	L/R	
		300	400	656	H B A 4 1 4 A 0 1	L/R	
 <p>640</p> <p>handleless</p>	Highboard 2 doors 1 glass shelf 1 top cover 325 mm deep	300	600	656	H B A 4 1 6 A 0 1		
 <p>640</p> <p>handleless</p>	Highboard with laundry basket 1 laundry basket with wire basket 1 top cover 325 mm deep Volume of laundry basket: 25 liters Volume of laundry basket: 35 liters	300	300	656	H B A 4 1 3 W 0 1		
		300	400	656	H B A 4 1 4 W 0 1		
 <p>640</p> <p>handleless</p>	Highboard with laundry basket 1 laundry basket with wire basket 1 top cover 325 mm deep Volume of laundry basket: 55 liters	300	600	656	H B A 4 1 6 W 0 1		
 <p>160</p> <p>640</p> <p>handleless</p>	Highboard 1 drawer with buffered closing 1 door 1 glass shelf 1 top cover 325 mm deep	300	300	816	H B A 5 5 3 A 0 1	L/R	
		300	400	816	H B A 5 5 4 A 0 1	L/R	
 <p>160</p> <p>640</p> <p>handleless</p>	Highboard 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 325 mm deep	300	600	816	H B A 5 5 6 A 0 1		
 <p>160</p> <p>640</p> <p>handleless</p>	Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 325 mm deep Volume of laundry basket: 25 liters Volume of laundry basket: 35 liters	300	300	816	H B A 5 5 3 W 0 1		
		300	400	816	H B A 5 5 4 W 0 1		

Please observe the product details of the accessories in the separate index.

EASY LINE facto - model list

For further supplementary cupboards and accessories, see separate tabs

Depth indication corresponds to the carcass depth				Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Highboards									
 <p>160 640 ↑ ↓</p> <p>handleless</p>	Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 325 mm deep Volume of laundry basket: 55 liters	300	600	816	H B A 5 5 6 W 0 1				
Wall units									
 <p>640 ↑ ↓</p> <p>handleless</p>	Wall unit 1 door 1 glass shelf	150 150	300 400	640 640	O G A 4 1 3 0 O G A 4 1 4 0	L/R L/R			
 <p>640 ↑ ↓</p> <p>handleless</p>	Wall unit 2 doors 1 glass shelf	150	600	640	O G A 4 1 6 0				
Base units									
 <p>240 240 ↑ ↓</p> <p>handleless</p>	Base unit 2 pull-outs with buffered closing 1 top cover 325 mm deep	300 300 300	300 400 600	496 496 496	U N A 3 6 3 A 0 1 U N A 3 6 4 A 0 1 U N A 3 6 6 A 0 1				
Accessories									
	Decor panel to fit underneath furniture elements optional chrome or black: no. 129 chrome no. 144 black 300 mm wide 400 mm wide 600 mm wide	317 317 317	294 394 594	12 12 12	D B 3 1 3 0 1 2 D B 3 1 4 0 1 2 D B 3 1 6 0 1 2				

Please observe the product details of the accessories in the separate index.



EASY LINE facto - model list

Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Accessories							
	Foot, chrome (4 pieces) adjustable in height (+ / - 5 mm) Units have to be extra wall-fixed, to avoid fall-overs optional chrome or black: no. 101 chrome no. 043 black	20	20	120	P Z 1 2 4 3 4		
	LED lighting element Width: 500 mm 4,56 watt / 351 lumens / 6000 Kelvin This product contains a light source with energy efficien- cy class: G	94	500	44	P Z 1 0 8 3 5 0		
	LED lighting element Width: 800 mm 7,44 watt / 573 lumens / 6000 Kelvin This product contains a light source with energy efficien- cy class: G	94	800	44	P Z 1 0 8 3 8 0		

EASY LINE facto - dimensional drawings



SET 7012 1

SET 1012 1





SET 1212 1

SET 122D 1



SET 7044 1

SET 1044 1



Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon! Cast mineral:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed immediately, so that staining can be avoided.

Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.



LEGEND

B = Width of Washbasin base units
X = Position wastewater connection

EASY LINE facto - dimensional drawings



Single washbasin floorstanding
ceramic

Double washbasin floorstanding
ceramic




FSB 44xx 01

FSA 45xx B2



electrical connections for mirror cabinets



OKFFB=Oberkante Fertigfußboden

Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon! Cast mineral:
The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed immediately, so that staining can be avoided.
Modifications:
Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.

LEGEND

B = Width of Washbasin base units
X = Position wastewater connection