







Front colours



No. 764 Stonegrey matt



No. 891 quarz grey matt



no. 794 sand oak





No. 777 cosmos grey matt



No. 686 anthracite hgl.



no. 680 Charleston oak



No. 793 noble white matt



No. 722 polar white hgl.



Nr. 785 natural oak

carcass colours

* High gloss carcass for an additional price



No. 111 white matt



No. 164 Stonegrey matt



No. 177 cosmos grey matt quarz grey matt





*no. 121 anthracite hgl.



*no. 161 white hgl.



no. 194 sand oak



no. 180 Charleston oak



Nr. 185 natural oak

Washbasin colours

Cast mineral washbasins



white

pull-out element



No. 559

Pull outs and drawers with soft close

door with integrated buffered closing

Handle version



No. 520 bar handle chrome

Mirror cabinets

Series A



Series B



Illustrations and specifications are without obligation. Technical modifications reserved.

EASY LINE joy - model listFor further supplementary cupboards and accessories, see separate tabs

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Mirrors							
	Mirror, 700 mm 1 LED surface-mounted lamp 400 mm (6,5 Watt) 760 lumens / 6500 Kelvin 1 LED converter 15 W 1 switch element This product contains a light source with energy efficiency class: F	28	700	640	FSA4570B2		
	Mirror 900 mm 1 LED surface-mounted lamp 600 mm (9,7 Watt) 1140 lumens / 6500 Kelvin 1 LED converter 15 W 1 switch element This product contains a light source with energy efficiency class: F	28	900	640	FSA4590B2		
	Mirror 1200 mm 1 LED surface-mounted lamp 900 mm (13,6 Watt) 1580 lumens / 6500 Kelvin 1 LED converter 30 W 1 switch element This product contains a light source with energy efficiency class: F Please state the carcass colour	28	1200	640	FSA4512B2		
//	Mirror 1400 mm 1 LED surface-mounted lamp 900 mm (13,6 Watt) 1580 lumens / 6500 Kelvin 1 LED converter 30 W 1 switch element This product contains a light source with energy efficiency class: F Please state the carcass colour	28	1400	640	FSA4514B2		
Mirror cabin	ets Series A						
incl. handle block III. = left	mirror cabinet 1 mirror door on wooden-plated 1 glass shelf 1 switch socket element Door width: 396 mm 1 LED panel light Depth: 260 mm 12,0 watt / Converter 15 watt 1200 lumens / 6500 Kelvin 2 mirror-finished shelf units 150 mm wide with 2 glass shelves each This product contains a light source with energy efficiency class: F Additional accessories LED washbasin lighting	150	700	650	S 2 A 4 2 7 0 S 2 PZ 1 0 6 3 60	L/R	
	roduct details of the accessories in the separate index						

EASY LINE joy - model listFor further supplementary cupboards and accessories, see separate tabs

epth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
lirror cabin	nets Series A						
cl. handle blocks	mirror cabinet 2 mirror doors on wooden-plated incl. inside mirror 1 glass shelf 1 switch socket element Door width: 196 mm / 396 mm 1 LED panel light Depth: 260 mm 17,0 watt / converter 30watt 1700 lumens / 6500 Kelvin 2 mirror-finished shelf units 150 mm wide with 2 glass shelves each This product contains a light source with energy efficiency class: F	150	900	650	S 2 A 4 2 9 0 S 2		
	Additional accessories LED washbasin lighting further sockets possible - see accessories				PZ 106390		
cl. handle blocks	mirror cabinet 3 mirror doors on wooden-plated with 1 glass shelf each 1 switch socket element Door width: 264 mm / 396 mm /264 mm 1 LED panel light Depth: 260 mm 22,2 watt / converter 30watt 2220 lumens / 6500 Kelvin 2 mirror-finished shelf units 134 mm wide with 2 glass shelves each This product contains a light source with energy efficiency class: F	150	1200	650	S 2 A 4 2 1 2 S 2		
	Additional accessories LED washbasin lighting further sockets possible - see accessories				PZ 106312		
cl. handle blocks	mirror cabinet 3 mirror doors on wooden-plated with 1 glass shelf each 1 switch socket element Door width: 314 mm / 496 mm / 314 mm 1 LED panel light Depth: 260 mm 25,4 watt / converter 30 watt 2540 lumens / 6500 Kelvin 2 mirror-finished shelf units 134 mm wide with 2 glass shelves each This product contains a light source with energy efficiency class: F for single washbasin solution Additional accessories LED washbasin lighting further sockets possible - see accessories	150	1400	650	S 2 A 4 2 1 4 S 2		
Please o	2 mirror-finished shelf units 134 mm wide with 2 glass shelves each This product contains a light source with energy efficiency class: F for single washbasin solution Additional accessories LED washbasin lighting	te indev				PZ 106312	PZ 106312

•	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	!	Surchar- ge high- gloss carcass
incl. handle blocks	mirror cabinet 2 elements 2 mirror doors on wooden-plated incl. inside mirror with 1 glass shelf each 1 switch socket element Door width: 546 mm / 546 mm 1 LED panel light Depth: 260 mm 25,4 watt / converter 30 watt 2540 lumens / 6500 Kelvin 2 mirror-finished shelf units 150 mm wide with 2 glass shelves each This product contains a light source with energy efficiency class: F for double washbasin solutions Additional accessories LED washbasin lighting (please order 2 pieces) further sockets possible - see accessories	150	1400	650	S 2 A 4 2 4 D S 2			
Mirror cabin	ets Series B							
incl. handle blocks	mirror cabinet 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 LED surface-mounted lamp 400 mm (6,5 Watt) 760 lumens / 6500 Kelvin 1 LED converter 15 W 1 switch socket element Door width: 196 mm / 296 mm / 196 mm This product contains a light source with energy efficiency class: F Additional accessories LED washbasin lighting further sockets possible a see accessories	150	700	640	S 2 A 4 3 7 S 4 PZ 1 0 6 3 60			
incl. handle blocks	mirror cabinet 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 LED surface-mounted lamp 600 mm (9,7 Watt) 1140 lumens / 6500 Kelvin 1 LED converter 15 W 1 switch socket element Door width: 238 mm / 412 mm / 238 mm This product contains a light source with energy efficiency class: F Additional accessories LED washbasin lighting further sockets possible - see accessories	150	900	640	S 2 A 4 3 9 S 4			
	uroduct details of the accessories in the senarate index							

For further supplementary cupboards and accessories, see separate tabs

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Mirror cabin	ets Series B						
incl. handle blocks	mirror cabinet 3 mirror doors on wooden-plated 3 glass shelves 2 central partitions, 1 LED surface-mounted lamp 900 mm (13,6 Watt) 1580 lumens / 6500 Kelvin 1 LED converter 30 W 1 switch socket element Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: F	150	1200	640	S 2 A 4 3 2 S 4		
	Additional accessories LED washbasin lighting further sockets possible - see accessories				PZ 106312		
incl. handle blocks	mirror cabinet 3 mirror doors on wooden-plated 3 glass shelves 2 central partitions, 1 LED surface-mounted lamp 900 mm (13,6 Watt) 1580 lumens / 6500 Kelvin 1 LED converter 30 W 1 switch socket element Door width: 438 mm / 512 mm / 438 mm This product contains a light source with energy efficiency class: F Additional accessories LED washbasin lighting further sockets possible - see accessories	150	1400	640	PZ 106312		
Sets							
160	7 Consisting of: washbasin, cast mineral, white, 712 mm with overflow Washbasin base unit 700 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail sidewise carcass depth = 400 mm						
	without LED lighting with LED lighting 1 LED converter 12 V, 15 Watt 3,4 watt / 302 lumens / 6500 Kelvin incl. toggle switch This product contains a light source with energy efficiency class: F	510 510	712 712	520 520	SETVU70 1 SETVU70B1		
	Additional accessories motion sensor for LED lighting Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				PZ 1 1 4 1 PZ 1 3 6 7 PZ 1 4 2 3		

	ponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Sets							
320	Consisting of: washbasin, cast mineral, white, 912 mm with overflow Washbasin base unit 900 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail sidewise carcass depth = 400 mm						
i -	without LED lighting with LED lighting 1 LED converter 12 V, 15 Watt 4,8 watt / 432 lumens / 6500 Kelvin ncl. toggle switch This product contains a light source with energy efficiency class: F	521 521	912 912	520 520	SETVU90 1 SETVU90B1		
r	Additional accessories motion sensor for LED lighting Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				PZ 1 141 PZ 1 367 PZ 1 423		
320	Consisting of: Washbasin, cast mineral, white, 1212 mm with overflow washbasin base unit 1200 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail 2 doors per 1 glass shelf sidewise carcass depth = 280 mm						
6 i	without LED lighting with LED lighting 1 LED converter 12 V, 15 Watt 6,2 Watt / 562 lumens / 6500 Kelvin ncl. toggle switch This product contains a light source with energy efficiency class: F	497 497	1212 1212	520 520	SETVU12 1 SETVU12B1		
r	Additional accessories motion sensor for LED lighting Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				PZ 1 141 PZ 1 367 PZ 1 423		

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Sets						
Consisting of: washbasin mineral, white, 1412 mm with overflow washbasin base unit 1400 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail 2 doors per 1 glass shelf sidewise carcass depth = 230 mm						
with LED lighting with LED lighting 1 LED converter 12 V, 15 Watt 7,0 watt / 630 lumens / 6500 Kelvin incl. toggle switch This product contains a light source with energy efficiency class: F Additional accessories motion sensor for LED lighting Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32	510 510	1412 1412	520 520	SETVU14 1 SETVU14B1 PZ 1141 PZ 1367 PZ 1423		
Consisting of: Double washbasin white cast mineral, 1412 mm with overflow washbasin base unit 1400 mm 2 metal pull out units with buffered closing and syphon cut- out 2 metal pull outs with buffered closing and rail sidewise carcass depth = 400 mm without LED lighting with LED lighting 1 LED converter 12 V, 15 Watt 6,72 watt / 605 lumens / 6500 Kelvin incl. toggle switch This product contains a light source with energy efficiency class: F Additional accessories motion sensor for LED lighting Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces)	560 560	1412 1412	520 520	SETVU4D 1 SETVU4DB1 PZ 1 141 PZ 1 367 PZ 1 423		
Please observe the product details of the accessories in the senara						

For further supplementary cupboards and accessories, see separate tabs

Depth indication corresponds to the carcass depth Mirrors GUEST BATHROOM		Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
	mirror, 400 mm outer edges in chrom 1 LED surface-mounted lamp 400 mm 6,5 Watt / converter 15 Watt 760 lumens / 6000 Kelvin incl. toggle switch This product contains a light source with energy efficiency class: F	28	400	800	FSA5140B3		
Set GUEST	BATHROOM						
480	Consisting of: washbasin, cast mineral, white, 512 mm incl. permanent drain washbasin base unit 500 mm 1 door	345	512	520	SETVU50 1	L/R	
	Additional accessories Space-producing drain stench trap DN 32				PZ 1407		
Tall units							
	Tall unit 1 door	300	300			L/R	
1120 160 — 320	4 glass shelves 1 drawer with buffered closing 1 pull-out with buffered closing	300	400	1600	HNA0840 5	L/R	
1120 160 320	Tall unit 2 doors 4 glass shelves 1 drawer with buffered closing 1 pull-out with buffered closing	300	600	1600	HNA0860 5		
<u> </u>	Tall unit	300	300	1600	H N A 0 2 3 0 0 1	L/R	
320 160 480	1 door 1 glass shelf (top) 1 open compartment 1 drawer with buffered closing 1 door 1 glass shelf	300	400	1600	H N A 0 2 4 0 0 1	L/R	
Please observe the r	product details of the accessories in the separate index.						

For further supplementary cupboards and accessories, see separate tabs


Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss
Tall units							carcass
320 160 480	Tall unit 2 doors 1 glass shelf (top) 1 open compartment 1 drawer with buffered closing 2 doors 1 glass shelf	300	600	1600	H N A O 2 6 O O 1		
Central unit	S						
	medium-high unit	300	300	1296	M N A 8 8 3 A 0 1	L/R	
160	1 door 2 glass shelves 1 drawer with buffered closing 1 pull-out with buffered closing 1 top cover 325 mm deep	300	400	1296	MNA884A01		
800 160 320	medium-high unit 2 doors 2 glass shelves 1 drawer with buffered closing 1 pull-out with buffered closing 1 top cover 325 mm deep	300	600	1296	M N A 8 8 6 A 0 1		
<u> </u>	medium-high unit	300	300	1296	M N A 8 1 3 A 0 1	L/R	
1280	1 door 4 glass shelves 1 top cover 325 mm deep	300	400	1296	M N A 8 1 4 A 0 1	L/R	
1280	medium-high unit 2 doors 4 glass shelves 1 top cover 325 mm deep	300	600	1296	M N A 8 1 6 A 0 1		
Highboards							
640	Highboard 1 door 1 glass shelf 1 top cover 325 mm deep	300 300	300 400	656 656	HBA413A01 HBA414A01		
Please	bserve the product details of the accessories in the separa	te indev			L		


For further supplementary cupboards and accessories, see separate tabs

Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Highboards							Sarbass
640	Highboard 2 doors 1 glass shelf 1 top cover 325 mm deep	300	600	656	HBA416A01		
640	Highboard with laundry basket 1 laundry basket with wire basket 1 top cover 325 mm deep						
	Volume of laundry basket: 25 liters	300	300	656	HBA413W01		
	Volume of laundry basket: 35 liters	300	400	656	HBA414W01		
640	Highboard with laundry basket 1 laundry basket with wire basket 1 top cover 325 mm deep						
	Volume of laundry basket: 55 liters	300	600	656	HBA416W01		
160 1	Highboard	300	300	816	HBA553A01	L/R	
640	drawer with buffered closing door glass shelf top cover 325 mm deep	300	400	816	H B A 5 5 4 A 0 1	L/R	
640	Highboard 1 drawer with buffered closing 2 doors 1 glass shelf 1 top cover 325 mm deep	300	600	816	HBA556A01		
160	Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 325 mm deep						
\$ \	Volume of laundry basket: 25 liters	300	300	816	HBA553W01		
	Volume of laundry basket: 35 liters	300	400	816	HBA554W01		
160	Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket 1 top cover 325 mm deep						
	Volume of laundry basket: 55 liters	300	600	816	HBA556W01		
Wall units							
640	Wall unit 1 door 1 glass shelf	150 150	300 400	640 640	O G A 4 1 3 0 O G A 4 1 4 0	L/R L/R	

Depth indication corresponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Wall units						
Wall unit 2 doors 1 glass shelf	150	600	640	OGA4160		
Base units						
Base unit 1 drawer with buffered closing 1 pull-out with buffered closing 1 top cover 325 mm deep	300 300 300	300 400 600	496 496 496	UNA343A01 UNA344A01 UNA346A01		
Please observe the product details of the accessories in the separa						

EASY LINE joy - dimensional drawings





LEGEND

B = Width of Washbasin base units
X = Position wastewater connection

Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon! Cast mineral:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed immediately, so that staining can be avoided.


Modifications:


Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.

EASY LINE joy - dimensional drawings

GUEST BATHROOM


Single washbasin 700 mm wide & 900 mm wide






Single washbasin 1200 mm wide & 1400 mm wide

Double washbasin







Mirror 400 mm

FSA 45xx B2

electrical connections for mirror cabinets







OKFFB=Oberkante Fertigfußboden

Washing stands without anchoring brackets have to be fixed on the wall and on the furniture-side with silicon! Cast mineral:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed immediately, so that staining can be avoided. Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.

LEGEND

B = Width of Washbasin base units X = Position wastewater connection