






#### Front colours







No. 679 concrete imitation



No. 775 steel grey dark matt



No. 722 polar white hgl.



no. 670 Halifax oak



No. 750 cardiff oak



no. 751 Cuneo oak brown



no. 771 Cuneo oak natural



no. 794 sand oak

#### carcass / carcass cover colours

\* High gloss carcass for an additional price



No. 179 concrete imitation



No. 175 steel grey dark matt



\*no. 161 white hgl.



no. 170 Halifax oak



no. 150 cardiff oak



no. 151 Cuneo oak brown



no. 171 Cuneo oak natural



no. 194 sand oak

### Washbasin plates and top covers colours

\* High gloss plate against additional price



No. 179 concrete imitation



no. 174 Hunton oak



Nr. 185 natural oak



No. 175 steel grey dark matt



no. 150 cardiff oak



no. 194 sand oak



\*no. 161 white hgl.



no. 151 Cuneo oak brown



No. 143
Slate imitation
(only possible as washbasin colour)



no. 170 Halifax oak



no. 171 Cuneo oak natural

#### Washbasin colours

Ceramic counter top washbasin

**Connect Air** 



No. 1 white

No. 21 white IdealPlus





No. 1 white

Málaga



No. 1 white

#### Handle version

handleless - handle profil in carcass colour



**Technique** 

No. 559



Pull outs and drawers

door with integrated buffered closing

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Mirrors							
	Mirror LED- lighting horizontal incl. toggle switch This product contains a light source with energy efficiency class: D						
	700 mm wide 6,6 Watt / converter 15 Watt 1010 lumens / 6000 Kelvin	59	700	720	FSA437072		
	1000 mm wide 9,3 watt / converter 30 watt 1422 lumens / 6000 Kelvin	59	1000	720	FSA431072		
	1200 mm wide 11,4 watt / converter 30 watt 1744 lumens / 6000 Kelvin	59	1200	720	FSA431272		
	Mirror LED- lighting left and right 11,0 watt / Converter 15 watt 968 lumens / 6500 Kelvin incl. toggle switch This product contains a light source with energy efficiency class: F						
	700 mm wide	30	700	640	FSB447001		
	1000 mm wide	30	1000	640	FSB441001		
	1200 mm wide	30	1200	640	F S B 4 4 1 2 0 1		
Mirror cabin		150	720	720	SETINZOOA		
incl. handle blocks	mirror cabinet  1 mirror panel incl. LED lighting horizontal 6,6 Watt / converter 15 Watt 1010 lumens / 6000 Kelvin 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 switch socket element Door width: 196 mm / 296 mm / 196 mm This product contains a light source with energy efficiency class: D  Additional accessories LED washbasin lighting further sockets possible - see accessories	150	720	720	PZ 1 063 60		

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Mirror cabin	ets						
incl. handle blocks	mirror cabinet  1 mirror panel incl. LED lighting horizontal  9,3 watt / converter 15 watt 1423 lumens / 6000 Kelvin 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 switch socket element Door width: 288 mm / 412 mm / 288 mm This product contains a light source with energy efficiency class: D	150	1020	720	SETIN1001		
	Additional accessories LED washbasin lighting further sockets possible - see accessories				PZ 106390		
incl. handle blocks	mirror cabinet  1 mirror panel incl. LED lighting horizontal  11,4 watt / converter 30 watt 1744 lumens / 6000 Kelvin 3 mirror doors on wooden-plated 2 central partitions, 3 glass shelves 1 switch socket element Door width: 388 mm / 412 mm / 388 mm This product contains a light source with energy efficiency class: D  Additional accessories LED washbasin lighting further sockets possible - see accessories	150	1220	720	SETIN1201 PZ 106312		
Ceramic cou	ınter top washbasin						
	counter top washbasin Connect Air, white incl. tap hole with overflow	460	550	100	WTA0805 1		
	counter top washbasin Connect Air, IdealPlus, white incl. tap hole with overflow	460	550	100	WTA080521		
	counter top washbasin Melbourne, white incl. tap hole incl. permanent drain without overflow	425	600	90	WTA1104 1		
	counter top washbasin Melbourne, white incl. tap hole with overflow	420	550	95	WTA4255 1		

Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Ş	Surchar- ge high- gloss carcass
Washbasin	plates with ABS edge							
Please spec	rify washbasin position							
	washbasin plate including cutouts for the washbasins offered in this program							
	Width 726 mm for 1 cutout central	495	726	28	A P A 5 0 7 0 6 3			
	Width 1026 mm for 1 cutout left, centred or right	495	1026	28	A P A 5 0 1 0 6 3			
	Width 1226 mm for 1 cutout central	495	1226	28	APA501263			
	Width 1426 mm for 1 or 2 cutouts	495	1426	28	A P A 5 0 1 4 6 3			
	Width 1726 mm for 1 or 2 cutouts	495	1726	28	A P A 5 0 1 7 6 3			
	adjustable in depth und width Price per metre	495	300-2600	28	APN 60V28			
160	Washbasin base unit 1 drawer with buffered closing with syphon cut- out 1 pull-out with buffered closing							
	without LED lighting	492	720	440	SET387S1G			
	with LED lighting 1 enlighted handle space 3,1 watt / Converter 15 watt 333 lumens / 6300 Kelvin 1 motion sensor This product contains a light source with energy efficiency class: E	492	720	440	SET387SBG			
	Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				PZ 1367 PZ 1423			

# For further supplementary cupboards and accessories, see separate tabs

Depth indication corresponds to	the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Washbasin base u	nits						
160 to 16	in base unit with buffered closing on cut- out with buffered closing						
without L	ED lighting	492	1020	440	SET381S1G		
4,5 watt / 485 lumer 1 motion s This producy class: I Additional	d handle space converter 15 watt ns / 6300 Kelvin sensor uct contains a light source with energy efficien-	492	1020	440	<b>SET381SBG</b> PZ 1367		
	ving drain stench trap DN 32				PZ 1423		
Washbasi 1 drawer with syphe 1 pull-out Base unit 1 drawer t 1 pull-out without L with LED 2 enlighte 4,4 watt / 333 + 128 1 motion s This produ cy class: I Additional Space-sar	with buffered closing with buffered closing  ED lighting lighting d handle profiles converter 15 watt lumens / 6300 Kelvin sensor uct contains a light source with energy efficien-	492 492	1020 1020	440 440	SET38101G SET3810BG PZ 1367 PZ 1423		
1 drawer with sypho	in base unit with buffered closing on cut- out with buffered closing						
without L	ED lighting	492	1220	440	S E T 3 8 2 S 1 G		
5,5 Watt / 589 lumer 1 motion s	d handle space converter 15 Watt ns / 6300 Kelvin sensor uct contains a light source with energy efficien-	492	1220	440	S E T 3 8 2 S B G		
Space-sa Space-sa	accessories ving drain stench trap DN 40 ving drain stench trap DN 32  product details of the accessories in the separa	to index			PZ 1367 PZ 1423		

·	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Washbasin k	oase units						
III. = left Left shelf	Washbasin base unit for single washbasin solution  1 Washbasin base unit 700 mm wide 1 drawer with buffered closing with syphon cut- out 1 pull-out with buffered closing 1 Base unit 700 mm wide 1 drawer with buffered closing 1 pull-out with buffered closing without LED lighting with LED lighting 2 enlighted handle profiles 6,2 watt / converter 15 watt 333 + 333 lumens / 6300 Kelvin 1 motion sensor This product contains a light source with energy efficiency class: E  Additional accessories	492 492	1420 1420	440 440	S E T 3 8 4 E 1 G S E T 3 8 4 E B G		
	Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				PZ 1367 PZ 1423		
160	Washbasin base unit for double washbasin solutions  2 Washbasin base units per 700 mm wide per 1 drawer with buffered closing with syphon cut- out per 1 pull-out with buffered closing						
	without LED lighting	492	1420	440	SET38141G		
	with LED lighting  2 enlighted handle profiles 6,2 watt / converter 15 watt 333 + 333 lumens / 6300 Kelvin 1 motion sensor This product contains a light source with energy efficiency class: E  Additional accessories Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces)	492	1420	440	PZ 1 367 PZ 1 423		

Depth indication corre	sponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	ge	urchar- e high- gloss arcass
Washbasin k	pase units					_		
160 \$ 240 \$	Washbasin base unit for single washbasin solution							
III. = left Left shelf	1 Washbasin base unit 700 mm wide 1 drawer with buffered closing with syphon cut- out 1 pull-out with buffered closing 1 Base unit 300 mm widh 1 drawer with buffered closing 1 pull-out with buffered closing 1 pull-out with buffered closing 1 drawer with buffered closing 1 drawer with buffered closing 1 pull-out with buffered closing							
	without LED lighting	492	1720	440	S E T 3 8 7 E 1 G	L/R		
	with LED lighting 3 enlighted handle profiles 7,5 watt / converter 15 watt 333 + 128 + 333 lumens / 6300 Kelvin 1 motion sensor This product contains a light source with energy efficiency class: E	492	1720	440	SET387EBG	L/R		
	Additional accessories Space-saving drain stench trap DN 40 Space-saving drain stench trap DN 32				PZ 1367 PZ 1423			
160 \$ 240 \$	Washbasin base unit for double washbasin solutions							
	2 Washbasin base units per 700 mm wide per 1 drawer with buffered closing with syphon cut- out per 1 pull-out with buffered closing 1 Base unit 300 mm widh 1 drawer with buffered closing 1 pull-out with buffered closing							
	without LED lighting	492	1720	440	SET38171G			
	with LED lighting 3 enlighted handle profiles 7,5 watt / converter 15 watt 333 + 128 + 333 lumens / 6300 Kelvin 1 motion sensor This product contains a light source with energy efficiency class: E	492	1720	440	SET3817BG			
	Additional accessories Space-saving drain stench trap DN 40 (order 2 pieces) Space-saving drain stench trap DN 32 (order 2 pieces)				PZ 1367 PZ 1423			
Diagonal	oserve the product details of the accessories in the separa							

For further supplementary cupboards and accessories, see separate tabs

Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar ge high gloss carcass
optional Bas	se units for washbasin plates						
160 240	washbasin base unit 1 drawer with buffered closing 1 pull-out with buffered closing						
*	without LED lighting	470	300	440	U T A 3 8 3 0 1 G		
	with LED lighting 1 enlighted handle profile 1,3 Watt / 128 lumens / 6300 Kelvin This product contains a light source with energy efficiency class: E	470	300	440	U T A 3 8 3 0 B G		
	orderable to already existing washbasin-units to be able to plan further widths						
	Additional accessories 4 x body connecting screws				504 279		
Tall units							
	Tall unit	322	320	1630	H N A 0 3 3 A 1 G	L/R	
800	2 doors 2 glass shelves (top) 2 adjustable shelves (bottom) side doubling 10 mm each	322	420	1630	H N A 0 3 4 A 1 G	L/R	
	Tall units	222	000	4020	UNA 0.2 CA 4 C		
800	Tall unit 4 doors 2 glass shelves (top) 2 adjustable shelves (bottom) side doubling 10 mm each	322	620	1630	H N A 0 3 6 A 1 G		
	Tall and to	200	220	4020	UNA 0 2 2 A 4 C	L/D	
256	Tall unit 2 doors 1 glass shelf (top) 1 glass shelf 1 open compartment side doubling 10 mm each	322 322	320 420		H N A 0 2 3 A 1 G H N A 0 2 4 A 1 G		
	product details of the accessories in the separate index						

Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Tall units							
256	Tall unit 4 doors 1 glass shelf (top) 1 glass shelf 1 open compartment side doubling 10 mm each	322	620	1630	H N A 0 2 6 A 1 G		
256	Tall unit with laundry basket 1 door 1 glass shelf (top) 1 open compartment 1 laundry basket with wire basket side doubling 10 mm each Volume of laundry basket: 25 liters Volume of laundry basket: 35 liters	322	320 420	1630 1630	H N A O 2 3 A 1 W H N A O 2 4 A 1 W		
	volume of faultury basket. 35 liters	322	420	1030	HNAUZ4AIW	L/K	
256	Tall unit with laundry basket 2 doors 1 glass shelf (top) 1 open compartment 1 laundry basket with wire basket Volume of laundry basket: 55 liters side doubling 10 mm each	322	620	1630	H N A 0 2 6 A 1 W		
344	Tall unit  1 door  2 glass shelves (top)  1 open compartment  1 drawer with buffered closing  1 metal pull-out with buffered closing incl. drawer rail side doubling 10 mm each	322 322	320 420	1630	H N A 0 2 3 A 2 G		
	hserve the product details of the accessories in the senar						


Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
800 344 160 240	Tall unit 2 doors 2 glass shelves (top) 1 open compartment 1 drawer with buffered closing 1 metal pull-out with buffered closing incl. drawer rail side doubling 10 mm each	322	620	1630	H N A O 2 6 A 2 G		
Central unit	S						
	medium-high unit	325	325	1160	M N A 7 1 3 A 1 G	L/R	
1120	1 door 3 glass shelves 1 top cover 325 mm deep	325	425	1160	MNA714A1G	L/R	
1120	medium-high unit 2 doors 3 glass shelves 1 top cover 325 mm deep	325	625	1160	MNA716A1G		
1120	medium-high unit with inside drawer 1 door 1 glass shelf (top) 1 inside drawer with buffered closing 1 top cover 325 mm deep	325 325	325 425		M N A 7 4 3 A 1 G M N A 7 4 4 A 1 G		
1120	medium-high unit with inside drawer 2 doors 1 glass shelf (top) 1 inside drawer with buffered closing 1 top cover 325 mm deep	325	625	1160	M N A 7 4 6 A 1 G		

# For further supplementary cupboards and accessories, see separate tabs


Depth indication corre	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Highboards							
· 🗐	Highboard	325	325	840	HBA513A1G	L/R	
800	1 door 2 glass shelves 1 top cover 325 mm deep	325	425	840	HBA514A1G	L/R	
800	Highboard 2 doors 2 glass shelves 1 top cover 325 mm deep	325	625	840	HBA516A1G		
160 :	Highboard	325	325	840	HBA553A1G	L/R	
640	1 drawer with buffered closing 1 door 1 glass shelf side doubling 10 mm each 1 top cover 325 mm deep	325	425	840	H B A 5 5 4 A 1 G	L/R	
640	Highboard 1 drawer with buffered closing 2 doors 1 glass shelf side doubling 10 mm each 1 top cover 325 mm deep	325	625	840	HBA556A1G		
640	Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket side doubling 10 mm each 1 top cover 325 mm deep						
	Volume of laundry basket: 25 liters	325	325	840	HBA553AWG		
	Volume of laundry basket: 35 liters	325	425	840	H B A 5 5 4 A W G		
640	Highboard with laundry basket 1 drawer with buffered closing 1 laundry basket with wire basket Volume of laundry basket: 55 liters side doubling 10 mm each 1 top cover 325 mm deep	325	625	840	HBA556AWG		
	Highboard	325	325	840	H B A 5 1 3 A 2 G	L/R	
289	1 door 1 glass shelf 1 open compartment below side doubling 10 mm each 1 top cover 325 mm deep	325	425	840	H B A 5 1 4 A 2 G	L/R	
480	Highboard 2 doors 1 glass shelf 1 open compartment below side doubling 10 mm each 1 top cover 325 mm deep	325	625	840	HBA516A2G		
	Highboard	325	325	840	HBA513A3G	L/R	
480	1 open compartment above 1 door 1 glass shelf side doubling 10 mm each 1 top cover 325 mm deep	325	425	840	H B A 5 1 4 A 3 G	L/R	

Depth indication corr	esponds to the carcass depth	Depth in mm	Width in mm	Height in mm	Article number	Hinge	Surchar- ge high- gloss carcass
Highboards							
287	Highboard 1 open compartment above 2 doors 1 glass shelf side doubling 10 mm each 1 top cover 325 mm deep	325	625	840	HBA516A3G		
Wall units							
: [	Wall unit	172	320	640	O G A 4 1 3 A 1 G	L/R	
640	1 door 1 glass shelf side doubling 10 mm each	172	420	640	O G A 4 1 4 A 1 G	L/R	
640	Wall unit 2 doors 1 glass shelf side doubling 10 mm each	172	620	640	O G A 4 1 6 A 1 G		
Base units							
160 ‡	Base unit	325	325	450	U N A 3 8 3 A 1 G		
240 .	1 drawer with buffered closing 1 pull-out with buffered closing 1 top cover 325 mm deep	325	425	450	U N A 3 8 4 A 1 G		
160 *** 240 ***	Base unit  1 drawer with buffered closing  1 pull-out with buffered closing  1 top cover 325 mm deep	325	625	450	U N A 3 8 6 A 1 G		

#### **EASY LINE pronto - bathroom varations**





### **EASY LINE pronto - bathroom varations**




### **EASY LINE pronto - dimensional drawings**

#### CONNECT AIR WTA 0805






#### MELBOURNE WTA 1104






#### MÁLAGA WTA 4255 1




Single washbasin Washbasin height corresponds to the height of the Connect Air washbasin




Single washbasin + additional cupboard

Double washbasin 1400 mm wide

Washbasin height corresponds to the height of the Connect Air washbasin Washbasin height corresponds to the height of the Connect Air washbasin





Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.


#### LEGEND


B = Width of Washbasin base units X = Position wastewater connection

### **EASY LINE pronto - dimensional drawings**

Double washbasin 1700 mm wide Washbasin height corresponds to the height of the Connect Air washbasin


#### FSA 43xx 72






#### FSB 44xx 01

#### electrical connections for mirror cabinets





#### LEGEND

B = Width of Washbasin base units X = Position wastewater connection

#### Modifications

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.